

Chorological maps for the main European woody species: supplementary material

Giovanni CAUDULLO, Erik WELK, Jesús SAN-MIGUEL-AYANZ

Updated 5 May 2020

This document provides additional methodological information, the list of mapped species and the references used to produce the dataset of chorological maps presented in the paper:

Caudullo G., Welk E., San-Miguel-Ayanz J., 2017. **Chorological maps for the main European woody species**. *Data in Brief*, 12: 662-666. <https://doi.org/10.1016/j.dib.2017.05.007>

1. TYPES OF SOURCES

The information sources used for compiling woody species distribution ranges can be divided into five main categories:

1. **Base maps**: chorological maps covering the entire distribution range of European species are found principally in two seminal monographs published in the second half of last century. The first is the Atlas of North European Vascular Plants North of the Tropic of Cancer published in two main volumes by Hultén and Fries [133] providing 2,605 species distribution maps. The second is the Vergleichende Chorologie der Zentraleuropäischen Flora (Comparative chorology of the Central-European Flora), a monumental publication in three double-volumes edited by Meusel *et al.* [181][180][179] providing distribution maps and accompanying texts for ca. 8,000 species. Even if dated (most of the Hultén and Fries maps were compiled between 1950 and 1970) and sometimes not very detailed especially for species ranges at continental or global scale, the maps from these two publications represent the most complete overview of the species range. Another important source of maps covering complete distribution ranges specifically for important forest tree species is the EUFORGEN website (www.euforgen.org), which provides precise distribution maps in digital format, created on the basis of published maps (e.g. Meusel *et al.*, loc. cit.) as well as international and local expertise (from [72] to [99]).
2. **Continental maps**: the most important sources covering the European continent are two. The first is Atlas Florae Europaeae (AFE) published in 16 volumes from 1972 to 2013, which provides distribution maps of the species presence/absence in a Universal Transverse Mercator (UTM) grid of 50x50 km with some deviating sizes in the overlapping areas of the UTM zones. The ongoing AFE project follows the Englerian taxonomic sequence, starting from pteridophytes and gymnosperms up to Rosaceae in the latest volumes. Distribution information was taken from volume 2 and 3 [139][140]. The second source is the Map of Natural Vegetation of Europe [34], a publication comprising a descriptive text volume and GIS data, which provides the description and the complete coverage of the potential natural vegetation over Europe. In other continents, distribution maps for tree and shrub species are available e.g. for North America by the United States Geological Survey (USGS), digitized from "Atlas of United States trees" published by Little Jr. [160][161]. Concerning the Asian continent, coarse outline distribution maps covering the ex-USSR countries are published in 3 volumes by Sokolov *et al.* (Ареалы деревьев и кустарников СССР, Distribution ranges of trees and shrubs in USSR) [227][228][229]. Information for species ranges in other North-Asian regions is available only for single countries, such as China, Japan and North and South Korea.
3. **National/Regional maps**: numerous sources are available on web portals or in monographs providing occurrence information of species over a specific country or region. These distribution maps are published in several formats, such as grid atlas, sampling point datasets, or mapped regional

distribution areas, and furnish different types of information, from simple species occurrences, to its abundance or its floristic status (i.e. native, introduced, extinct).

4. Geodatabases: these sources are online archives providing geo-localized species occurrences. The web portal Global Biodiversity Information Facility (GBIF - www.gbif.org) represents the largest open repository for species occurrences, where over 1 billion of records in nearly 50,000 datasets (on early 2020) are stored and constantly expanded with new data. As this web archive does not verify the geographical quality of published data, only a few trustworthy datasets from GBIF database were used. The selected datasets were created by academic or national organizations (museums, universities, national inventories or national programmes) covering principally specific countries. Another large geodatabase with approximately 375,000 sample plots is the EU-Forest Dataset, which records the presence/absence of the main forest tree species in a 1 square kilometre grid [172]. This dataset covers 21 European countries, principally Central, Western and Northern ones, drawing on their national forest inventories. Other available large geodatabases are the Conifers of the World managed by the botanist Aljos Farjon with nearly 37,000 conifer records all over the world [103], and the European Information System on Forest Genetic Resources with over 3,200 forest samples in 34 European countries that documents, among others, the main tree species presence [100].
5. Scientific publications: for several, often regionally rare or peculiar species, distribution information in a particular region or area has been documented in textbooks, journal papers or websites. The largest bibliographic source providing citations of published single species distribution maps is provided by Index Holmiensis [233][165][163][164]. For some cases, exact localizations had to be recorded based on verbal description of the species distribution and localities, sometimes with the help of toponyms.

2. METHOD

The chorological maps found in printed publications were digitized with a photo scanner and converted into high resolution images. Then, all the map images collected from physical books, from e-books in PDF or DJVU formats, or from web pages were imported into GIS software and geo-referenced by identifying control points on a coordinate grid (when it was present) or on prominent geographical features of large rivers, coastlines or country boundaries. In order to avoid excessive image distortions, the geo-referencing process was performed in the original projection of the source map, or in a similar one in cases where the projection was unknown. Then, the existing point and polygon geodatabases were imported and intersected with the digitized maps. The general base maps were compared and evaluated with the more updated and detailed ones at country level and with available point/polygon data. Additionally, a digital elevation model (DEM) was used as background to provide information on the orography of the mapped areas. Finally, by comparing, evaluating and synthesizing the information of all different sources, continuous areas of occupancy of the species were drawn as polygons.

Single or small concentrations of occurrence locations separated from the main continuity of the species range were considered as isolated populations and digitized as point features instead of polygons. For those plant species occurring also outside the native ranges, the distribution area was digitized separately as introduced and naturalized range (synanthropic). Moreover, when detailed information was available, their ranges were mapped separately.

3. USAGE AND LIMITATIONS

The distribution maps represent species range data that have been compiled at continental scale based on numerous and heterogeneous sources. Since the maps aim at representing the species general chorology, the data provide a synthetic overview of all available distribution information. Therefore, the mapped boundaries should not be considered as precise and sharp limits where the species is definitely present or absent, particularly at local level. Indeed, the first version of this dataset was created for the European Atlas of Forest Tree Species [216] to concisely outline the distribution ranges of described species, complementing information on the species biology and ecology. It is worth noting, however, that the European Atlas of Forest Tree Species also contains, in addition to the synoptic




Figure 1: example of a chorological map of the holm oak (*Quercus ilex* L.). The distributions of the two subspecies are shown in different colours; where both subspecies occur, alternating colour strips are used. Isolated populations and synanthropic areas are shown as point features and symbolized in the map as crosses and triangles, respectively.

dataset presented here, numerically modelled maps of the likelihood of tree presence at 1 km grid cell resolution.

Errors and imprecision are partly inevitable, due to various causes, such as the quality of the original source, the geo-referencing procedure, subjective, expert interpretation and comparison of all the other sources in the same area and finally due to the limited precision of the manual digitalization process of the range borders. Moreover, not all the regions are homogeneously covered by data sources. There is a relative lack of information on spatial distribution and even species presence in Europe for Balkan countries (Bosnia and Herzegovina, Serbia and Kosovo, Macedonia, Montenegro, Albania), in North Africa principally in Tunisia and Libya and in the Middle East in Syria and Iraq. Finally, some specific sources are dated, difficult to find, or merely not yet consulted. For these reasons, the maps are scheduled to be updated, refined and, where necessary, corrected on the basis of new available sources and further expert reviews.

4. LIST OF SPECIES AND FILES

Table 1 provides the lists of geographic ESRI shapefiles and the list of bibliographic sources used for every species, ordered following the Englerian taxonomic sequence. Polygon shapefiles have the **plg** suffix and define the continuous areas of occupancy of the species range. Point shapefiles have the suffix **pnt** and identify more fragmented and isolated populations. Additional point and/or polygon shapefiles with suffix **syn** define the synanthropic areas outside the natural species range. Polygon borders delimiting the ranges are both clipped and un-clipped to a coastline. The un-clipped version offers the possibility to mask or clip and extract the terrestrial range parts using GIS data layers of the users' choice. For the clipped version (suffix **clip**), a coastline at medium scale derived from Natural Earth "Admin 0 – Countries" 1:50M version 4.1.0 (www.naturalearthdata.com) was used. Some species have additional shapefiles describing the distribution range:

- *Cupressus sempervirens_med_plg.shp*: the probable natural range of the species in the Mediterranean Basin.
- *Sambucus aria_complex_plg.shp*: distribution of the species complex comprising all the subspecies.

Table 1: List of mapped species with related files and used references.

| FAMILY | SPECIES | SUBSPECIES | FILES | REFERENCES | |
|----------|------------------------------------|---|--|--|--|
| Pinaceae | <i>Abies alba</i> Mill. | | <i>Abies_alba_plg.shp</i> | [12] [14] [18] [36] [30] | |
| | | | <i>Abies_alba_pnt.shp</i> | [34] [39] [41] [44] [45] | |
| | | | <i>Abies_alba_syn_pnt.shp</i> | [50] [59] [70] [95] [100] | |
| | | | <i>Abies_alba_syn_plg.shp</i> | [103] [29] [107] [112] | |
| | | | <i>Abies_alba_syn_plg_clip.shp</i> | [130] [134] [139] [170] | |
| | | <i>Abies cephalonica</i> Loudon | | <i>Abies_cephalonica_plg.shp</i> <i>Abies_cephalonica_plg_clip.shp</i> <i>Abies_cephalonica_pnt.shp</i> | [100] [103] [232] |
| | | <i>Abies borisii-regis</i> Mattf. | | <i>Abies_birisiiregis_plg.shp</i> <i>Abies_birisiiregis_pnt.shp</i> | [13] [32] [100] [103] [232] [264] |
| | | <i>Abies pinsapo</i> Boiss. | <i>Abies pinsapo marocana</i> <i>Abies pinsapo pinsapo</i> | <i>Abies_pinsapo_marocana_plg.shp</i> <i>Abies_pinsapo_marocana_pnt.shp</i> <i>Abies_pinsapo_pinsapo_plg.shp</i> <i>Abies_pinsapo_pinsapo_pnt.shp</i> | [103] [113] [128] |
| | | <i>Abies numidica</i> Mill. | | <i>Abies_numidica_plg.shp</i> <i>Abies_numidica_pnt.shp</i> | [113] |
| | | <i>Abies nebrodensis</i> Mill. | | <i>Abies_nebrodensis_plg.shp</i> <i>Abies_nebrodensis_pnt.shp</i> | [252] |
| | | <i>Abies cilicica</i> Mill. | | <i>Abies_cilicica_plg.shp</i> <i>Abies_cilicica_pnt.shp</i> | [37] [54] [113] [100] [103] |
| | | <i>Abies nordmanniana</i> (Steven) Spach | <i>Abies nordmanniana equi-trojani</i> <i>Abies nordmanniana nordmanniana</i> | <i>Abies_nordmanniana_equi-trojani_plg.shp</i> <i>Abies_nordmanniana_nordmanniana_plg.shp</i> | [13] [21] [34] [37] [47] [100] [103] [124] [227] [242] |
| | | <i>Picea abies</i> (L.) H.Karst. | | <i>Picea_abies_plg.shp</i> <i>Picea_abies_plg_clip.shp</i> <i>Picea_abies_pnt.shp</i> <i>Picea_abies_syn_plg.shp</i> <i>Picea_abies_syn_plg_clip.shp</i> <i>Picea_abies_syn_pnt.shp</i> | [36] [24] [34] [35] [39] [45] [59] [64] [70] [72] [100] [103] [105] [29] [107] [130] [132] [139] [152] [172] [181] [188] [187] [190] [191] [212] [220] [221] [223] [230] [234] [236] [237] [241] [243] [244] [248] |
| | | <i>Picea omorika</i> (Pancic) Purk. | | <i>Picea_omorika_plg.shp</i> <i>Picea_omorika_pnt.shp</i> | [9] [100] [103] [186] [231] |
| | | <i>Larix decidua</i> Mill. | <i>Larix decidua decidua</i> <i>Larix decidua carpatica</i> <i>Larix decidua polonica</i> | <i>Larix_decidua_decidua_plg.shp</i> <i>Larix_decidua_carpatica_plg.shp</i> <i>Larix_decidua_carpatica_pnt.shp</i> <i>Larix_decidua_polonica_pnt.shp</i> | [34] [50] [84] [100] [103] [172] [190] [254] |
| | <i>Pinus halepensis</i> (L.) Mill. | | <i>Pinus_halepensis_plg.shp</i> <i>Pinus_halepensis_plg_clip.shp</i> <i>Pinus_halepensis_pnt.shp</i> | [21] [34] [39] [44] [45] [51] [52] [74] [100] [103] [106] [107] [128] [137] [139] [168] [172] [175] [191] [211] [212] [234] [244] | |
| | <i>Pinus heldreichii</i> H.Chris. | | <i>Pinus_heldreichii_plg.shp</i> <i>Pinus_heldreichii_pnt.shp</i> | [19] [23] [51] [114] [120] [232] [247] [250] | |
| | <i>Pinus brutia</i> Ten. | <i>Pinus brutia brutia</i> <i>Pinus brutia eldarica</i> <i>Pinus brutia pendulifolia</i> <i>Pinus brutia pityusa</i> | <i>Pinus_brutia_brutia_plg.shp</i> <i>Pinus_brutia_brutia_plg_clip.shp</i> <i>Pinus_brutia_brutia_pnt.shp</i> <i>Pinus_brutia_eldarica_plg.shp</i> <i>Pinus_brutia_eldarica_pnt.shp</i> <i>Pinus_brutia_pendulifolia_pnt.shp</i> <i>Pinus_brutia_pityusa_plg.shp</i> <i>Pinus_brutia_pityusa_plg_clip.shp</i> | [21] [34] [51] [52] [76] [100] [103] [137] [139] [172] [198] [227] | |

| FAMILY | SPECIES | SUBSPECIES | FILES | REFERENCES |
|--------------|----------------------------------|--|--|---|
| | <i>Pinus pinea</i> L. | | Pinus_pinea_plg.shp Pinus_pinea_plg_clip.shp Pinus_pinea_pnt.shp Pinus_pinea_syn_pnt.shp | [12] [21] [39] [44] [45] [51] [52] [73] [100] [103] [106] [107] [137] [139] [168] [172] [175] [191] [211] [212] [226] [234] |
| | <i>Pinus pinaster</i> Aiton | | Pinus_pinaster_plg.shp Pinus_pinaster_plg_clip.shp Pinus_pinaster_pnt.shp Pinus_pinaster_syn_pnt.shp | [12] [36] [34] [39] [44] [45] [51] [89] [100] [103] [29] [107] [128] [130] [139] [168] [172] [175] [188] [187] [191] [211] [212] [226] [234] [248] |
| | <i>Pinus nigra</i> J.F. Arnold | <i>Pinus nigra dalmatica</i> <i>Pinus nigra laricio</i> <i>Pinus nigra nigra</i> <i>Pinus nigra pallasiana</i> <i>Pinus nigra salzmannii</i> | Pinus_nigra_dalmatica_pnt.shp Pinus_nigra_laricio_plg.shp Pinus_nigra_laricio_pnt.shp Pinus_nigra_nigra_plg.shp Pinus_nigra_nigra_plg_clip.shp Pinus_nigra_nigra_pnt.shp Pinus_nigra_pallasiana_plg.shp Pinus_nigra_pallasiana_plg_clip.shp Pinus_nigra_pallasiana_pnt.shp Pinus_nigra_salzmannii_plg.shp Pinus_nigra_salzmannii_pnt.shp | [12] [21] [34] [39] [44] [45] [51] [80] [100] [103] [107] [126] [139] [158] [168] [172] [175] [191] [211] [212] [221] [234] [244] |
| | <i>Pinus sylvestris</i> L. | | Pinus_sylvestris_plg.shp Pinus_sylvestris_plg_clip.shp Pinus_sylvestris_pnt.shp Pinus_sylvestris_syn_plg.shp Pinus_sylvestris_syn_plg_clip.shp Pinus_sylvestris_syn_pnt.shp | [6] [18] [36] [24] [34] [39] [45] [50] [51] [59] [92] [100] [70] [101] [103] [104] [105] [29] [107] [122] [130] [132] [133] [134] [139] [146] [152] [168] [172] [175] [181] [188] [187] [190] [191] [193] [193] [211] [212] [221] [223] [226] [227] [230] [234] [236] [237] [241] [243] [244] [248] |
| | <i>Pinus cembra</i> L. | | Pinus_cembra_plg.shp Pinus_cembra_pnt.shp | [33] [34] [50] [97] [100] [103] [169] [172] [190] [218] [234] |
| | <i>Pinus peuce</i> Griseb | | Pinus_peuce_plg.shp Pinus_peuce_pnt.shp | [10] [11] [40] [51] [120] [214] [232] |
| | <i>Pinus mugo</i> Turra | <i>Pinus mugo</i> <i>mugo + rotundata</i> <i>Pinus mugo uncinata</i> | Pinus_mugo_mugo_rotundata_plg.shp Pinus_mugo_mugo_rotundata_pnt.shp Pinus_mugo_uncinata_plg.shp Pinus_mugo_uncinata_pnt.shp | [12] [18] [39] [45] [50] [51] [70] [100] [103] [29] [107] [139] [172] [175] [190] [191] [212] [221] [227] [230] [234] [237] [241] [243] [244] |
| Cupressaceae | <i>Cupressus sempervirens</i> L. | | Cupressus_sempervirens_plg.shp Cupressus_sempervirens_plg_clip.shp Cupressus_sempervirens_pnt.shp Cupressus_sempervirens_syn_plg.shp Cupressus_sempervirens_syn_plg_clip.shp Cupressus_sempervirens_med_plg_clip.shp | [39] [45] [60] [100] [103] [107] [137] [150] [168] [172] [175] [211] [243] |
| | <i>Juniperus oxycedrus</i> L. | | Juniperus_oxycedrus_plg.shp Juniperus_oxycedrus_plg_clip.shp Juniperus_oxycedrus_pnt.shp | [21] [34] [39] [45] [100] [103] [107] [137] [139] [147] [168] [172] [175] [191] [211] [212] [221] [226] [227] [234] [243] |
| | <i>Juniperus communis</i> L. | | Juniperus_communis_plg.shp Juniperus_communis_plg_clip.shp Juniperus_communis_pnt.shp | [3] [12] [36] [21] [24] [34] [37] [39] [44] [45] [46] [50] [59] [54] [67] [70] [101] [103] [105] [29] [107] [124] [130] [132] [133] [139] [149] [152] [153] [159] [168] [175] [181] [188] [187] [190] [191] [207] [211] [212] [217] [221] [223] [226] [227] [230] [232] [234] [236] [237] [241] [243] [244] [245] [248] |

| FAMILY | SPECIES | SUBSPECIES | FILES | REFERENCES |
|--------------|-------------------------------|------------|--|---|
| | <i>Juniperus phoenicea</i> L. | | Juniperus_phoenicea_plg.shp Juniperus_phoenicea_plg_clip.shp Juniperus_phoenicea_pnt.shp | [5] [21] [34] [37] [39] [45] [52] [67] [103] [106] [107] [112] [137] [139] [168] [172] [173] [175] [191] [211] [212] [226] [232] [234] [243] |
| | <i>Juniperus thurifera</i> L. | | Juniperus_thurifera_plg.shp Juniperus_thurifera_pnt.shp | [12] [34] [39] [45] [67] [103] [107] [112] [139] [172] [175] [211] [212] [234] |
| Taxaceae | <i>Taxus baccata</i> L. | | Taxus_baccata_plg.shp Taxus_baccata_plg_clip.shp Taxus_baccata_pnt.shp Taxus_baccata_syn_plg.shp Taxus_baccata_syn_plg_clip.shp Taxus_baccata_syn_pnt.shp | [12] [18] [36] [21] [25] [30] [34] [37] [39] [44] [45] [50] [59] [67] [70] [100] [103] [29] [107] [130] [132] [133] [139] [152] [168] [172] [175] [181] [188] [187] [190] [191] [198] [206] [211] [212] [220] [221] [223] [226] [227] [230] [232] [234] [236] [237] [241] [243] [244] [249] [248] [260] |
| Salicaceae | <i>Salix alba</i> L. | | Salix_alba_plg.shp Salix_alba_plg_clip.shp Salix_alba_syn_pnt.shp | [21] [36] [100] [143] [181] [224] |
| | <i>Salix caprea</i> L. | | Salix_caprea_plg.shp Salix_caprea_plg_clip.shp Salix_caprea_pnt.shp | [36] [39] [45] [46] [59] [70] [100] [101] [105] [107] [130] [132] [133] [140] [143] [152] [168] [175] [181] [188] [187] [211] [212] [221] [223] [224] [227] [230] [234] [236] [237] [241] [243] [244] [248] |
| | <i>Populus alba</i> L. | | Populus_alba_plg.shp Populus_alba_plg_clip.shp Populus_alba_pnt.shp | [36] [21] [34] [39] [45] [50] [59] [70] [100] [101] [107] [130] [136] [137] [140] [152] [168] [172] [175] [188] [187] [190] [211] [212] [221] [223] [226] [227] [230] [234] [236] [237] [241] [243] [244] [248] |
| | <i>Populus nigra</i> L. | | Populus_nigra_plg.shp Populus_nigra_plg_clip.shp Populus_nigra_pnt.shp | [36] [21] [39] [45] [59] [56] [70] [100] [101] [107] [130] [137] [140] [168] [172] [175] [181] [188] [187] [190] [211] [212] [221] [223] [226] [230] [234] [236] [237] [241] [243] [244] [248] |
| | <i>Populus tremula</i> L. | | Populus_tremula_plg.shp Populus_tremula_plg_clip.shp Populus_tremula_pnt.shp | [6] [36] [21] [34] [39] [44] [45] [46] [59] [55] [70] [78] [100] [101] [105] [29] [107] [130] [132] [133] [140] [143] [152] [172] [175] [181] [188] [187] [210] [211] [212] [221] [223] [226] [230] [234] [236] [237] [241] [243] [244] [248] |
| Juglandaceae | <i>Juglans regia</i> L. | | Juglans_regia_plg.shp Juglans_regia_plg_clip.shp Juglans_regia_pnt.shp | [16] [192] [36] [27] [38] [50] [203] [101] [110] [111] [112] [115] [118] [119] [137] [138] [140] [144] [145] [157] [172] [190] [195] [204] [215] [223] [226] [232] [255] [256] [259] |

| FAMILY | SPECIES | SUBSPECIES | FILES | REFERENCES |
|------------|--|---------------------------------|--------------------------------------|---------------------------|
| Betulaceae | <i>Betula pendula</i> Roth | | Betula_pendula_plg.shp | [6] [36] [21] [34] [37] |
| | | | Betula_pendula_plg_clip.shp | [39] [41] [44] [45] [59] |
| | | | Betula_pendula_pnt.shp | [70] [94] [100] [101] |
| | | | | [105] [107] [130] [132] |
| | | | | [133] [140] [152] [168] |
| | | | | [172] [175] [181] [188] |
| | | | | [187] [191] [212] [220] |
| | | | | [221] [223] [226] [230] |
| | | | | [232] [234] [236] [237] |
| | | | | [241] [243] [244] [245] |
| | | | | [248] [261] |
| | <i>Betula pubescens</i> Ehrh. | | Betula_pubescens_plg.shp | [6] [36] [21] [42] [34] |
| | | | Betula_pubescens_plg_clip.shp | [39] [41] [45] [59] [70] |
| | | | Betula_pubescens_pnt.shp | [100] [105] [107] [130] |
| | | | | [132] [133] [140] [152] |
| | | | | [172] [181] [188] [187] |
| | | | | [191] [212] [223] [226] |
| | | | | [228] [230] [234] [236] |
| | | | | [237] [241] [243] [244] |
| | | | | [245] [248] [261] |
| | <i>Alnus cordata</i> (Loisel.) Duby | | Alnus_cordata_plg.shp | [34] [39] [44] [86] [100] |
| | | | Alnus_cordata_pnt.shp | [140] [172] [181] |
| | <i>Alnus glutinosa</i> (L.) Gaertn. | | Alnus_glutinosa_plg.shp | [12] [36] [21] [34] [37] |
| | | | Alnus_glutinosa_plg_clip.shp | [39] [41] [44] [45] [50] |
| | | | Alnus_glutinosa_pnt.shp | [59] [55] [70] [75] [100] |
| | | | Alnus_glutinosa_syn_pnt.shp | [105] [107] [125] [130] |
| | | | | [132] [133] [140] [152] |
| | | | | [168] [172] [175] [181] |
| | | | | [185] [188] [187] [191] |
| | | | | [212] [221] [223] [226] |
| | | | | [228] [230] [232] [234] |
| | | | | [236] [237] [241] [243] |
| | | | | [244] [248] |
| | <i>Alnus incana</i> (L.) Moench | <i>Alnus incana hirsuta</i> | Alnus_incana_hirsuta_plg.shp | [36] [39] [41] [45] [59] |
| | | | Alnus_incana_hirsuta_plg_clip.shp | [70] [100] [101] [105] |
| | | | Alnus_incana_hirsuta_pnt.shp | [125] [130] [132] [133] |
| | | <i>Alnus incana incana</i> | Alnus_incana_incana_plg.shp | [140] [152] [160] [161] |
| | | | Alnus_incana_incana_plg_clip.shp | [172] [181] [188] [187] |
| | | | Alnus_incana_incana_pnt.shp | [190] [191] [221] [223] |
| | | | Alnus_incana_incana_syn_pnt.shp | [228] [230] [234] [236] |
| | | <i>Alnus incana rugosa</i> | Alnus_incana_rugosa_plg.shp | [237] [241] [243] [244] |
| | | | Alnus_incana_rugosa_plg_clip.shp | [248] |
| | | | Alnus_incana_rugosa_pnt.shp | |
| | | <i>Alnus incana tenuifolia</i> | Alnus_incana_tenuifolia_plg.shp | |
| | | | Alnus_incana_tenuifolia_pnt.shp | |
| | <i>Alnus viridis</i> (Chaix) DC. | <i>Alnus viridis crispa</i> | Alnus_viridis_crispa_plg.shp | [18] [22] [25] [34] [41] |
| | | | Alnus_viridis_crispa_plg_clip.shp | [45] [46] [50] [70] [100] |
| | | | Alnus_viridis_crispa_pnt.shp | [101] [29] [109] [122] |
| | | <i>Alnus viridis fruticosa</i> | Alnus_viridis_fruticosa_plg.shp | [133] [140] [172] [175] |
| | | | Alnus_viridis_fruticosa_plg_clip.shp | [181] [190] [191] [223] |
| | | | Alnus_viridis_fruticosa_pnt.shp | [228] [230] [234] [236] |
| | | <i>Alnus viridis sinuata</i> | Alnus_viridis_sinuata_plg.shp | [243] [244] |
| | | | Alnus_viridis_sinuata_plg_clip.shp | |
| | | <i>Alnus viridis suaveolens</i> | Alnus_viridis_suaveolens_pnt.shp | |
| | | <i>Alnus viridis viridis</i> | Alnus_viridis_viridis_plg.shp | |
| | | | Alnus_viridis_viridis_pnt.shp | |
| | | | Alnus_viridis_viridis_syn_pnt.shp | |
| | <i>Carpinus betulus</i> L. | | Carpinus_betulus_plg.shp | [36] [21] [24] [34] [37] |
| | | | Carpinus_betulus_plg_clip.shp | [39] [41] [50] [59] [55] |
| | | | Carpinus_betulus_pnt.shp | [70] [100] [107] [122] |
| | | | Carpinus_betulus_syn_pnt.shp | [130] [132] [133] [140] |
| | | | | [172] [175] [181] [188] |
| | | | | [187] [190] [191] [212] |
| | | | | [221] [223] [228] [230] |
| | | | | [232] [234] [236] [237] |
| | | | | [241] [243] [244] [248] |
| | <i>Carpinus orientalis</i> Mill. | | Carpinus_orientalis_plg.shp | [21] [25] [34] [37] [44] |
| | | | Carpinus_orientalis_plg_clip.shp | [55] [100] [106] [140] |
| | | | Carpinus_orientalis_pnt.shp | [172] [178] [221] [228] |
| | | | | [232] [243] |
| | <i>Ostrya carpinifolia</i> Scop. | | Ostrya_carpinifolia_plg.shp | [21] [34] [37] [39] [44] |
| | | | Ostrya_carpinifolia_plg_clip.shp | [55] [100] [106] [140] |
| | | | Ostrya_carpinifolia_pnt.shp | [172] [178] [191] [221] |
| | | | Ostrya_carpinifolia_syn_pnt.shp | [228] [232] [234] [243] |
| | | | | [244] |

| FAMILY | SPECIES | SUBSPECIES | FILES | REFERENCES |
|----------|---------------------------------------|---|--|--|
| | <i>Corylus avellana</i> L. | | Corylus_avellana_plg.shp Corylus_avellana_plg_clip.shp Corylus_avellana_pnt.shp | [6] [21] [34] [37] [39] [41] [45] [59] [55] [70] [100] [105] [107] [130] [132] [133] [140] [143] [152] [168] [172] [175] [181] [188] [187] [191] [211] [212] [221] [223] [226] [228] [230] [232] [236] [237] [241] [243] [244] [248] |
| Fagaceae | <i>Fagus sylvatica</i> L. | <i>Fagus sylvatica orientalis</i> <i>Fagus sylvatica sylvatica</i> | Fagus_sylvatica_orientalis_plg.shp Fagus_sylvatica_orientalis_plg_clip.shp Fagus_sylvatica_orientalis_pnt.shp Fagus_sylvatica_sylvatica_plg.shp Fagus_sylvatica_sylvatica_plg_clip.shp Fagus_sylvatica_sylvatica_pnt.shp Fagus_sylvatica_sylvatica_syn_pnt.shp | [6] [12] [18] [36] [21] [34] [37] [39] [44] [45] [59] [55] [61] [70] [90] [79] [100] [106] [29] [107] [122] [130] [132] [133] [140] [172] [175] [178] [188] [187] [211] [212] [221] [223] [228] [230] [234] [236] [237] [241] [243] [244] [245] [248] |
| | <i>Castanea sativa</i> Mill. | | Castanea_sativa_plg.shp Castanea_sativa_plg_clip.shp Castanea_sativa_pnt.shp Castanea_sativa_syn_plg.shp Castanea_sativa_syn_plg_clip.shp Castanea_sativa_syn_pnt.shp | [6] [12] [18] [36] [21] [24] [37] [39] [41] [44] [45] [49] [50] [59] [55] [70] [81] [100] [106] [29] [107] [122] [130] [140] [151] [162] [168] [175] [181] [188] [187] [190] [191] [200] [211] [212] [221] [223] [226] [227] [230] [234] [243] [244] [248] |
| | <i>Quercus cerris</i> L. | | Quercus_cerris_plg.shp Quercus_cerris_plg_clip.shp Quercus_cerris_pnt.shp Quercus_cerris_syn_pnt.shp | [36] [21] [24] [34] [37] [39] [44] [50] [52] [59] [55] [100] [29] [122] [130] [140] [172] [175] [181] [188] [187] [190] [191] [221] [223] [230] [232] [234] [243] [244] [248] [263] |
| | <i>Quercus frainetto</i> Ten. | | Quercus_frainetto_plg.shp Quercus_frainetto_plg_clip.shp Quercus_frainetto_pnt.shp Quercus_frainetto_syn_pnt.shp | [2] [18] [21] [34] [55] [100] [106] [140] [172] [178] [191] [232] |
| | <i>Quercus faginea</i> Lam. | | Quercus_faginea_plg.shp Quercus_faginea_pnt.shp | [63] [135] [142] [167] [206] [226] [253] |
| | <i>Quercus coccifera</i> L. | | Quercus_coccifera_plg.shp Quercus_coccifera_plg_clip.shp Quercus_coccifera_pnt.shp | [1] [12] [18] [21] [34] [39] [45] [52] [55] [100] [107] [117] [137] [140] [168] [171] [172] [175] [181] [189] [191] [211] [212] [226] [234] [238] [243] |
| | <i>Quercus ilex</i> L. | <i>Quercus ilex ilex</i> <i>Quercus ilex rotundifolia</i> | Quercus_ilex_ilex_plg.shp Quercus_ilex_ilex_plg_clip.shp Quercus_ilex_ilex_pnt.shp Quercus_ilex_ilex_syn_pnt.shp Quercus_ilex_rotundifolia_plg.shp Quercus_ilex_rotundifolia_plg_clip.shp Quercus_ilex_rotundifolia_pnt.shp | [12] [36] [21] [34] [39] [45] [50] [53] [55] [100] [107] [129] [140] [172] [175] [181] [183] [188] [187] [191] [208] [211] [212] [226] [232] [234] [243] [244] |
| | <i>Quercus suber</i> L. | | Quercus_suber_plg.shp Quercus_suber_plg_clip.shp Quercus_suber_pnt.shp Quercus_suber_syn_pnt.shp | [12] [34] [39] [45] [83] [100] [107] [129] [140] [168] [172] [175] [191] [199] [211] [212] [226] [234] [243] |
| | <i>Quercus petraea</i> (Matt.) Liebl. | | Quercus_petraea_plg.shp Quercus_petraea_plg_clip.shp Quercus_petraea_pnt.shp | [12] [18] [36] [21] [34] [39] [44] [45] [50] [59] [55] [70] [93] [100] [29] [107] [122] [130] [132] [133] [140] [172] [175] [176] [177] [188] [187] [190] [191] [194] [212] [220] [221] [223] [226] [228] [230] [234] [236] [237] [241] [243] [244] [248] |

| FAMILY | SPECIES | SUBSPECIES | FILES | REFERENCES |
|--------------|-------------------------------------|---|---|--|
| | <i>Quercus robur</i> L. | | Quercus_robur_plg.shp Quercus_robur_plg_clip.shp Quercus_robur_pnt.shp Quercus_robur_syn_pnt.shp | [6] [12] [18] [36] [21] [34] [39] [44] [45] [50] [59] [55] [70] [91] [100] [105] [106] [29] [107] [122] [125] [130] [132] [133] [140] [148] [152] [172] [175] [176] [181] [188] [187] [190] [191] [211] [212] [221] [223] [226] [228] [230] [234] [236] [237] [241] [243] [244] [248] |
| | <i>Quercus pubescens</i> Willd. | | Quercus_pubescens_plg.shp Quercus_pubescens_plg_clip.shp Quercus_pubescens_pnt.shp | [12] [18] [21] [34] [37] [39] [44] [45] [50] [55] [100] [106] [29] [107] [130] [140] [141] [172] [175] [178] [190] [191] [211] [212] [221] [228] [230] [234] [241] [243] [244] [248] [257] |
| | <i>Quercus pyrenaica</i> Willd. | | Quercus_pyrenaica_plg.shp Quercus_pyrenaica_plg_clip.shp Quercus_pyrenaica_pnt.shp | [12] [34] [39] [45] [107] [140] [168] [172] [175] [182] [211] [212] [226] [234] |
| | <i>Quercus trojana</i> Webb. | <i>Quercus trojana</i> <i>euboica</i> <i>Quercus trojana</i> <i>trojana</i> <i>Quercus trojana</i> <i>yaltirikii</i> | Quercus_trojana_euboica_pnt.shp Quercus_trojana_trojana_plg.shp Quercus_trojana_trojana_plg_clip.shp Quercus_trojana_trojana_pnt.shp Quercus_trojana_yaltirikii_pnt.shp | [18] [34] [100] [140] [172] [191] [201] [265] |
| Ulmaceae | <i>Ulmus glabra</i> Huds. | | Ulmus_glabra_plg.shp Ulmus_glabra_plg_clip.shp Ulmus_glabra_pnt.shp Ulmus_glabra_syn_pnt.shp | [6] [7] [12] [36] [21] [34] [39] [45] [50] [59] [70] [100] [105] [29] [107] [122] [130] [132] [133] [140] [152] [168] [172] [175] [188] [187] [190] [191] [211] [212] [221] [223] [226] [230] [234] [236] [237] [241] [243] [244] [248] |
| | <i>Ulmus laevis</i> Pall. | | Ulmus_laevis_plg.shp Ulmus_laevis_plg_clip.shp Ulmus_laevis_pnt.shp Ulmus_laevis_syn_pnt.shp | [6] [18] [36] [21] [34] [39] [48] [50] [64] [70] [85] [100] [29] [122] [130] [132] [133] [140] [143] [172] [187] [190] [191] [212] [221] [223] [226] [228] [230] [234] [236] [237] [241] [244] [251] |
| | <i>Ulmus minor</i> Mill. | | Ulmus_minor_plg.shp Ulmus_minor_plg_clip.shp Ulmus_minor_pnt.shp Ulmus_minor_syn_pnt.shp | [7] [12] [39] [45] [50] [52] [59] [70] [100] [107] [130] [133] [137] [140] [143] [168] [172] [175] [188] [187] [190] [211] [221] [223] [226] [228] [230] [234] [237] [241] [243] [244] |
| Cannabaceae | <i>Celtis australis</i> L. | | Celtis_australis_plg.shp Celtis_australis_plg_clip.shp Celtis_australis_pnt.shp Celtis_australis_syn_pnt.shp | [18] [21] [34] [39] [41] [45] [50] [52] [57] [107] [137] [140] [168] [172] [175] [191] [211] [212] [221] [226] [228] [234] [243] |
| Altingiaceae | <i>Liquidambar orientalis</i> Mill. | | Liquidambar_orientalis_plg.shp Liquidambar_orientalis_plg_clip.shp Liquidambar_orientalis_pnt.shp | [8] [17] [69] [127] [246] |
| Platanaceae | <i>Platanus orientalis</i> L. | | Platanus_orientalis_plg.shp Platanus_orientalis_plg_clip.shp Platanus_orientalis_pnt.shp | [37] [121] [213] [232] [258] |

| FAMILY | SPECIES | SUBSPECIES | FILES | REFERENCES |
|--------------------------------------|--------------------------------|----------------------------------|-------------------------------|---------------------------|
| Rosaceae | <i>Sorbus aria</i> (L.) Crantz | | Sorbus_aria_plg.shp | [18] [39] [45] [50] [59] |
| | | | Sorbus_aria_plg_clip.shp | [56] [70] [29] [107] |
| | | | Sorbus_aria_pnt.shp | [130] [133] [168] [172] |
| | | | Sorbus_aria_complex_plg.shp | [175] [181] [188] [187] |
| | | Sorbus_aria_complex_plg_clip.shp | [190] [191] [211] [212] | |
| | | | | [221] [223] [226] [230] |
| | | | | [234] [236] [243] [244] |
| | <i>Sorbus aucuparia</i> L. | | Sorbus_aucuparia_plg.shp | [6] [12] [18] [21] [28] |
| | | | Sorbus_aucuparia_plg_clip.shp | [34] [37] [39] [45] [46] |
| | | | Sorbus_aucuparia_pnt.shp | [50] [59] [70] [100] |
| | | | [101] [29] [107] [130] | |
| | | | [133] [149] [168] [172] | |
| | | | [175] [181] [188] [187] | |
| | | | [191] [221] [223] [226] | |
| | | | [228] [230] [234] [236] | |
| | | | [237] [241] [243] [244] | |
| | | | [245] [248] | |
| <i>Sorbus torminalis</i> (L.) Crantz | | Sorbus_torminalis_plg.shp | [6] [18] [21] [26] [34] | |
| | | Sorbus_torminalis_plg_clip.shp | [39] [45] [50] [59] [70] | |
| | | Sorbus_torminalis_pnt.shp | [100] [29] [107] [133] | |
| | | | [166] [168] [172] [175] | |
| | | | [181] [188] [187] [190] | |
| | | | [191] [211] [212] [221] | |
| | | | [226] [228] [230] [234] | |
| | | | [241] [243] [244] [248] | |
| | <i>Sorbus domestica</i> L. | | Sorbus_domestica_plg.shp | [6] [21] [45] [50] [98] |
| | | | Sorbus_domestica_plg_clip.shp | [100] [29] [107] [116] |
| | | Sorbus_domestica_pnt.shp | [168] [172] [175] [181] | |
| | | | [190] [191] [211] [212] | |
| | | | [226] [228] [234] | |
| <i>Prunus avium</i> (L.) L. | | | Prunus_avium_plg.shp | [12] [21] [34] [39] [45] |
| | | | Prunus_avium_plg_clip.shp | [50] [59] [70] [96] [100] |
| | | | Prunus_avium_pnt.shp | [29] [107] [130] [132] |
| | | | | [133] [168] [172] [175] |
| | | | | [188] [187] [190] [191] |
| | | | [211] [221] [223] [226] | |
| | | | [228] [230] [234] [236] | |
| | | | [237] [243] [244] [248] | |
| | <i>Prunus spinosa</i> L. | | Prunus_spinosa_plg.shp | [6] [34] [39] [45] [59] |
| | | | Prunus_spinosa_plg_clip.shp | [68] [70] [107] [130] |
| | | Prunus_spinosa_pnt.shp | [132] [133] [137] [152] | |
| | | | [168] [172] [175] [181] | |
| | | | [188] [187] [211] [212] | |
| | | | [221] [223] [226] [228] | |
| | | | [230] [236] [237] [241] | |
| | | | [243] [244] [245] [248] | |
| <i>Prunus padus</i> L. | | | Prunus_padus_plg.shp | [6] [18] [34] [39] [45] |
| | | | Prunus_padus_plg_clip.shp | [46] [59] [70] [100] |
| | | Prunus_padus_pnt.shp | [101] [105] [29] [107] | |
| | | | [130] [132] [133] [152] | |
| | | | [172] [175] [181] [188] | |
| | | | [187] [190] [191] [212] | |
| | | | [221] [223] [226] [228] | |
| | | | [230] [234] [236] [237] | |
| | | | [241] [243] [244] [248] | |
| | Sapindaceae | <i>Acer campestre</i> L. | | Acer_campestre_plg.shp |
| | | | Acer_campestre_plg_clip.shp | [41] [43] [45] [59] [70] |
| | | | Acer_campestre_pnt.shp | [77] [100] [105] [107] |
| | | | Acer_campestre_syn_pnt.shp | [130] [133] [168] [172] |
| | | | | [175] [180] [184] [188] |
| | | | | [187] [190] [191] [211] |
| | | | | [212] [221] [223] [226] |
| | | | | [229] [230] [234] [236] |
| | | | | [241] [243] [248] |
| | | | | |
| <i>Acer pseudoplatanus</i> L. | | Acer_pseudoplatanus_plg.shp | [12] [18] [36] [21] [39] | |
| | | Acer_pseudoplatanus_plg_clip.shp | [41] [45] [59] [70] [99] | |
| | | Acer_pseudoplatanus_pnt.shp | [100] [107] [130] [137] | |
| | | Acer_pseudoplatanus_syn_pnt.shp | [152] [172] [175] [180] | |
| | | | [188] [187] [190] [191] | |
| | | | [211] [212] [221] [223] | |
| | | | [226] [229] [230] [234] | |
| | | | [236] [237] [241] [243] | |
| | | | [248] | |

| FAMILY | SPECIES | SUBSPECIES | FILES | REFERENCES |
|---------------|----------------------------------|------------|---|---|
| | <i>Acer platanoides</i> L. | | Acer_platanoides_plg.shp Acer_platanoides_plg_clip.shp Acer_platanoides_pnt.shp Acer_platanoides_syn_pnt.shp | [6] [18] [36] [21] [34] [39] [41] [45] [59] [100] [70] [105] [107] [130] [132] [133] [152] [172] [175] [180] [188] [187] [190] [191] [211] [212] [221] [223] [229] [230] [234] [236] [237] [241] [248] |
| | <i>Aesculus hippocastanum</i> L. | | Aesculus_hippocastanum_plg.shp Aesculus_hippocastanum_pnt.shp | [4] [20] [198] [197] [225] |
| Aquifoliaceae | <i>Ilex aquifolium</i> L. | | Ilex_aquifolium_plg.shp Ilex_aquifolium_plg_clip.shp Ilex_aquifolium_pnt.shp Ilex_aquifolium_syn_pnt.shp | [36] [21] [34] [39] [45] [50] [59] [100] [70] [29] [107] [130] [132] [133] [168] [172] [175] [180] [188] [187] [190] [191] [211] [212] [221] [223] [226] [230] [234] [236] [243] [248] |
| Buxaceae | <i>Buxus sempervirens</i> L. | | Buxus sempervirens_plg.shp Buxus sempervirens_pnt.shp | [65] [66] [71] |
| | <i>Buxus balearica</i> Lam. | | Buxus_balearica_plg.shp Buxus_balearica_pnt.shp | [31] [66] [154] [155] |
| Celastraceae | <i>Euonymus europaeus</i> L. | | Euonymus_europaeus_plg.shp Euonymus_europaeus_plg_clip.shp Euonymus_europaeus_pnt.shp Euonymus_europaeus_syn_pnt.shp | [36] [21] [39] [45] [59] [130] [132] [133] [152] [172] [175] [188] [187] [190] [191] [212] [223] [226] [229] [230] [234] [236] [241] [243] [244] [248] |
| Rhamnaceae | <i>Frangula alnus</i> Mill. | | Frangula_alnus_plg.shp Frangula_alnus_plg_clip.shp Frangula_alnus_pnt.shp | [36] [21] [34] [59] [100] [70] [105] [107] [130] [132] [133] [152] [168] [172] [175] [180] [188] [187] [190] [191] [211] [212] [221] [223] [226] [229] [230] [234] [237] [241] [243] [244] [248] |
| Malvaceae | <i>Tilia cordata</i> Mill. | | Tilia_cordata_plg.shp Tilia_cordata_plg_clip.shp Tilia_cordata_pnt.shp Tilia_cordata_syn_pnt.shp | [6] [12] [18] [36] [21] [34] [39] [45] [59] [70] [87] [100] [105] [107] [130] [132] [133] [152] [172] [175] [180] [188] [187] [190] [191] [212] [221] [223] [229] [230] [234] [236] [237] [241] [243] [248] [262] |
| | <i>Tilia platyphyllos</i> Scop. | | Tilia_platyphyllos_plg.shp Tilia_platyphyllos_plg_clip.shp Tilia_platyphyllos_pnt.shp Tilia_platyphyllos_syn_pnt.shp | [12] [18] [36] [21] [34] [39] [45] [50] [52] [59] [70] [88] [100] [29] [107] [130] [132] [133] [172] [175] [180] [188] [187] [190] [191] [196] [202] [211] [212] [221] [223] [229] [230] [234] [236] [237] [241] [243] [248] |
| | <i>Tilia tomentosa</i> Moench | | Tilia_tomentosa_plg.shp Tilia_tomentosa_plg_clip.shp Tilia_tomentosa_pnt.shp | [18] [21] [34] [100] [172] [180] [191] [229] |
| Cornaceae | <i>Cornus mas</i> L. | | Cornus_mas_plg.shp Cornus_mas_plg_clip.shp Cornus_mas_pnt.shp Cornus_mas_syn_pnt.shp | [18] [36] [21] [34] [39] [41] [50] [59] [29] [107] [130] [172] [180] [188] [187] [190] [191] [221] [223] [229] [230] [234] [236] [243] [244] [248] |
| | <i>Cornus sanguinea</i> L. | | Cornus_sanguinea_plg.shp Cornus_sanguinea_plg_clip.shp Cornus_sanguinea_pnt.shp | [36] [21] [34] [39] [41] [45] [59] [57] [70] [107] [130] [132] [152] [156] [168] [172] [175] [180] [188] [187] [190] [211] [212] [221] [223] [226] [229] [230] [234] [236] [237] [241] [243] [244] [248] |

| FAMILY | SPECIES | SUBSPECIES | FILES | REFERENCES |
|-----------|-----------------------------------|---|---|---|
| Ericaceae | <i>Arbutus unedo</i> L. | | Arbutus_unedo_plg.shp Arbutus_unedo_plg_clip.shp Arbutus_unedo_pnt.shp Arbutus_unedo_syn_pnt.shp | [12] [18] [36] [21] [39] [45] [107] [168] [172] [175] [180] [188] [187] [191] [211] [212] [222] [226] [234] [243] |
| Oleaceae | <i>Fraxinus angustifolia</i> Vahl | | Fraxinus_angustifolia_plg.shp Fraxinus_angustifolia_plg_clip.shp Fraxinus_angustifolia_pnt.shp | [12] [18] [21] [34] [39] [45] [52] [64] [100] [29] [107] [117] [131] [137] [168] [172] [175] [180] [191] [205] [206] [211] [212] [221] [226] [229] [234] [235] [243] [244] |
| | <i>Fraxinus excelsior</i> L. | | Fraxinus_excelsior_plg.shp Fraxinus_excelsior_plg_clip.shp Fraxinus_excelsior_pnt.shp Fraxinus_excelsior_syn_pnt.shp | [6] [12] [36] [21] [34] [39] [45] [50] [59] [70] [88] [100] [105] [29] [107] [130] [132] [133] [152] [172] [175] [180] [188] [187] [191] [211] [212] [219] [221] [223] [229] [230] [234] [236] [237] [241] [243] [244] [248] |
| | <i>Fraxinus ornus</i> L. | | Fraxinus_ornus_plg.shp Fraxinus_ornus_plg_clip.shp Fraxinus_ornus_pnt.shp Fraxinus_ornus_syn_pnt.shp | [18] [36] [21] [34] [39] [45] [50] [58] [100] [168] [172] [175] [180] [188] [187] [190] [191] [211] [212] [221] [223] [229] [230] [234] [237] [243] [244] [248] |
| | <i>Olea europaea</i> L. | <i>Olea europaea cerasiformis</i> <i>Olea europaea europaea</i> | <i>Olea europaea cerasiformis</i> _pnt.shp <i>Olea europaea europaea</i> _plg.shp <i>Olea europaea europaea</i> _plg_clip.shp <i>Olea europaea europaea</i> _pnt.shp <i>Olea europaea europaea</i> _syn_pnt.shp | [15] [21] [34] [39] [45] [52] [107] [137] [168] [172] [174] [175] [180] [191] [211] [212] [226] [234] [243] |
| | | <i>Olea europaea guanchica</i> <i>Olea europaea laperrinei</i> <i>Olea europaea maroccana</i> | <i>Olea europaea guanchica</i> _pnt.shp <i>Olea europaea laperrinei</i> _plg.shp <i>Olea europaea laperrinei</i> _pnt.shp <i>Olea europaea maroccana</i> _pnt.shp | <i>Olea europaea guanchica</i> _pnt.shp <i>Olea europaea laperrinei</i> _plg.shp <i>Olea europaea laperrinei</i> _pnt.shp <i>Olea europaea maroccana</i> _pnt.shp |
| Adoxaceae | <i>Sambucus nigra</i> L. | | Sambucus_nigra_plg.shp Sambucus_nigra_plg_clip.shp Sambucus_nigra_pnt.shp Sambucus_nigra_syn_pnt.shp | [6] [36] [21] [34] [39] [45] [52] [59] [70] [107] [130] [132] [133] [152] [168] [172] [175] [179] [188] [187] [211] [212] [221] [223] [226] [229] [230] [234] [236] [237] [241] [243] [244] [248] |

5. NOMENCLATURE AND SYNONYMS

Table 2 provides the used nomenclature of subspecies with related bibliographic sources. Homotypic or nomenclatural synonyms (different taxonomic names used referring to the same taxon) and heterotypic or taxonomic synonyms (taxonomic names of taxa considered part of a different taxon) encountered are also listed.

Table 2: Taxonomy of mapped species with infraspecific taxa and with synonyms.

| SPECIES AND TAXONOMY REFERENCE | USED INFRASPECIFIC TAXA | HOMOTYPIC SYNONYMS | HETEROTYPIC SYNONYMS |
|--|--|---|--|
| <i>Abies pinsapo</i> Boiss. [102] | <i>A. p.</i> var. <i>pinsapo</i> | | |
| | <i>A. p.</i> var. <i>marocana</i> (Trab.) Ceballos & Bolaño | <i>A. marocana</i> Trab. | |
| <i>Abies nordmanniana</i> (Steven) Spach [102] | <i>A. n.</i> subsp. <i>nordmanniana</i> | | <i>A. bornmuelleriana</i> Mattf. |
| | <i>A. n.</i> subsp. <i>equi-trojani</i> (Asch. & Sint. ex Boiss.) Coode & Cullen | <i>A. equi-trojani</i> (Asch. & Sint. ex Boiss.) Mattf. | |
| <i>Larix decidua</i> Mill. [102] | <i>L. d.</i> subsp. <i>decidua</i> | | |
| | <i>L. d.</i> subsp. <i>carpatica</i> Domin | | |
| | <i>L. d.</i> subsp. <i>polonica</i> (Racib. ex Wóycicki) Ostenf. & Syrach | | |
| <i>Pinus brutia</i> Ten. [102] | <i>P. b.</i> var. <i>brutia</i> | | |
| | <i>P. b.</i> var. <i>pityusa</i> (Steven) Silba | | |
| | <i>P. b.</i> var. <i>eldarica</i> (Medw.) Silba | | |
| | <i>P. b.</i> var. <i>pendulifolia</i> Frankis | | |
| <i>Pinus heldreichii</i> H.Christ | | | <i>P. leucodermis</i> Antoine |
| <i>Pinus nigra</i> J.F. Arnold [209] | <i>P. n.</i> subsp. <i>nigra</i> | | |
| | <i>P. n.</i> subsp. <i>salzmannii</i> (Dunal) Franco | | <i>P. n.</i> subsp. <i>mauretanica</i> (Maire & Peyerimh) Heywood |
| | <i>P. n.</i> subsp. <i>laricio</i> Maire | | <i>P. n.</i> subsp. <i>calabrica</i> (Loud.) Murray |
| | <i>P. n.</i> subsp. <i>dalmatica</i> (Vis.) Franco | | |
| | <i>P. n.</i> subsp. <i>pallasiana</i> (D. Don) Holmboe | | <i>P. n.</i> subsp. <i>nigra</i> var. <i>caramanica</i> (Loud.) Rehder |
| <i>Pinus sylvestris</i> L. | | | <i>P. hamata</i> (Steven) Sosn. |
| <i>Pinus mugo</i> Turra [102] | <i>P. m.</i> subsp. <i>mugo</i> | | |
| | <i>P. m.</i> subsp. <i>uncinata</i> (DC.) Domin | <i>P. uncinata</i> DC | |
| | <i>P. m.</i> subsp. <i>rotundata</i> (Link) Janch. & H. Neumayer | <i>P. rotundata</i> Link | |
| <i>Juniperus communis</i> L. | | | <i>J. sibirica</i> Burgsd. <i>J. montana</i> (Aiton) Lindl. & Gordon <i>J. oblonga</i> M.Bieb. <i>J. pygmaea</i> K.Koch <i>J. c.</i> var. <i>nipponica</i> (Maxim.) E.H.Wilson |
| <i>Populus tremula</i> L. | | | <i>P. davidiana</i> Dode |
| <i>Betula pendula</i> Roth | | <i>B. verrucosa</i> Ehrh. | <i>B. platyphylla</i> Sukaczew <i>B. szechuanica</i> (C.K.Schneid.) C.-A.Jansson <i>B. aetnensis</i> Raf. |
| <i>Betula pubescens</i> Ehrh. | | <i>B. alba</i> L. | <i>B. litwinowii</i> Doluch. <i>B. browicziana</i> Güner <i>B. recurvata</i> (I.V.Vassil.) V.N.Vassil. |
| <i>Alnus glutinosa</i> (L.) Gaertn. | | | <i>A. barbata</i> C.A.Mey. |

| SPECIES AND TAXONOMY REFERENCE | USED INFRASPECIFIC TAXA | HOMOTYPIC SYNONYMS | HETEROTYPIC SYNONYMS |
|---------------------------------------|--|--|--|
| <i>Alnus incana</i> (L.) Moench [133] | <i>A. i.</i> subsp. <i>incana</i> | | <i>A. kolaensis</i> Orlova |
| | <i>A. i.</i> subsp. <i>rugosa</i> (Du Roi) R.T.Clausen | <i>A. rugosa</i> (Du Roi) Spreng. | |
| | <i>A. i.</i> subsp. <i>tenuifolia</i> (Nutt.) Breitung | <i>A. tenuifolia</i> Nutt. | |
| | <i>A. i.</i> subsp. <i>hirsuta</i> (Spach) Á.Löve & D.Löve | <i>A. hirsuta</i> (Spach) Rupr. | <i>A. tinctoria</i> Sarg. |
| <i>Alnus viridis</i> (Chaix) DC. [22] | <i>A. v.</i> subsp. <i>viridis</i> | | |
| | <i>A. v.</i> subsp. <i>fruticosa</i> (Rupr.) Nyman | <i>A. fruticosa</i> Rupr. | <i>A. mandshurica</i> (Callier) Hand.-Mazz. <i>A. kamtschatica</i> (Regel) Kudô ex Masam. <i>A. maximowiczii</i> Callier |
| | <i>A. v.</i> subsp. <i>sinuata</i> (Regel) Á.Löve & D.Löve | <i>A. sinuata</i> (Regel) Rydb. | |
| | <i>A. v.</i> subsp. <i>crispa</i> (Aiton) Turrill | <i>A. crispa</i> (Aiton) Pursh | |
| | <i>A. v.</i> subsp. <i>suaveolens</i> (Req.) P.W.Ball | | |
| <i>Fagus sylvatica</i> L. [62] | <i>F. s.</i> subsp. <i>sylvatica</i> | | |
| | <i>F. s.</i> subsp. <i>orientalis</i> (Lipsky) Greuter & Burdet | <i>F. orientalis</i> Lipsky | |
| <i>Quercus coccifera</i> L. | | <i>Q. calliprinos</i> Webb. | |
| <i>Quercus ilex</i> L. [240] | <i>Q. i.</i> subsp. <i>ilex</i> | | |
| | <i>Q. i.</i> subsp. <i>rotundifolia</i> (Lam.) O.Schwarz ex Tab.Morais | <i>Q. rotundifolia</i> Lam. <i>Q. ballota</i> Desf. | |
| <i>Quercus petraea</i> (Matt.) Liebl. | | | <i>Q. iberica</i> Steven ex M.Bieb. |
| <i>Quercus robur</i> L. | | | <i>Q. longipes</i> Steven <i>Q. pedunculata</i> Ehrh. |
| <i>Quercus trojana</i> Webb. [265] | <i>Q. t.</i> subsp. <i>trojana</i> | | |
| | <i>Q. t.</i> subsp. <i>yaltirikii</i> Ziel., Petrova & D. Tomasz. | | |
| | <i>Q. t.</i> subsp. <i>euboica</i> (Papaioann.) K.I.Chr. | | |
| <i>Sorbus aucuparia</i> L. | | | <i>Sorbus sibirica</i> Hedl. <i>Sorbus pohuashanensis</i> (Hance) Hedl. |
| <i>Prunus avium</i> (L.) L. | | <i>Cerasus avium</i> (L.) Moench | |
| <i>Prunus padus</i> L. | | <i>Padus avium</i> Mill. | |
| <i>Frangula alnus</i> Mill. | | <i>Rhamnus frangula</i> L. | |
| <i>Olea europaea</i> L. [123] | <i>O. e.</i> subsp. <i>europaea</i> | | |
| | <i>O. e.</i> subsp. <i>laperrinei</i> (Batt. & Trab.) Cif. | | |
| | <i>O. e.</i> subsp. <i>cerasiformis</i> G.Kunkel & Sunding | | |
| | <i>O. e.</i> subsp. <i>guanchica</i> P.Vargas & al. | | |
| | <i>O. e.</i> subsp. <i>maroccana</i> (Greuter & Burdet) P.Vargas & al. | | |
| <i>Fraxinus angustifolia</i> L. | | | <i>Fraxinus oxycarpa</i> Willd. <i>Fraxinus syriaca</i> Boiss. |

References

- [1] Ababsa, M. (Ed.), 2013. **Atlas of Jordan: History, Territories and Society**. Presses de l'Ifpo, Beyrouth. <https://doi.org/10.4000/books.ifpo.4560> ISBN: 9782351594384
- [2] Abbate, G., Blasi, C., Paura, B., Scoppola, A., Spada, F., 1990. **Phytoclimatic characterization of *Quercus frainetto* Ten. stands in peninsular Italy**. *Vegetatio* 90(1): 35-45. <https://doi.org/10.1007/BF00045587>
- [3] Abdessemed, K., 1985. **Les problèmes de la dégradation des formations végétales dans l'Aures (Algérie)**. Deuxième partie: les mesures à prendre. *Forêt Méditerranéenne* 7(1): 43-52.
- [4] Acevski, J., Simovski, B., 2012. **Forest associations of the National Park Mavrovo in the Republic of Macedonia**. In: Horodnic, S.-A., Duduman, M.-L., Palaghianu, C. (Eds.), *Proceedings of the International conference Integrated management of environmental resources: Suceava, November 4-6th, 2011*. Editura Universităţii "Ştefan cel Mare", Suceava, Romania.
- [5] Adams, R. P., Boratynski, A., Arista, M., Schwarzbach, A. E., Leschner, H., Liber, Z., Minissale, P., Mataraci, T., Manolis, A., 2013. **Analysis of *Juniperus phoenicea* from throughout its range in the mediterranean using DNA sequence data from nrDNA and petN-psbM: The case for the recognition of *J. turbinata* Guss**. *Phytologia* 95(2): 202-209.
- [6] Afonin, A. N., Greene, S. L., Dzyubenko, N. I., Frolov, A. N. (Eds.), 2008. **Interactive Agricultural Ecological Atlas of Russia and Neighbouring Countries: Economic Plants and their Diseases, Pests and Weeds**. www.agroatlas.ru. (Accessed in June 2016).
- [7] Akhiani, H., Djamali, M., Ghorbanalizadeh, A., Ramezani, E., 2010. **Plant biodiversity of Hyrcanian relict forests, N Iran: an overview of the flora, vegetation, palaeoecology and conservation**. *Pakistan Journal of Botany* 42(Special Issue): 231-258.
- [8] Alan, M., Kaya, Z., 2003. **EUFORGEN Technical Guidelines for genetic conservation and use for oriental sweetgum (*Liquidambar orientalis*)**. International Plant Genetic Resources Institute, Rome.
- [9] Aleksić, J. M., Ballian, D., Isajev, D., Mataruga, M., Christian, T., Gardner, M., 2017. ***Picea omorika***. The IUCN Red List of Threatened Species 2017: e.T30313A84039544. <https://doi.org/10.2305/IUCN.UK.2017-2.RLTS.T30313A84039544.en> (Accessed in December 2019)
- [10] Alexandrov, A. H., 1998. ***Pinus peuce***. In: Stimm, B., Roloff, A., Lang, U. M., Weisgerber, H. (Eds). *Enzyklopädie der Holzgewächse: Handbuch und Atlas der Dendrologie*. Wiley-VCH Verlag GmbH & Co. KGaA. ISBN: 9783527678518. <https://doi.org/10.1002/9783527678518.ehg1998048>
- [11] Alexandrov, A. H., Andonovski, V., 2011. **EUFORGEN Technical Guidelines for genetic conservation and use of Macedonian pine (*Pinus peuce*)**. Biodiversity International, Rome.
- [12] Alía Miranda, R., García del Barrio, J. M., Iglesias Sauce, S., Mancha Núñez, J. A., de Miguel y del Ángel, J., Nicolás Peragón, J. L., Pérez Martín, F., Sánchez de Ron, D., 2009. **Regiones de procedencia de especies forestales en España**. Organismo Autónomo Parques Nacionales, Madrid. ISBN: 9788480147590
- [13] Alizoti, P. G., Fady, B., Prada, M. A., Vendramin, G. G., 2011. **EUFORGEN technical guidelines for genetic conservation and use of Mediterranean firs (*Abies spp.*)**. Bioversity International, Rome, Italy. ISBN: 9789290438274
- [14] Ambrosio, E., Brotzu, R., Lancellotti, E., Franceschini, A., Zotti, M., 2014. **Macrofungi in *Abies alba* Miller plantation in north-western Sardinia, Italy**. *Micologia Italiana* 43(1-2-3): 3-24.
- [15] Anthelme, F., Abdoukader, A., Besnard, G., 2008. **Distribution, shape and clonal growth of the rare endemic tree *Olea europaea* subsp. *laperrinei* (Oleaceae) in the Saharan mountains of Niger**. *Plant Ecology* 198(1): 73-87. <https://doi.org/10.1007/s11258-007-9386-6>
- [16] Aradhya, M., Velasco, D., Ibrahimov, Z., Toktoraliev, B., Maghradze, D., Musayev, M., Bobokashvili, Z., Preece, J. E., 2017. **Genetic and ecological insights into glacial refugia of walnut (*Juglans regia* L.)**. *PloS one*, 12(10): e0185974. <https://doi.org/10.1371/journal.pone.0185974>
- [17] Arsalan, M. B., Şahin, H. T., 2016. **Unutulmuş Bir Orman Ürünü Kaynağı: Anadolu Siğla Ağacı (*Liquidambar orientalis* Miller)**. *Journal of Bartın Faculty of Forestry*, 18(1): 103-117.
- [18] Assyov, B., Petrova, A. (Eds.), 2012. **Conspectus Of The Bulgarian Vascular Flora**. 4th Edition. Bulgarian Biodiversity Foundation, Sofia. ISBN 9789549959581
- [19] Avolio S., 1984. **Il pino loricato (*Pinus leucodermis* Ant.)**. *Annali Istituto Sperimentale per la Selvicoltura* 15: 79-153. In: Gargano, D., Bernardo, L., 2006. **Defining population structure and environmental suitability for the conservation of *Pinus leucodermis* Antoine in central Mediterranean areas**. *Plant Biosystems* 140(3): 245-254. <https://doi.org/10.1080/11263500600947632>
- [20] Avtzis, N., Avtzis, D., Vergos, S., Diamantis, S., 2007. **Contribution on the research of natural distribution of the horsechestnut tree (*Aesculus hippocastanum* L.) in Greece**. *Phytologia Balcanica* 13(2): 11-17.
- [21] Babac, M. T., Uslu, E., Bakis, Y. **TÜBİVES - Turkish Plants Data Service**. www.tubives.com (Accessed in September 2016)
- [22] Banaev, E. V., Adel'shin, R. V., Dec. 2009. **Structure of *Alnus fruticosa* Rupr. s.l. and its relationships with other taxa of subgenus *Alnobetula* (Ehrhart) Peterman**. *Contemporary Problems of Ecology* 2(6): 601-610. <https://doi.org/10.1134/S1995425509060186>
- [23] Barina, Z. (Eds), 2017. **Distribution atlas of vascular plants in Albania**. Hungarian Natural History Museum, Budapest: 492 pp. ISBN: 9789639877290
- [24] Bartha, D., Csaba, M., 1995. **Erdei fa- és cserjefajok előfordulása Magyarországon**. Hillebrand Nyomda Kft., Sopron. ISBN: 9637180370

- [25] Bartha, D., Király, G., Vidéki, R., Nagy, A., 2005. **Occurrence of Rare Tree and Shrub Species in Hungary**. Acta Silvatica & Lignaria Hungarica 1: 9-23.
- [26] Bednorz, L., 2007. **Conservation of genetic resources of *Sorbus torminalis* in Poland**. Dendrobiology 58: 3-7.
- [27] Beer, R., Kaiser, F., Schmidt, K., Ammann, B., Carraro, G., Grisa, E., Tinner, W., 2008. **Vegetation history of the walnut forests in Kyrgyzstan (Central Asia): natural or anthropogenic origin?** Quaternary Science Reviews, 27(5-6): 621-632. <https://doi.org/10.1016/j.quascirev.2007.11.012>
- [28] Bertová, L. (Ed.), 1992. **Flóra Slovenska IV/3**. Vydavateľstvo Slovenskej Akadémie Vied, Bratislava. ISBN: 8022400777
- [29] Biodiversity Research Center - Institute of Botany. **Flora Database of the Czech Republic**. quick.florabase.cz (Accessed in September 2016)
- [30] Biologiezentrum Linz Oberoesterreich. **Biologiezentrum Linz**. (Accessed via GBIF.org in October 2017) <https://doi.org/10.15468/dl.zcfnm9>
- [31] Biondi, E., Vagge, I., Mossa, L., 1997. **La vegetazione a *Buxus balearica* Lam. in Sardegna**. Bollettino della Società Sarda di Scienze Naturali, 31: 231-238.
- [32] Biserkov, V., Gussev, C., Popov, V., Hibaum, G., Roussakova, V., Pandurski, I., Uzunov, Y., Dimitrov, M., Tzonev, R., Tsoneva, S. (Eds.), 2011. **Red Data Book of the Republic of Bulgaria Volume 3: Natural habitats**. Institute of Biodiversity and Ecosystem Research & Bulgarian Ministry of Environment and Water, Sofia, Bulgaria. ISBN: 9789549746235
- [33] Blada, I., 2008. ***Pinus cembra* distribution in the Romanian Carpathians**. Annals of Forest Research 51: 115-132.
- [34] Bohn, U., Gollub, G., Hettwer, C., Weber, H., Neuhäuslová, Z., Raus, T., Schlüter, H., 2000. **Karte der natürlichen Vegetation Europas / Map of the Natural Vegetation of Europe, Maßstab / Scale 1:2,500,000**. Landwirtschaftsverlag, Münster. ISBN: 9783784338095
- [35] Boratyński, A., 2007. **The Central European disjunctions in the range of Norway Spruce**. In: Tjoelker, M. G., Boratyński, A., Bugala, W. (Eds.). Biology and Ecology of Norway Spruce. Forestry Science 78, Springer Netherlands: 37-48. ISBN: 9781402048418
- [36] Botanical Society of Britain & Ireland. **BSBI big database**. bsbidb.org.uk (Accessed in September 2016)
- [37] Browicz, K., Zieliński, J., 1982. **Chorology of trees and shrubs in south-west Asia and adjacent regions, vol. 1**. Polish Scientific Publishers, Warszawa, Poznań. ISBN: 9788301039288
- [38] Browicz, K., 1996. **Chorology of trees and shrubs in south-west Asia and adjacent regions, supplement**. Bogucki Wydawnictwo Naukowe, Poznań. ISBN: 9788386001194
- [39] Bruno, D., Solène, R., 2016. **INPN - Données flore des CBN agrégées par la FCBN**. Version 1.2. UMS PatriNat (OFB-CNRS-MNHN), Paris. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.gkp7wm>
- [40] Bucalo, V., Stupar, V., Milanović, Đ., 2012. **Karakteristike i porijeklo populacije molike (*Pinus peuce* Griseb.) na Jadovniku u zapadnoj Bosni**. Glasnik Šumarskog fakulteta Univerziteta u Banjoj Luci, 16: 7-29.
- [41] Bundesamt für Naturschutz / Netzwerk Phytodiversität Deutschland. **Flora von Deutschland (Phanerogamen)**. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.jhwqco>
- [42] Böcher, T. W., 1979. **Birch woodlands and tree growth in southern Greenland**. Holarctic Ecology 2(4): 218-221.
- [43] Camarda, I., 1982. **Note su alberi e arbusti della Sardegna**. Bollettino della Società sarda di scienze naturali 21: 323-331.
- [44] Cambria, S. **Flora e vegetazione della Sicilia**. cambriasalvatore.wixsite.com/flora-della-sicilia (Accessed in September 2016)
- [45] CeDoc of Plant Biodiversity (CeDocBIV), Univ. Barcelona, 2009. **Sistema de Información de la vegetación Ibérica y Macaronésica**. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.m8zdd8>
- [46] Chang, C.S., Kim, H. 2015. **The Woody Plants of Korea**. Beta Version. florakorea.myspecies.info/ko (Accessed in May 2016)
- [47] Çiçek, F. F., Kaya, Z., Çengell, B. N., Velioğlu, E., 2005. **Genetic structure of four Kazdagi fir (*Abies equitrojani* Ascherson et Sinten) populations in Kazdagi, Turkey as assessed by adaptive seedling traits**. Forest Genetics 12(1): 45-56.
- [48] Collin, E., Bozzano, M., 2015. **Implementing the dynamic conservation of elm genetic resources in Europe: case studies and perspectives**. iForest - Biogeosciences and Forestry 8(2): 143-148. <https://doi.org/10.3832/ifer1206-008>
- [49] Conedera, M., Manetti, M. C., Giudici, F., Amorini, E., 2004. **Distribution and economic potential of the sweet chestnut (*Castanea sativa* Mill.) in Europe**. Ecologia Mediterranea 30(2): 179-193.
- [50] Conservatoire et Jardin botaniques de la Ville de Genève (CJB), Pro Natura, Société Botanique Suisse, Académie Suisse des Sciences Naturelles. **Info Flora**. www.infoflora.ch (Accessed in January 2020)
- [51] Critchfield, W. B., Little, E. L., 1966. **Geographic distribution of the pines of the world**. Miscellaneous Publication No. 991. United States Department of Agriculture, Forest Service, Washington, D.C.
- [52] Danin, A. **Flora of Israel Online**. Jerusalem Botanic Garden. flora.org.il/en (Accessed in September 2016)
- [53] Dahmani-Megrerouche, M., 2002. **Typologie et dynamique des chênaies vertes en Algérie**. Forêt Méditerranéenne 23(2): 117-132.
- [54] Davis, P. H. (Ed.), 1965. **Flora of Turkey and the East Aegean Islands, vol. 1**. Edinburgh University Press. ISBN: 852241593.

- [55] Davis, P. H. (Ed.), 1982. **Flora of Turkey and the East Aegean Islands, vol. 7**. Edinburgh University Press. ISBN: 852243960.
- [56] de Bolòs, O., Vigo, J., 1984. **Flora dels països catalans, vol I**. Barcino, Barcelona. ISBN: 8472265927
- [57] de Bolòs, O., Vigo, J., 1990. **Flora dels països catalans, vol II**. Barcino, Barcelona. ISBN: 8472266206
- [58] de Bolòs, O., Vigo, J., 1995. **Flora dels països catalans, vol III**. Barcino, Barcelona. ISBN: 8472266575
- [59] Danish Nature Agency, 2016. **Vascular plants in Denmark recorded under the The Nationwide Monitoring and Assessment Programme for the Aquatic and Terrestrial Environments (NOVANA)**. Version 9.1. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.hnqokh>
- [60] Della Rocca, G., Danti, R., Intini, M., 2007. **Il cipresso - *Cupressus sempervirens* L.** In: Panconesi, A. (Ed.), *Il Cipresso dalla leggenda al futuro*. Consiglio Nazionale delle Ricerche, Istituto Nazionale per la Protezione delle Piante, Firenze, Italia, pp. 119-132. ISBN: 9788888228204
- [61] Denk, T., 1999. **The taxonomy of *Fagus* in western Eurasia, 1: *Fagus sylvatica* subsp. *orientalis* (= *F. orientalis*)**. Feddes Repertorium 110(3-4): 177-200. <https://doi.org/10.1002/fedr.19991100510>
- [62] Denk, T (2003). **Phylogeny of *Fagus* L. (Fagaceae) based on morphological data**. Plant Systematics and Evolution 240(1): 55-81. <https://doi.org/10.1007/s00606-003-0018-x>
- [63] Département des Eaux et Forêts, 2014. **Formations forestières marocaines**. www.eauxetforets.gov.ma/ForetsMarocaines/Formations/Pages/Formations-Forestieres.aspx (Accessed in May 2020)
- [64] Divišek, J., Culek, M., 2013. **Biogeografie - Multimediální elektronický výukový materiál, 2. vydání**. is.muni.cz/do/rect/el/estud/prif/ps13/biogeogr_2/web/pages/uvod.html (Accessed in September 2016)
- [65] Di Domenico, F., Lucchese, F., Magri, D., 2011. **Late glacial and Holocene history of *Buxus sempervirens* L. in Italy**. Annali di Botanica, 1: 45-58. <https://doi.org/10.4462/annbotm-9123>
- [66] Di Domenico, F., Lucchese, F., Magri, D., 2012. ***Buxus* in Europe: Late Quaternary dynamics and modern vulnerability**. Perspectives in plant ecology, evolution and systematics, 14(5): 354-362. <https://doi.org/10.1111/j.2006.0030-1299.14826.x>
- [67] Dobignard, A. **Flore du Maroc**. www.floramarocana.fr (Accessed in November 2016)
- [68] Dönmez, A.A., Yildirimli, Ş., 2000. **Taxonomy of the Genus *Prunus* L. (Rosaceae) in Turkey**. Turkish Journal of Botany 24(3): 187-202.
- [69] Efe, A., 1997. ***Liquidambar Orientalis* Mill. (Siğla Ağacı)'in morfolojik ve palinolojik özellikleri üzerine araştırmalar**. Journal of the Faculty of Forestry Istanbul University, 37(2): 84-104.
- [70] Ernst-Moritz-Arndt-Universitaet. **Floristic Databases of Mecklenburg-Pomerania - Higher Plants**. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.ttbnoc>
- [71] Essl, F., 2002. **Verbreitung und Gesellschaftsanschluss des Buchsbaumes (*Buxus sempervirens* L.) im oberösterreichischen Enns- und Steyrtal**. Verhandlungen der Zoologisch-Botanischen Gesellschaft in Österreich, 139: 75-95.
- [72] EUFORGEN, 2003. **Distribution map of Norway spruce (*Picea abies*)**. www.euforgen.org
- [73] EUFORGEN, 2004. **Distribution map of Italian stone pine (*Pinus pinea*)**. www.euforgen.org
- [74] EUFORGEN, 2008. **Distribution map of Aleppo pine (*Pinus halepensis*)**. www.euforgen.org
- [75] EUFORGEN, 2008. **Distribution map of Black alder (*Alnus glutinosa*)**. www.euforgen.org
- [76] EUFORGEN, 2008. **Distribution map of Brutia pine (*Pinus brutia*)**. www.euforgen.org
- [77] EUFORGEN, 2008. **Distribution map of Field maple (*Acer campestre*)**. www.euforgen.org
- [78] EUFORGEN, 2009. **Distribution map of Aspen (*Populus tremula*)**. www.euforgen.org
- [79] EUFORGEN, 2009. **Distribution map of Beech (*Fagus sylvatica*)**. www.euforgen.org
- [80] EUFORGEN, 2009. **Distribution map of Black pine (*Pinus nigra*)**. www.euforgen.org
- [81] EUFORGEN, 2009. **Distribution map of Chestnut (*Castanea sativa*)**. www.euforgen.org
- [82] EUFORGEN, 2009. **Distribution map of Common ash (*Fraxinus excelsior*)**. www.euforgen.org
- [83] EUFORGEN, 2009. **Distribution map of Cork oak (*Quercus suber*)**. www.euforgen.org
- [84] EUFORGEN, 2009. **Distribution map of European larch (*Larix decidua*)**. www.euforgen.org
- [85] EUFORGEN, 2009. **Distribution map of European white elm (*Ulmus laevis*)**. www.euforgen.org
- [86] EUFORGEN, 2009. **Distribution map of Italian alder (*Alnus cordata*)**. www.euforgen.org
- [87] EUFORGEN, 2009. **Distribution map of Lime (*Tilia cordata*)**. www.euforgen.org
- [88] EUFORGEN, 2009. **Distribution map of Lime (*Tilia platyphyllos*)**. www.euforgen.org
- [89] EUFORGEN, 2009. **Distribution map of Maritime pine (*Pinus pinaster*)**. www.euforgen.org
- [90] EUFORGEN, 2009. **Distribution map of Oriental beech (*Fagus orientalis*)**. www.euforgen.org
- [91] EUFORGEN, 2009. **Distribution map of Pedunculata oak (*Quercus robur*)**. www.euforgen.org
- [92] EUFORGEN, 2009. **Distribution map of Scots pine (*Pinus sylvestris*)**. www.euforgen.org
- [93] EUFORGEN, 2009. **Distribution map of Sessile oak (*Quercus petraea*)**. www.euforgen.org
- [94] EUFORGEN, 2009. **Distribution map of Silver birch (*Betula pendula*)**. www.euforgen.org
- [95] EUFORGEN, 2009. **Distribution map of Silver fir (*Abies alba*)**. www.euforgen.org

- [96] EUFORGEN, 2009. **Distribution map of Wild cherry (*Prunus avium*)**. www.euforgen.org
- [97] EUFORGEN, 2010. **Distribution map of Swiss stone pine (*Pinus cembra*)**. www.euforgen.org
- [98] EUFORGEN, 2014. **Distribution map of Service tree (*Sorbus domestica*)**. www.euforgen.org
- [99] EUFORGEN, 2014. **Distribution map of Sycamore (*Acer pseudoplatanus*)**. www.euforgen.org
- [100] European Information System on Forest Genetic Resources. **EUFGIS database**. portal.eufgis.org (Accessed in September 2016)
- [101] Fang, J., Wang, Z., Tang, Z. (Eds.), 2011. **Atlas of Woody Plants in China**. Springer Berlin Heidelberg, Berlin, Heidelberg. <https://doi.org/10.1007/978-3-642-15017-3>
- [102] Farjon, A., 2010. **A handbook of the world's conifer**. Brill, Leiden. ISBN 9789004177185.
- [103] Farjon, A., 2016. **Conifer of the world**. Online Database, Department of Plant Sciences, University of Oxford. herbaria.plants.ox.ac.uk/bol/conifers (Accessed in September 2016)
- [104] Fernandes, M., Bento, J., Devy-Vareta, N., 2015. **Aspetos biogeográficos e paleoambientais de uma população finícola de *Pinus sylvestris* L. na serra do Gerês (NW Portugal)**. GOT Revista de Geografia e Ordenamento do Território 7: 159-181. <https://doi.org/10.17127/got/2015.7.007>
- [105] Finnish Museum of Natural History. **Fieldjournal.org observation database**. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.qfbdxi>
- [106] Flora Ionica Working Group. **Flora Ionica – An inventory of ferns and flowering plants of the Ionian Islands (Greece)**. floraionica.univie.ac.at (Accessed in September 2016)
- [107] Font Castell, X., 2018. **FloraCAT: Banco de datos de los cormófitos de Cataluña**. Version 2.2. Banc de dades de biodiversitat de Catalunya. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.biuda7>
- [108] Fukarek, P., 1983. **Poljski jasen**. In: Potočić, Z. (ed.). Šumarska enciklopedija, Svezak II. Jugoslavenski leksikografski zavod Miroslav Krleža, Zagreb.
- [109] Furlow J. J., 1997. **Betulaceae**. In: Flora of North America Editorial Committee (Eds.). Flora of North America North of Mexico, vol. 3. New York and Oxford. floranorthamerica.org (Accessed July 2016)
- [110] Gabrielian, E., Zohary, D., 2004. **Wild relatives of food crops native to Armenia and Nakhichevan**. Flora Mediterranea, 14: 5-80.
- [111] Gaisberger, H., Loo, A. J., Thomas, E., van Zonneveld, M, Vinceti, B., Boshier, D., 2014. **Threat mapping approach to wild walnut populations in Central Asia**. Conference: CGIAR Consortium for Spatial Information (CGIAR-CSI) 2014 Annual Meeting. <https://doi.org/10.13140/2.1.4479.1048>
- [112] García del Barrio, J. M., Auñón F. J., Sanchez de Ron, D. **SIG-FOREST, Sistema de Información de Especies Forestales**. sites.google.com/site/sigforestspecies (Accessed in January 2020)
- [113] Gardner, M., Thomas, P. **Threatened conifers of the world**. Royal Botanic Garden Edinburgh. threatenedconifers.rbge.org.uk (Accessed in September 2016)
- [114] Gargano, D., Bernardo, L., 2006. **Defining population structure and environmental suitability for the conservation of *Pinus leucodermis* Antoine in central Mediterranean areas**. Plant Biosystems, 140(3): 245-254. <https://doi.org/10.1080/11263500600947632>
- [115] Gaston, A. J., Garson, P. J., Hunter Jr, M. L., 1983. **The status and conservation of forest wildlife in Himachal Pradesh, Western Himalayas**. Biological conservation, 27(4): 291-314. [https://doi.org/10.1016/0006-3207\(83\)90088-5](https://doi.org/10.1016/0006-3207(83)90088-5)
- [116] George, J.-P., Woodman, J., Hampton, M., Konrad, H., Geburek, T., 2016. **True Service-tree (*Sorbus domestica*, Rosaceae) in the British Isles: rare but diverse**. New Journal of Botany, 6(1): 21-30. <https://doi.org/10.1080/20423489.2016.1168092>
- [117] Ghazal, A., 2008. **Landscape Ecological, Phytosociological and Geobotanical Study of Eu-Mediterranean in West of Syria**. Ph.D. thesis in Agricultural Sciences, University of Hohenheim.
- [118] Ghazanfar, S. A., McDaniel, T., 2016. **Floras of the middle east: a quantitative analysis and biogeography of the flora of Iraq**. Edinburgh Journal of Botany, 73(1): 1-24 <https://doi.org/10.1017/S0960428615000244>
- [119] Ghimire, S. K., Sapkota, I., Oli, B., Rai-Parajuli, R., 2008. **Non-Timber Forest Products of Nepal Himalaya: Database of Some Important Species Found in the Mountain Protected Areas and Surrounding Regions**. WWF Nepal. Kathmandu, Nepal. ISBN: 9789994683796
- [120] Glavač V., 1968: **Vegetationszonen Südosteuropas, 1:3 Mill**. In: Savić I. R., 2008. Diversification of the Balkan fauna: its origin, historical development and present status. In: Makarov S. E., Dimitrijević, R. N. (Eds). Advances in Arachnology and Developmental Biology: papers dedicated to Professor Božidar P.M. Čurčić. Monografije (Univerzitet u Beogradu. Institut za zoologiju) vol. 12: 57-78. ISBN 9788670780521
- [121] Gogushev, G., 2011. **Forests of Oriental plantain (*Platanus orientalis*)**. In: Biserkov, V., Gushev, C., Popov, V., Hibaum, G., Roussakova, V., Pandurski, I., Uzunov, Y., Dimitrov, M., Tzonev, R., Tsoneva, S. (Eds.). Red Data Book of the Republic of Bulgaria Volume 3: Natural habitats. Institute of Biodiversity and Ecosystem Research & Bulgarian Ministry of Environment and Water, Sofia, Bulgaria.
- [122] Goliašová, K., Michalková, E. (Eds.), 2006. **Flóra Slovenska V/3**. VEDA, Vydavateľstvo Slovenskej akadémie vied, Bratislava. ISBN: 8022401897
- [123] Gree, P. S., 2002. **A Revision of *Olea* L. (Oleaceae)**. Kew Bulletin 57(1): 91-140. <https://doi.org/10.2307/4110824>
- [124] Grossgeim, A. A., 1939. **Flora of Caucasus Vol 1**. Academy of Sciences of the USSR, Azerbaijan branch. Baku. (In Russian)

- [125] Grossgeim, A. A., 1945. **Flora of Caucasus Vol 3**. Academy of Sciences of the USSR, Azerbaijan branch. Baku (In Russian)
- [126] Gülsoy, A. D., Gülsoy, A. M., Çengel, B., Kaya, Z., 2014. **The evolutionary divergence of *Pinus nigra* subsp. *pallasiana* and its varieties based on noncoding *trn* regions of chloroplast genome**. Turkish Journal of Botany 38(4): 627-636.
- [127] Güner, A., Vural, M., Duman, H., Dönmez, A. A., Şağban, H., 1993. **Günlükağacı (*Liquidambar orientalis* Miller) Köyceğiz'deki Durum**. The Karaca Arboretum Magazine, II: 33-42.
- [128] Haut Commissariat aux Eaux et Forêts et à la Lutte Contre la Désertification. **Les formations forestières marocaines - Conifères**. www.eauxetforets.gov.ma/fr/text.aspx?id=1061&uid=74 (Accessed in September 2016)
- [129] Haut Commissariat aux Eaux et Forêts et à la Lutte Contre la Désertification. **Les formations forestières marocaines - Feuillus**. www.eauxetforets.gov.ma/fr/text.aspx?id=1062&uid=75 (Accessed in September 2016)
- [130] Hennekens, S., 2018. **Dutch Vegetation Database**. Alterra, Wageningen UR. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.km20zh>
- [131] Heuertz, M., Carnevale, S., Fineschi, S., Sebastiani, F., Hausman, J. F., Paule, L., Vendramin, G. G., 2006. **Chloroplast DNA phylogeography of European ashes, *Fraxinus* sp. (Oleaceae): roles of hybridization and life history traits**. Molecular Ecology 15: 2131–2140. <https://doi.org/10.1111/j.1365-294X.2006.02897.x>
- [132] Hultén, E., 1971. **Atlas över växternas utbredning i Norden, 2 upplagan**. Generalstabens litografiska anstalts förlag, Stockholm.
- [133] Hultén, E., Fries, M., 1986. **Atlas of North European vascular plants (North of the Tropic of Cancer), Vols. I-III**. Koeltz scientific books. ISBN: 9783874292634
- [134] ICP Forests, 2017. **Forest Monitoring Information System: online database**. icp-forests.org/data (Accessed in November 2017)
- [135] Instituto Nacional de Investigación y Tecnología Agraria y Alimentaria INIA. **Mapas de distribución de las especies forestales incluidas en el RD289/03**. wwwsp.inia.es/Investigacion/centros/CIFOR/redes/Genford/Sig-Forest/Paginas/SIG-FOREST.aspx (Accessed in May 2020)
- [136] Isebrands, J. G., Richardson, J., 2014. **Poplars and willows: trees for society and the environment**. CABI, FAO. ISBN: 9781780641089
- [137] Israel Nature and Parks Authority. **Israel Nature and Parks Authority**. (Accessed via GBIF.org in January 2020) <https://doi.org/10.15468/dl.yaszkm>
- [138] Jafari Sayadi, M. H., Vahdati, K., Leslie, C. A., 2011. **Comparison of four geographically diverse natural populations of Persian walnut (*Juglans regia* L.) in north of Iran**. In: M.K. Aradhya, M. K., Kluepfel, D. A. (Eds). Proc. 1st International Symposium on Wild Relatives of Subtropical and Temperate Fruit and Nut Crops. ISHS Acta Horticulturae, 948: 91-96. ISBN 9789066052567
- [139] Jalas, J., Suominen, J., 1973. **Atlas Florae Europaeae: distribution of vascular plants in Europe Vol. 2 Gymnospermae (Pinaceae to Ephedraceae)**. Committee for Mapping the Flora of Europe and Societas Biologica Fennica Vanamo, Helsinki. ISBN: 9519108017
- [140] Jalas, J., Suominen, J., 1976. **Atlas Florae Europaeae: distribution of vascular plants in Europe vol. 3 Salicaceae to Balanophoraceae**. Committee for Mapping the Flora of Europe and Societas Biologica Fennica Vanario, Helsinki. ISBN: 9519108025
- [141] Jerše, M., 2006. **Morphological analysis of pubescent oak (*Quercus pubescens* Willd.) in Slovenia**. Master's thesis, Biotechnical faculty, Department of forestry and renewable forest resources, University of Ljubljana, Slovenia.
- [142] Joly, F., André, A., 1957. **Forêts, Atlas du Maroc No 19a, Feuille NW/NE**. Comité de Géographique du Maroc.
- [143] Jonsell, B. (Ed.), 2000. **Flora Nordica, Vol 1: Lycopodiaceae - Polygonaceae**. The Royal Swedish Academy of Sciences, Stockholm. ISBN: 9171900330
- [144] Juhásová, G., Ivanová, H., Spišák, J., 2005. **Occurrence and spread of the parasitic microscopic fungi on walnut (*Juglans regia* L.) on various localities of Slovakia**. Trakya University Journal of Natural Sciences, 6(1): 19-27.
- [145] Karimi, R., Ershadi, A., Vahdati, K., Woeste, K., 2010. **Molecular characterization of Persian walnut populations in Iran with microsatellite markers**. American Society for Horticultural Science, 45(9): 1403-1406. <https://doi.org/10.21273/HORTSCI.45.9.1403>
- [146] Kinloch, B. B., Westfall, R. D., Forrest G. I., 1986. **Caledonian Scots pine: origins and genetic structure**. New Phytologist 104(4): 703-729. <https://doi.org/10.1111/j.1469-8137.1986.tb00671.x>
- [147] Klimko, M., Boratyńska, K., Montserrat, J. M., Didukh, Y., Romo, A., Gómez, D., Kluza-Wieloch, M., Marcysiak, K., Boratyński, A., Mar. 2007. **Morphological variation of *Juniperus oxycedrus* subsp. *oxycedrus* (Cupressaceae) in the Mediterranean region**. Flora - Morphology, Distribution, Functional Ecology of Plants 202(2): 133-147. <https://doi.org/10.1016/j.flora.2006.03.006>
- [148] Knorn, J., Kuemmerle, T., Radeloff, V. C., Keeton, W. S., Gancz, V., Biris, I.-A., Svoboda, M., Griffiths, P., Hostert, P., 2013. **Continued loss of temperate old-growth forests in the Romanian Carpathians despite an increasing protected area network**. Environmental Conservation 40(2): 182-193. <https://doi.org/10.1017/S0376892912000355>
- [149] Koropachinsky, I. Yu., Vstovskaya, T. N., 2002. **Woody plants of the Asian part of Russia**. Russian Academy of Sciences, Publishing House of SB RAS, Branch "Geo", Novosibirsk. ISBN 576920564X (in Russian)
- [150] Korori, A. A. S., Azadfar, D., Shirvany, A., Valipour, K. H., Matinzadeh, M., 2012. **Assessment of genetic variability in long-lived *Cupressus sempervirens* var. *horizontalis* using SSR markers**. Plant Gene and Trait 3(8): 43-49. <https://doi.org/10.5376/pgt.2012.02.0008>

- [151] Krebs, P., Conedera, M., Pradella, M., Torriani, D., Felber, M., Tinner, W., 2004. **Quaternary refugia of the sweet chestnut (*Castanea sativa* Mill.): an extended palynological approach**. *Vegetation History and Archaeobotany* 13(3): 145-160. <https://doi.org/10.1007/s00334-004-0041-z>
- [152] Kuntsi, S., Koskela, T., 2013. **Herbarium of Jyväskylä University Museum**. Jyväskylä University Museum - The Section of Natural Sciences. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.qlmmfd>
- [153] Lapie, G., Maige, A., 1914. **Flore forestière illustrée, comprenant toutes les espèces ligneuses de l'Algérie et les espèces ligneuses les plus répandues en Tunisie, au Maroc et dans le midi de la France; pour la détermination facile, sans l'emploi de mots techniques, de toutes les espèces décrites**. E. Orlhac, Paris.
- [154] Lázaro, A., Traveset, A., Castillo, A., 2006. **Spatial concordance at a regional scale in the regeneration process of a circum-Mediterranean relict (*Buxus balearica*): connecting seed dispersal to seedling establishment**. *Ecography*, 29(5): 683-696. <https://doi.org/10.1111/j.2006.0906-7590.04667.x>
- [155] Lázaro, A., Traveset, A., Méndez, M., 2006. **Masting in *Buxus balearica*: assessing fruiting patterns and processes at a large spatial scale**. *Oikos*, 115(2), 229-240. <https://doi.org/10.1111/j.2006.0030-1299.14826.x>
- [156] Lazzeri, V., Sammartino, F., Campus, G., Caredda, A., Testa, N., Gestri, G., 2014. **Note floristiche toscano-sarde II: novità regionali e locali e considerazioni tassonomiche per le regioni Sardegna e Toscana**. *Annali del Museo Civico di Rovereto*. Sezione: Archeologia, Storia, Scienze Naturali 30: 331-368.
- [157] Lenda, M., Skórka, P., 2009. **Orzech włoski *Juglans regia* – nowy, potencjalnie inwazyjny gatunek w rodzimej florce**. *Chrońmy Przyrodę Ojczyznę*, 65(4): 261-270.
- [158] Liber, Z., Nikolic, T., Mitic, B., Satovic, Z., 2003. **RAPD markers and black pine (*Pinus nigra* Arnold) intraspecific taxonomy - evidence from the study of nine populations**. *Acta societatis botanicorum Poloniae*, 72(3): 249-257.
- [159] Little, E.L., Jr., 1971. **Atlas of United States trees, volume 1, conifers and important hardwoods**. Miscellaneous Publication No. 1146. United States Department of Agriculture, Forest Service, Washington, D.C.
- [160] Little, E.L., Jr., 1976. **Atlas of United States trees, volume 3, minor Western hardwoods**. Miscellaneous Publication No. 1314. United States Department of Agriculture, Forest Service, Washington, D.C.
- [161] Little, E.L., Jr., 1977. **Atlas of United States trees, volume 4, minor Eastern hardwoods**. Miscellaneous Publication No. 1342. United States Department of Agriculture, Forest Service, Washington, D.C.
- [162] López-Sáez, J. A., Glais, A., Robles-López, S., Alba-Sánchez, F., Pérez-Díaz, S., Abel-Schaad, D., Luelmo-Lautenschlaeger, R., 2016. **Unraveling the naturalness of sweet chestnut forests (*Castanea sativa* Mill.) in central Spain**. *Vegetation History and Archaeobotany*: 1-16. <https://doi.org/10.1007/s00334-016-0575-x>
- [163] Lundqvist, J., 1992. **Index Holmiensis vol. 7**. Swedish Museum of Natural History, Stockholm.
- [164] Lundqvist, J., Jäger, E.J., 1995-2007. **Index Holmiensis vol. 8-10**. Swedish Museum of Natural History, Stockholm.
- [165] Lundqvist, J., Nordenstam B., 1988. **Index Holmiensis vol. 6**. Swedish Museum of Natural History, Stockholm.
- [166] Maděra, P., Tichá, S., Řepka, R., 2013. **Distribution and ecological requirements of *Sorbus torminalis* (L.) Crantz in the Czech Republic**. *Dendrobiology* 69: 59-68. <https://doi.org/10.12657/denbio.069.007>
- [167] Maire, R., Algeria Service cartographique, 1926. **Carte Phytogéographie de l'Algérie et de la Tunisie**. Alger, Imprimerie-papeterie Baconnier frères.
- [168] Marín Solís, F. M., 2019. **Cartografía de vegetación a escala de detalle 1:10.000 de la masa forestal de Andalucía**. Environmental Information Network of Andalusia (REDIAM), Regional Ministry for the Environment, Regional Government of Andalusia. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.v7k8vy>
- [169] Marolt, U., 2015. **Distribution of Swiss stone pine (*Pinus cembra* L.) and threats to its gene pool in Slovenia**. B. Sc. Thesis, Department of Forestry and Renewable Forest Resources, Biotechnical Faculty, Ljubljana University. (In Slovenian)
- [170] Marques, H., Pinto, G., Pinto, P., Teixeira, C., 2012. **Regiões de Proveniência, Portugal**. Autoridade Florestal Nacional, Lisboa.
- [171] Martinoli, G., 1953. **La *Quercus coccifera* L. var. *imbricata* DC. in Sardegna e suo significato fitogeografico**. *Giornale Botanico Italiano* 60(3): 518-564. <https://doi.org/10.1080/11263505309432119>
- [172] Mauri, A., Strona, G., San-Miguel-Ayanz, J., 2017. **EU-Forest, a high-resolution tree occurrence dataset for Europe**. *Scientific Data* 4: 160123. <https://doi.org/10.1038/sdata.2016.123>
- [173] Mazur, M., Klajbor, K., Kielich, M., Sowińska, M., Romo, A., Montserrat, J. M., Boratyński, A., 2010. **Intra-specific differentiation of *Juniperus phoenicea* in the western Mediterranean region revealed in morphological multivariate analysis**. *Dendrobiology* 63: 21-31.
- [174] Médail F., Quézel P., Besnard, G., Khadari, B. 2001. **Systematics, ecology and phylogeographic significance of *Olea europaea* L. ssp. *maroccana* (Greuter & Burdet) P. Vargas et al., a relictual olive tree in south-west Morocco**. *Botanical Journal of the Linnean Society* 137(3): 249-266. <https://doi.org/10.1046/j.1095-8339.2002.138002253.x>
- [175] Medina Domingo, L., Aedo Pérez, C., 2019. **CSIC-Real Jardín Botánico-Anthos. Sistema de Información de las Plantas de España**. Version 1.17. CSIC-Real Jardín Botánico. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.9uo7is>
- [176] Mehrnia, M., Nejadstarrari, T., Assadi, M., Mehregan, I. 2013. **Taxonomic study of the genus *Quercus* L. Sect. *Quercus* in the Zagros forests of Iran**. *Iranian Journal of Botany* 19(1): 62-74.
- [177] Merlino A., Baliva M., Di Filippo A., Piovesan G., Solano F., 2015. **Structural and dendroecological analysis of *Quercus petraea* subsp. *austrothyrrhenica* Brullo, Guarino & Siracusa in the Madonie Natural Park (Sicily)**. In: *Atti del II Congresso Internazionale di Selvicoltura. Progettare il futuro per il settore forestale*, Firenze, 26-29 novembre 2014, Vol. 1. Accademia Italiana di Scienze Forestali, Firenze: 183-189. ISBN: 9788887553215.

- [178] Meusel, H., Jäger, E. J., 1989. **Ecogeographical differentiation of the Submediterranean deciduous forest flora**. *Plant Systematics and Evolution* 162(1-4): 315-329. <https://doi.org/10.1007/BF00936924>
- [179] Meusel, H., Jäger, E. J. (Eds.), 1992. **Vergleichende Chorologie der Zentraleuropäischen Flora, Band III**. Gustav Fischer Verlag, Jena. ISBN: 3334004112
- [180] Meusel, H., Jäger, E. J., Rauschert, S., Weinert, E. (Eds.), 1978. **Vergleichende Chorologie der Zentraleuropäischen Flora, Band II**. Gustav Fischer Verlag, Jena. ISBN: 3334603695
- [181] Meusel, H., Jäger, E. J., Weinert, E. (Eds.), 1965. **Vergleichende Chorologie der Zentraleuropäischen Flora, Band I**. Gustav Fischer Verlag, Jena.
- [182] Mhirit, O., Blerot, P., 1999. **Le grand livre de la forêt marocaine**. Editions Mardaga. ISBN 9782870096864
- [183] Michaud, H., Toumi, L., Lumaret, R., Li, T. X., Romane, F., Di Giusto, F., 1995. **Effect of geographical discontinuity on genetic variation in *Quercus ilex* L. (holm oak)**. Evidence from enzyme polymorphism. *Heredity* 74(6): 590-606. <https://doi.org/10.1038/hdy.1995.83>
- [184] Mitchell, A., Ødum, S., 1977. **Træer i Nordeuropa**. Gads Forlag, Copenhagen, Denmark. ISBN: 9788712030539
- [185] Naqinezhad, A., Hamzeh'ee, B., Attar, F., 2008. **Vegetation–environment relationships in the alderwood communities of Caspian lowlands, N. Iran (toward an ecological classification)**. *Flora - Morphology, Distribution, Functional Ecology of Plants* 203(7): 567-577. <https://doi.org/10.1016/j.flora.2007.09.007>
- [186] Nasri, N., Bojovic, S., Vendramin, G. G., Fady, B., 2008. **Population genetic structure of the relict Serbian spruce, *Picea omorika*, inferred from plastid DNA**. *Plant Systematics and Evolution*, 271(1-2): 1-7. <https://doi.org/10.1007/s00606-007-0594-2>
- [187] National Biodiversity Network. **Botanical Society of the British Isles - Vascular Plants Database**. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.c7xheb>
- [188] National Biodiversity Network. **Botanical Society of the British Isles - Vascular Plants Database additions since 2000**. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.wzy04e>
- [189] Navarrete Poyatos, M.A., Lara Gómez, M.A., Trujillo Toro, J., Palacios Rodríguez, G., Navarro Cerrillo, R.M., Kattar, S., Duque Lazo, J., 2014. **Climate Change Impacts on Native Tree Species Distribution in Lebanon: Potentiality Projections to 2050**. Center of Applied Research in Agroforestry Development (IDAF), University of Córdoba.
- [190] NetPhyD: Deutschlandflora WebGIS. **Floristische Verbreitungskarten in Deutschland**. karten.deutschlandflora.de/map.phtml (Accessed in January 2020)
- [191] Nikolić, T. (Ed.), 2015. **Flora Croatica Database**. Faculty of Science, University of Zagreb. hirc.botanic.hr/fcd (Accessed in September 2016)
- [192] Norwegian Biodiversity Information Centre. **Artsdatabanken**. www.artsdatabanken.no (Accessed in January 2020)
- [193] Orman Genel Müdürlüğü, 2013. **Orman Atlası**. Çankaya, Ankara.
- [194] Papini, A., Simeone, M. C., Bellarosa, R., Spada, F., Schirone, B., 2011. ***Quercus macranthera* Fisch. & Mey. ex Hohen. and *Quercus iberica* M. Bieb.: Taxonomic definition and systematic relationships with European oaks inferred from nuclear internal transcribed spacer (ITS) data**. *Plant Biosystems* 145(1): 37-49. <https://doi.org/10.1080/11263504.2010.502684>
- [195] Paudel, P. K., Bhattarai, B. P., Kindlmann, P., 2012. **An overview of the biodiversity in Nepal**. In: Kindlmann P. (eds). *Himalayan biodiversity in the changing world*. Springer, Dordrecht: 1-40. https://doi.org/10.1007/978-94-007-1802-9_1
- [196] Paura, B., Cutini, M., 2006. **Sull'ecologia delle foreste del *Tilio-Acerion* Klika 1955 in Molise e considerazioni sui caratteri cenologici e fitogeografici dei boschi di forra dell'Appennino centro-meridionale (Italia centrale e meridionale)**. *Webbia* 61(1): 145-165. <https://doi.org/10.1080/00837792.2006.10670798>
- [197] Peçi, D. H., Mullaj, A., Dervishi, A., 2012. **The natural distribution of horse chestnut (*Aesculus hippocastanum* L.) in Albania**. *Journal of Institute Alb-Shkenca* 5(1): 153-157.
- [198] Peev, D., Vladimirov, V. (Eds.) 2011. **Red Data Book of the Republic of Bulgaria, Volume 1 - Plants & Fungi**. Bulgarian Academy of Sciences and Ministry of Environment and Water, Sofia, Bulgaria. ISBN: 9789549746211
- [199] Pereira, J. S., Aronson, J., 2009. **Chapter 1 - The tree**. In: Aronson, J., Pereira, J. S., Pausas, J. G. (Eds.). *Cork Oak Woodlands on the Edge: Ecology, Adaptive Management, and Restoration*. The Science and Practice of Ecological Restoration Series, Island Press: 11-21. ISBN: 9781597264785
- [200] Pereira-Lorenzo, S., Costa, R. M. L., Ramos-Cabrer, A. M., Ciordia-Ara, M., Ribeiro, C. A. M., Borges, O., Barreneche, T., 2011. **Chestnut cultivar diversification process in the Iberian Peninsula, Canary Islands, and Azores**. *Genome* 54(4): 301-315. <https://doi.org/10.1139/G10-122>
- [201] Phitos, D., Constantinidis, T., Kamari, G. (Eds.), 2009. **The red data book of rare and threatened plants of Greece, volume 2 E-Z**. Hellenic Botanical Society, Patras. ISBN: 9789609407113
- [202] Picone, R. M., Crisafulli, A., Zaccone, S., 2008. **Habitat forestali di particolare valore naturalistico (Dir. 92/43/CEE) dei Monti Peloritani (Sicilia)**. In: *Atti del Terzo Congresso Nazionale di Selvicoltura*, 16-18 ottobre 2008 Taormina (ME). Accademia Italiana di Scienze Forestali, Firenze: 243-248. ISBN: 9788887553161
- [203] Plant Diversity Analysis and Synthesis Centre PLADIAS. **Database of the Czech Flora and Vegetation**. pladias.cz (Accessed in January 2020)
- [204] Pollegioni, P., Woeste, K., Chiocchini, F., Del Lungo, S., Ciolfi, M., Olimpieri, I., Tortolano, V., Clark, J., Hemery, G. E., Mapelli, S., Malvolti, M. E., 2017. **Rethinking the history of common walnut (*Juglans regia* L.) in Europe: Its origins and human interactions**. *PloS one*, 12(3): e0172541. <https://doi.org/10.1371/journal.pone.0172541>
- [205] Postolache, D., Popescu, F., Palada-Nicolau, M., 2005. **Chloroplast DNA variation and postglacial recolonization of *Fraxinus angustifolia* L. in the Balkan Peninsula and in the Carpathian Basin**. *Bulletin of the University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca Animal Science and Biotechnologies* 61: 376-382.

- [206] Quezel, P., Santa, S., 1962. **Nouvelle flore d'Algérie et des régions désertiques méridionales, Tome 1-2**. Éditions du Centre National de la Recherche Scientifique, Paris.
- [207] Quezel, P., Gast, M., 1998. **Genévrier**. Encyclopédie berbère, 20 Gauda – Girrei. Edisud, Aix-en-Provence: 3016-3023. ISBN: 2744900281
- [208] Quézel, P., Médail, F., 2003. **Écologie et biogéographie des forêts du bassin Méditerranéen**. Elsevier, Paris. ISBN: 9782842994518
- [209] Raab-Straube, E. von, 2014. **Gymnospermae**. In: Euro+Med Plantbase, the information resource for Euro-Mediterranean plant diversity. ww2.bgbm.org/EuroPlusMed (Accessed in November 2016)
- [210] Rameau, J.-C., Mansion, D., Dumé, G., 1999. **Flore forestière française, Montagnes, Vol. 2**. Institut pour le Développement Forestier, Paris. ISBN: 9782904740411
- [211] Ranz, J., 2017. textbfBanco de Datos de la Biodiversidad de la Comunitat Valenciana. Biodiversity data bank of Generalitat Valenciana. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.iru4gq>
- [212] Real Jardín Botánico, CSIC - Fundación Biodiversidad. **Anthos - Information System of the plants of Spain**. www.anthos.es (Accessed in September 2016)
- [213] Rosati, L., Masi, A., Giardini, M., Marignani, M., 2015. **Under the shadow of a big plane tree: why *Platanus orientalis* should be considered an archaeophyte in Italy?** Plant Biosystems - An International Journal Dealing with all Aspects of Plant Biology, 149(1): 185-194. <https://doi.org/10.1080/11263504.2014.998312>
- [214] Roussakova, V., 2011. **Macedonian pine (*Pinus peuce*) forests**. In: Biserkov, V., Gussev, C., Popov, V., Hibaum, G., Roussakova, V., Pandurski, I., Uzunov, Y., Dimitrov, M., Tzonev, R., Tsoneva, S. (Eds.), 2011. Red Data Book of the Republic of Bulgaria Volume 3: Natural habitats. Institute of Biodiversity and Ecosystem Research & Bulgarian Ministry of Environment and Water, Sofia, Bulgaria. ISBN: 9789549746235
- [215] Safarov, N., 2003. **First National Report on Biodiversity Conservation of the Republic of Tajikistan**. National Biodiversity and Biosafety Center (NBBC). Dushanbe.
- [216] San-Miguel-Ayanz, J., de Rigo, D., Caudullo, G., Houston Durrant, T., Mauri, A. (Eds.), 2016. **European Atlas of Forest Tree Species**. Publication Office of the European Union, Luxembourg. <https://doi.org/10.2788/038466> ISBN: 9789279528330
- [217] Satake, Y., 1962. **Two forms of so-called Miyamanezu (*Juniperus communis* var. *nipponica*)**. Acta Phytotaxonomica et Geobotanica 20(1): 43-47. (in Japanese)
- [218] Saulnier, M., Edouard, J.-L., Corona, C., Guibal, F., 2011. **Climate/growth relationships in a *Pinus cembra* high-elevation network in the Southern French Alps**. Annals of Forest Science 65(1): 189-200. <https://doi.org/10.1007/s13595-011-0020-3>
- [219] Schicchi, R., Marino, P., 2011. **Taxa relitti della flora forestale siciliana e problemi di conservazione**. Biogeographia 30: 141-150.
- [220] Schuler, A., 2007. **Contribution to the flora of northern and central Greece**. Willdenowia 37(1), 229-241. <https://doi.org/10.3372/wi.37.37113>
- [221] Scientific Research Centre of the Slovenian Academy of Sciences and Arts, Institute of Biology. **FloVegSI - Floristical and fitocenological database of ZRC SAZU**. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.emozjq>
- [222] Sealy, J. R., Webb, D. A., 1950. ***Arbutus unedo* L.** Journal of Ecology 38(1): 223-236. <https://doi.org/10.2307/2256540>
- [223] Shah, M., Coulson, S., 2020. **Artportalen (Swedish Species Observation System). Version 92.180. ArtDatabanken**. (Accessed via GBIF.org on January 2020) <https://doi.org/10.15468/dl.vhlsf9>
- [224] Skvortsov, A. K., 1999. **Willows of Russia and Adjacent Countries: Taxonomical and Geographical Revision (English translation of 1968 Russian edition)**. University of Joensuu, Finland. ISBN: 9517087667
- [225] Smith, R. D., Smith, K. A. (Eds.), 2003. **Country Study for Biodiversity of the Republic of Macedonia - First National Report**. Ministry of Environment and Physical Planning, Skopje, Macedonia. ISBN: 9789989110153
- [226] Sociedade Portuguesa de Botânica. **Flora-On: Flora de Portugal interactiva**. flora-on.pt (Accessed in January 2020)
- [227] Sokolov S. I., Svjaseva O. A., Kubli V. A., 1977. **Distribution ranges of trees and shrubs in USSR, vol. 1**. Nauka, Leningrad, 164 pp. (In Russian)
- [228] Sokolov S. I., Svjaseva O. A., Kubli V. A., 1980. **Distribution ranges of trees and shrubs in USSR, vol. 2**. Nauka, Leningrad, 107 pp. (In Russian)
- [229] Sokolov S. I., Svjaseva O. A., Kubli V. A., 1986. **Distribution ranges of trees and shrubs in USSR, vol. 3**. Nauka, Leningrad, 182 pp. (In Russian)
- [230] Staatliche Naturwissenschaftliche Sammlungen Bayerns. **Occurrence Data of Vascular Plants collected or compiled for the Flora of Bavaria**. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.olxxvo>
- [231] Stevanović, V., Vladimirov, V., Niketić, M., Vukojičić, S., Jakovljević, K., Lubarda, B., Tomović, G., 2014. **Plant species and subspecies discovered by Dr. Josif Pančić 1 - distribution and floristic importance**. Botanica Serbica 38(2): 251-268.
- [232] Strid, A., Tan, K. (eds.), 1997. **Flora Hellenica, vol I**. Koeltz Scientific Books, Königstein. ISBN: 9783874293914
- [233] Tralau H., 1969-1981. **Index Holmiensis vol. 1-5**. Swedish Museum of Natural History, Stockholm.
- [234] Tela Botanica. **eFlora**. www.tela-botanica.org/site:botanique (Accessed in September 2016)

- [235] Temunović, M., Frascaria-Lacoste, N., Franjić, J., Satovic, Z., Fernández-Manjarrés, J.F., 2013. **Identifying refugia from climate change using coupled ecological and genetic data in a transitional Mediterranean-temperate tree species**. *Molecular Ecology* 22(8): 2128-2142. <https://doi.org/10.1111/mec.12252>
- [236] The Norwegian Biodiversity Information Centre, Hoem, S., 2020. **Norwegian Species Observation Service**. Version 1.80. The Norwegian Biodiversity Information Centre (NBIC). (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.6domy8>
- [237] Tomaszewski, D., 2017. **Institute of Dendrology PAS, Flora of Sudety Mountains**. Institute of Dendrology, Polish Academy of Sciences. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.kybkpr>
- [238] Toumi, L., Lumaret, R., 2010. **Genetic variation and evolutionary history of holly oak: a circum-Mediterranean species-complex [*Quercus coccifera* L./*Q. calliprinos* (Webb) Holmboe, Fagaceae]**. *Plant Systematics and Evolution* 290(1): 159-171. <https://doi.org/10.1007/s00606-010-0358-2>
- [239] Turna, I., 2013. **Variation of some morphological and electrophoretic characters of 11 populations of Scots pine in Turkey**. *Israel Journal of Plant Sciences* 51(3): 223-230
- [240] Tutin, T. G., Burges, N. A., Chater, A. O., Edmondson, J. R., Heywood, V. H., Moore, D. M., Valentine, D. H., Walters, S. M., Webb, D. A. (Eds.) 1993. **Flora Europaea vol.1 - Psilotaceae to Platanaceae (2nd ed.)**. Cambridge University Press. ISBN: 052141007X
- [241] Tworek, S., 2017. **National System of Protected Areas in Poland - Plants**. Institute of Nature Conservation, Polish Academy of Sciences. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.ym4vmn>
- [242] Uçar, G., Uçar, M. B., 2014. **Geographical variation in the composition of *Abies bornmuelleriana* Mattf. needle oils**. *Records of Natural Products* 8(1), 56-60.
- [243] University of Graz, Institute of Plant Sciences. **University of Graz, Institute of Plant Sciences - Herbarium GZU.** (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.4ok78i>
- [244] University of Vienna - Herbarium WU. **University of Vienna, Institute for Botany - Herbarium WU.** (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.x5raqx>
- [245] University of Vienna, Institute for Botany, Research Group for Plant Biogeography. **Floristische Kartierung Österreichs - Mapping the Flora of Austria**. (Accessed via GBIF.org in August 2015) <https://doi.org/10.15468/dl.edafda>
- [246] Ürker, O., 2019. **Personal communication**.
- [247] Valchev, V., Roussakova, V., 2011. **White-barked pine (*Pinus heldreichii*) forests**. In: Biserkov, V., Gussev, C., Popov, V., Hibaum, G., Roussakova, V., Pandurski, I., Uzunov, Y., Dimitrov, M., Tzonev, R., Tsoneva, S. (Eds.), 2011. *Red Data Book of the Republic of Bulgaria Volume 3: Natural habitats*. Institute of Biodiversity and Ecosystem Research & Bulgarian Ministry of Environment and Water, Sofia, Bulgaria. ISBN: 9789549746235
- [248] Van Landuyt, W., Brosens, D., 2019. **Florabank1 - A grid-based database on vascular plant distribution in the northern part of Belgium (Flanders and the Brussels Capital region)**. (Accessed via GBIF.org in August 2016) <https://doi.org/10.15468/dl.t9ewq8>
- [249] Van Landuyt, W., Noe, N., 2018. **Belgian IFBL Flora Checklists (1939-1971)**. Botanic Garden Meise. (Accessed via GBIF.org in October 2017) <https://doi.org/10.15468/dl.v1ojnb>
- [250] Vendramin, G. G., Fineschi, S., Fady, B., 2008. **EUFORGEN Technical Guidelines for genetic conservation and use for Bosnian pine (*Pinus heldreichii*)**. Bioversity International, Rome.
- [251] Venturas, M., Fuentes-Utrilla, P., López, R., Perea, R., Fernández, V., Gascó, A., Guzmán, P., Li, M., Rodríguez-Calcerrada, J., Miranda, E., Domínguez, J., González-Gordaliza, G., Zafra, E., Fajardo-Alcántara, M., Martín, J.A., Ennos, R., Nanos, N., Lucena, J.J., Iglesias, S., Collada, C., Gil, L., 2015. ***Ulmus laevis* in the Iberian Peninsula: a review of its ecology and conservation**. *iForest - Biogeosciences and Forestry* 8(2): 135-142. <https://doi.org/10.3832/ifer1201-008>
- [252] Venturella, G., Mazzola, P., Raimondo, F. M., 1997. **Strategies for the conservation and restoration of the relict population of *Abies nebrodensis* (Lojac.) Mattei**. *Bocconea* 7: 417-425.
- [253] Vernet, A., Gaussen, H., 1958. *textbfCarte Internationale du Tapis Vegetal, Tunis-Sfax*. Institut Géographique National, Paris. Gouvernement Tunisien.
- [254] Wagner, S., Litt, T., Sánchez-Goñi, M.-F., Petit, R. J., 2015. **History of *Larix decidua* Mill. (European larch) since 130 ka**. *Quaternary Science Reviews* 124: 224-247. <https://doi.org/10.1016/j.quascirev.2015.07.002>
- [255] Wang, H., Pan, G., Ma, Q., Zhang, J., Pei, D., 2015. **The genetic diversity and introgression of *Juglans regia* and *Juglans sigillata* in Tibet as revealed by SSR markers**. *Tree genetics & genomes*, 11(1): 1. <https://doi.org/10.1007/s11295-014-0804-3>
- [256] Welk, E., Seidler, G., Bruelheide, H., 2019. **Chorological Database Halle**. Unpublished.
- [257] Wellstein, C., Spada, F., 2015. **The status of *Quercus pubescens* Willd. in Europe**. In: Box, E. O., Fujiwara, K. (Eds.), *Warm-Temperate Deciduous Forests around the Northern Hemisphere*. Geobotany Studies. Springer International Publishing: 153-163. <https://doi.org/10.1007/978-3-319-01261-2>
- [258] Yurukov, S., Zhelev, P., 2001. **The woody flora of Bulgaria: a review**. *Schweizerische Zeitschrift für Forstwesen*, 152(2): 52-60. <https://doi.org/10.3188/szf.2001.0052>
- [259] Xu, X., Zhang, H., Yue, J., Xie, T., Xu, Y., Tian, Y., 2018. **Predicting shifts in the suitable climatic distribution of walnut (*Juglans regia* L.) in China: maximum entropy model paves the way to forest management**. *Forests*, 9(3): 103. <https://doi.org/10.3390/f9030103>
- [260] Zając, A., Zając, M. (Eds.), 2001. **Atlas rozmieszczenia roślin naczyniowych w Polsce - Distribution Atlas of Vascular Plants in Poland**. Laboratory of Computer Corology - Institute of Botany - Jagiellonian University, Cracow. ISBN: 9788391516119

- [261] Zare, H., Akbarinia, M., Hosseini, S. M., Ejtehad, H., Amini Eshkevari, T., 2010. **A new record of *Betula litwinowii* (Betulaceae) and a review of the geographical distribution of the genus *Betula* L. in Iran.** Iranian Journal of Botany 16(2): 237-241.
- [262] Zare, H., Amini, T., Assadi, M., 2012. **A review of the genus *Tilia* L. (Tiliaceae) in Iran, new records and new species.** Iranian Journal of Botany 18(2): 175-190.
- [263] Zavod za gozdove Slovenije. **Karte drevesnih vrst.** www.zgs.si/slo/gozdovi_slovenije/o_gozdovih_slovenije/karte/index.html (Accessed in September 2016)
- [264] Zeneli, G., Dida, M., Ducci, F., Habili, D., 2004. **Silver fir (*Abies alba*) resources in Albania and their conservation.** Forest Genetic Resources 31: 44-49.
- [265] Zielinski, J., Petrova, A., Tomaszewski, D., 2006. ***Quercus trojana* subsp. *yaltirikii* (Fagaceae), a new subspecies from southern Turkey.** Willdenowia 36(2): 845-849. <https://doi.org/10.3372/wi.36.36214>