

ALL REFERENCES FOUND IN DATABASES

- 46th ESAO Congress 3–7 September 2019 Hannover, Germany, 2019. . Int. J. Artif. Organs 42, 386–474. <https://doi.org/10.1177/0391398819860985>
- A., A.M., H., Y., S., R., F., L., 2018. Inflammatory Responses are Sex Specific in Chronic Hypoxic–Ischemic Encephalopathy. *Cell Transplant.* 27, 1328–1339. <https://doi.org/10.1177/0963689718766362>
- A., A., K.C., S., Z., H., R.D., S., M., M., D., M., 2017. Neuroprotection and neurotoxicity in the developing brain: an update on the effects of dexmedetomidine and xenon. *Neurotoxicol. Teratol.* 60, 102–116. <https://doi.org/10.1016/j.ntt.2017.01.001>
- A., C., N., D., G.J., C., 2008. A comparison of behavioural and histological outcomes of periventricular injection of ibotenic acid in neonatal rats at postnatal days 5 and 7. *Brain Res.* 1201, 187–195. <https://doi.org/10.1016/j.brainres.2008.01.066>
- A., D., M., D., A.M., W., X., J., I., E., L.M., U., M.E., Z., F.J., N., S., T., 2007. White matter injury correlates with hypertonia in an animal model of cerebral palsy. *J. Cereb. Blood Flow Metab.* 27, 270–281. <https://doi.org/10.1038/sj.jcbfm.9600333>
- A., D., S.-K., S., G., A.M., W., M., D., F., M., L., L., X., J., B., T., D.J., B., N.L., L., S.A., B., S., T., 2005. Developmental changes in diffusion anisotropy coincide with immature oligodendrocyte progression and maturation of compound action potential. *J. Neurosci.* 25, 5988–5997. <https://doi.org/10.1523/JNEUROSCI.4983-04.2005>
- A., G., S., V., T., B.D.V., S., R., C., C.-M., 2009. Astrocytic demise in the developing rat and human brain after hypoxic-ischemic damage. *Dev. Neurosci.* 31, 459–470. <https://doi.org/10.1159/000232564>
- A., G., M., H.-A., 2005. Posture in the picture: On the relevance of postural control in children with developmental motor disorders. *Neural Plast.* 12, 73–75. <https://doi.org/10.1155/NP.2005.73>
- A., H., G., G., J.B., N., 2015. Early identification and intervention in cerebral palsy. *Dev. Med. Child Neurol.* 57, 29–36. <https://doi.org/10.1111/dmcn.12531>
- A., K., P., E., P., G., C., T., H., H., 2017. Implicating Receptor Activator of NF-κB (RANK)/RANK Ligand Signalling in Microglial Responses to Toll-Like Receptor Stimuli. *Dev. Neurosci.* 39, 192–206. <https://doi.org/10.1159/000464244>
- A., K., Kirton, A., 2013. Can noninvasive brain stimulation measure and modulate developmental plasticity to improve function in stroke-induced cerebral palsy? *Semin. Pediatr. Neurol.* 20, 116–126. <https://doi.org/10.1016/j.spen.2013.06.004>
- A., K., D.C., Y., U., S., H., B., K., T., O., Y., S., G., N., G., K., G., N., D., H., O., Kumral, A., Yesilirmak, D.C., Sonmez, U., Baskin, H., Tugyan, K., Yilmaz, O., Genc, S., Gokmen, N., Genc, K., Duman, N., Ozkan, H., 2006. Neuroprotective

effect of the peptides ADNF-9 and NAP on hypoxic-ischemic brain injury in neonatal rats. *Brain Res.* 1115, 169–178.
<https://doi.org/10.1016/j.brainres.2006.07.114>

A., L., T., F., S., R., M., Bouloudard, D., D., J., T., M., Bernaudin, P., S.-B., V., B., O., T., 2012. Maternal hypertension during pregnancy modifies the response of the immature brain to hypoxia-ischemia: Sequential MRI and behavioral investigations. *Exp. Neurol.* 233, 264–272.
<https://doi.org/10.1016/j.expneurol.2011.10.014>

A., M., T., I., 2009. Magnetic resonance imaging-Insights into brain injury and outcomes in premature infants. *J. Commun. Disord.* 42, 248–255.
<https://doi.org/10.1016/j.jcomdis.2009.03.007>

A., M., L., C., A., L., 2015. Erythropoietin as a new therapeutic opportunity in brain inflammation and neurodegenerative diseases. *Int. J. Neurosci.* 125, 793–797.
<https://doi.org/10.3109/00207454.2014.989321>

A., M., D., X., D.M., F., S.J., V., 2019. Assessing Cerebral Metabolism in the Immature Rodent: From Extracts to Real-Time Assessments. *Dev. Neurosci.* 40, 463–474.
<https://doi.org/10.1159/000496921>

A., P., G., C., D.J., C., 2011. In reply. *Anesthesiology* 115, 904–905.
<https://doi.org/10.1097/ALN.0b013e31822de116>

A., S., G., W., M.J., P., W.D.J., V.D.B., C.E., B., 2003. A delayed increase in hippocampal proliferation following global asphyxia in the neonatal rat. *Dev. Brain Res.* 142, 67–76. [https://doi.org/10.1016/S0165-3806\(03\)00032-4](https://doi.org/10.1016/S0165-3806(03)00032-4)

A., T.-B., R., P.-L., V., V., C., L.-R., E., P., A., C.-M., D., B., M., H.-M., P., M., Tapia-Bustos, A., Perez-Lobos, R., Vio, V., Lespay-Rebolledo, C., Palacios, E., Chiti-Morales, A., Bustamante, D., Herrera-Marschitz, M., Morales, P., 2017. Modulation of Postnatal Neurogenesis by Perinatal Asphyxia: Effect of D1 and D2 Dopamine Receptor Agonists. *Neurotox. Res.* 31, 109–121.
<https://doi.org/10.1007/s12640-016-9669-6>

A., Y., Z., K., A., J., L., D., E., R., P., W., 2016. Sildenafil Improves Brain Injury Recovery following Term Neonatal Hypoxia-Ischemia in Male Rat Pups. *Dev. Neurosci.* 38, 251–263. <https://doi.org/10.1159/000448327>

A.B., K., 2006. Environmental perchlorate: Why it matters. *Anal. Chim. Acta* 567, 4–12. <https://doi.org/10.1016/j.aca.2006.03.047>

A.J., G., J.S., Q., J., G., E., H., L., B., 2001. The premature fetus: Not as defenseless as we thought, but still paradoxically vulnerable? *Dev. Neurosci.* 23, 175–179.
<https://doi.org/10.1159/000046139>

A.L.D., C., P., V., T., T., I., B., C., B., R., L., 2020. Cerebral Palsy in Children With Congenital Zika Syndrome: A 2-Year Neurodevelopmental Follow-up. *J. Child Neurol.* 35, 202–207. <https://doi.org/10.1177/0883073819885724>

- A.-M., A., X., Z., R., V., D., B., R.T., B., V., S., A.A., B., S., H., A., N., S., C., C., Z., H., C., C., M., H., H., J.W., L., X., W., 2018. $\gamma\delta$ T Cells Contribute to Injury in the Developing Brain. *Am. J. Pathol.* 188, 757–767.
<https://doi.org/10.1016/j.ajpath.2017.11.012>
- A.M., B., E.A., A., O., S., B.J.H., J., J.Y., Y., Black, A.M., Armstrong, E.A., Scott, O., Juurlink, B.J.H., Yager, J.Y., A.M., B., E.A., A., O., S., B.J.H., J., J.Y., Y., 2015. Broccoli sprout supplementation during pregnancy prevents brain injury in the newborn rat following placental insufficiency. *Behav. Brain Res.* 291, 289–298.
<https://doi.org/10.1016/j.bbr.2015.05.033>
- A.M., C., M.V., J., M.A., W., 2005. Strain variability, injury distribution, and seizure onset in a mouse model of stroke in the immature brain. *Dev. Neurosci.* 27, 127–133. <https://doi.org/10.1159/000085984>
- A.M., G., 2010. Two hands are better than one: Bimanual skill development in children with hemiplegic cerebral palsy. *Dev. Med. Child Neurol.* 52, 315–316.
<https://doi.org/10.1111/j.1469-8749.2009.03390.x>
- A.P., B., G., C., 2015. Improving outcomes in cerebral palsy with early intervention: New translational approaches. *Front. Neurol.* 6, 24.
<https://doi.org/10.3389/fneur.2015.00024>
- A.S., H., Hazell, A.S., 2016. The vegetative state and stem Cells: Therapeutic considerations. *Front. Neurol.* 7. <https://doi.org/10.3389/fneur.2016.00118>
- Abbasi, H., Unsworth, C.P., 2020. Applications of advanced signal processing and machine learning in the neonatal hypoxic-ischemic electroencephalogram. *Neural Regen. Res.* 15, 222–231. <https://doi.org/10.4103/1673-5374.265542>
- Abdeslam, M., 2012. Prenatal immune stress in rats dampens fever during adulthood. *Dev. Neurosci.* 34, 318–326. <https://doi.org/10.1159/000339852>
- Aboody, K., Capela, A., Niazi, N., Stern, J., Temple, S., 2011. Translating Stem Cell Studies to the Clinic for CNS Repair: Current State of the Art and the Need for a Rosetta Stone. *Neuron* 70, 597–613. <https://doi.org/10.1016/j.neuron.2011.05.007>
- Absalon, S., Kochanek, D.M., Raghavan, V., Krichevsky, A.M., 2013. MiR-26b, upregulated in Alzheimer's disease, activates cell cycle entry, Tau-phosphorylation, and apoptosis in postmitotic neurons. *J. Neurosci.* 33, 14645–14659. <https://doi.org/10.1523/JNEUROSCI.1327-13.2013>
- Adelman, D.M., Gertsenstein, M., Nagy, A., Simon, M.C., Maltepe, E., 2000. Placental cell fates are regulated in vivo by HIF-mediated hypoxia responses. *Genes Dev.* 14, 3191–3203. <https://doi.org/10.1101/gad.853700>
- Adlimoghaddam, A., Snow, W.M., Stortz, G., Perez, C., Djordjevic, J., Goertzen, A.L., Ko, J.H., Albensi, B.C., 2019. Regional hypometabolism in the 3xTg mouse model of Alzheimer's disease. *Neurobiol. Dis.* 127, 264–277.
<https://doi.org/10.1016/j.nbd.2019.03.008>

Adorjan, I., Tyler, T., Bhaduri, A., Demharter, S., Finszter, C.K., Bako, M., Sebok, O.M., Nowakowski, T.J., Khodosevich, K., Mollgard, K., Kriegstein, A.R., Shi, L., Hoerder-Suabedissen, A., Ansorge, O., Molnar, Z., 2019. Neuroserpin expression during human brain development and in adult brain revealed by immunohistochemistry and single cell RNA sequencing. *J. Anat.* 235, 543–554. <https://doi.org/10.1111/joa.12931>

Affeldt, B.M., Obenaus, A., Chan, J., Pardo, A.C., 2017. Region specific oligodendrocyte transcription factor expression in a model of neonatal hypoxic injury. *Int. J. Dev. Neurosci.* 61, 1–11. <https://doi.org/10.1016/j.ijdevneu.2017.05.001>

Agam, G., Bersudsky, Y., Berry, G.T., Moechars, D., Lavi-Avnon, Y., Belmaker, R.H., 2009. Knockout mice in understanding the mechanism of action of lithium. *Biochem. Soc. Trans.* 37, 1121–1125. <https://doi.org/10.1042/BST0371121>

Aghoghogwia, B.E., Goddard, L., Oorschot, D.E., 2019. Long-Term Fine Motor Capability on the Staircase Test Correlates with the Absolute Number, but Not the Density, of DARPP-Positive Neurons in the Caudate-Putamen. *Anat. Rec. Integr. Anat. Evol. Biol.* 302, 2040–2048. <https://doi.org/10.1002/ar.24196>

Agnew, D.M., Koehler, R.C., Guerguerian, A.M., Shaffner, D.H., Traystman, R.J., Martin, L.J., Ichord, R.N., 2003. Hypothermia for 24 hours after asphyxic cardiac arrest in piglets provides striatal neuroprotection that is sustained 10 days after rewarming. *Pediatr. Res.* 54, 253–262. <https://doi.org/10.1203/01.pdr.0000072783.22373.ff>

Aguan, K., Murotsuki, J., Gagnon, R., Thompson, L.P., Weiner, C.P., 1998. Effect of chronic hypoxemia on the regulation of nitric-oxide synthase in the fetal sheep brain. *Dev. Brain Res.* 111, 271–277. [https://doi.org/10.1016/s0165-3806\(98\)00145-x](https://doi.org/10.1016/s0165-3806(98)00145-x)

Aguis, L., Hadjiconstantinou, M., Qu, Z.X., Neff, N.H., Pearl, D.K., Yates, A.J., 1994. GM1 GANGLIOSIDE AND DARKLY STAINING NEURONS IN BRAINS OF RATS SUBJECTED TO NEONATAL HYPOXIA-ISCHEMIA. *Int. J. Dev. Neurosci.* 12, 623–630. [https://doi.org/10.1016/0736-5748\(94\)90014-0](https://doi.org/10.1016/0736-5748(94)90014-0)

Agyemang, A.A., Sveinsdóttir, K., Vallius, S., Sveinsdóttir, S., Bruschettini, M., Romantsik, O., Hellström, A., Smith, L.E.H., Ohlsson, L., Holmqvist, B., Gram, M., Ley, D., 2017. Cerebellar Exposure to Cell-Free Hemoglobin Following Preterm Intraventricular Hemorrhage: Causal in Cerebellar Damage? *Transl. Stroke Res.* 8, 461–473. <https://doi.org/10.1007/s12975-017-0539-1>

Aisen, M.L., Kerkovich, D., Mast, J., Mulroy, S., Wren, T.A.L., Kay, R.M., Rethlefsen, S.A., 2011. Cerebral palsy: clinical care and neurological rehabilitation. *Lancet. Neurol.* 10, 844–852. [https://doi.org/10.1016/S1474-4422\(11\)70176-4](https://doi.org/10.1016/S1474-4422(11)70176-4)

Akitake, Y., Katsuragi, S., Hosokawa, M., Mishima, K., Ikeda, T., Miyazato, M., Hosoda, H., 2015. Moderate maternal food restriction in mice impairs physical

growth, behavior, and neurodevelopment of offspring. *Nutr. Res.* 35, 76–87.
<https://doi.org/10.1016/j.nutres.2014.10.014>

Al Mamun, A., Yu, H., Romana, S., Liu, F., 2018. Inflammatory Responses are Sex Specific in Chronic Hypoxic-Ischemic Encephalopathy. *Cell Transplant.* 27, 1328–1339. <https://doi.org/10.1177/0963689718766362>

Albers, R.E., Kaufman, M.R., Natale, B. V., Keoni, C., Kulkarni-Datar, K., Min, S., Williams, C.R., Natale, D.R.C., Brown, T.L., 2019. Trophoblast-Specific Expression of Hif-1 alpha Results in Preeclampsia-Like Symptoms and Fetal Growth Restriction. *Sci. Rep.* 9. <https://doi.org/10.1038/s41598-019-39426-5>

Al-Gubory, K.H., Fowler, P.A., Garrel, C., 2010. The roles of cellular reactive oxygen species, oxidative stress and antioxidants in pregnancy outcomes. *Int. J. Biochem. Cell Biol.* 42, 1634–1650. <https://doi.org/10.1016/j.biocel.2010.06.001>

Alonso-Alconada, D., Alvarez, A., Hilario, E., 2011. Cannabinoid as a neuroprotective strategy in perinatal hypoxic-ischemic injury. *Neurosci. Bull.* 27, 275–285. <https://doi.org/10.1007/s12264-011-1008-6>

Alonso-Alconada, D., Alvarez, A., Lacalle, J., Hilario, E., 2012. Histological study of the protective effect of melatonin on neural cells after neonatal hypoxia-ischemia. *Histol. Histopathol.* 27, 771–783.

Alqadah, A., Hsieh, Y.-W., Morrissey, Z.D., Chuang, C.-F., 2018. Asymmetric development of the nervous system. *Dev. Dyn.* 247, 124–137. <https://doi.org/10.1002/dvdy.24595>

Alsharnoubi, J.M., Odland, H.H., Saugstad, O.D., 2012. Nicotine does not influence NF-kappa B activity in neonatal mice reoxygenated with room-air or 100% oxygen. *J. Matern. Neonatal Med.* 25, 2102–2105. <https://doi.org/10.3109/14767058.2012.678434>

Althaus, H.H., 2004. Remyelination in multiple sclerosis: A new role for neurotrophins? *Prog. Brain Res.* [https://doi.org/10.1016/S0079-6123\(03\)46026-3](https://doi.org/10.1016/S0079-6123(03)46026-3)

Alves-Pinto, A., Turova, V., Blumenstein, T., Lampe, R., 2016. The Case for Musical Instrument Training in Cerebral Palsy for Neurorehabilitation. *Neural Plast.* 2016, 1–9. <https://doi.org/10.1155/2016/1072301>

Alves-Pinto, A., Turova, V., Blumenstein, T., Thienel, A., Wohlschlager, A., Lampe, R., 2015. fMRI assessment of neuroplasticity in youths with neurodevelopmental-associated motor disorders after piano training. *Eur. J. Paediatr. Neurol.* 19, 15–28. <https://doi.org/10.1016/j.ejpn.2014.09.002>

Amirsalari, S., Dehghan, L., Dalvand, H., Haghgoo, H.A., 2012. Effectiveness of Neurogenesis in treating children with cerebral palsy. *Iran. J. Child Neurol.* 6, 1–8.

Anderson, G., Maes, M., 2013. Schizophrenia: Linking prenatal infection to cytokines, the tryptophan catabolite (TRYCAT) pathway, NMDA receptor hypofunction,

neurodevelopment and neuroprogression. *Prog. Neuro-Psychopharmacology Biol. Psychiatry* 42, 5–19. <https://doi.org/10.1016/j.pnpbp.2012.06.014>

Andreani, J.C.M., Guma, C., 2008. Lateral cord stimulation decreases spastic electromyographic spreading: Responses in a brain-damaged pig preparation. *Neuromodulation* 11, 202–207. <https://doi.org/10.1111/j.1525-1403.2008.00167.x>

Andresen, J.H., Loberg, E.M., Wright, M., Goverud, I.L., Stray-Pedersen, B., Saugstad, O.D., 2009. Nicotine affects the expression of brain-derived neurotrophic factor mRNA and protein in the hippocampus of hypoxic newborn piglets. *J. Perinat. Med.* 37, 553–560. <https://doi.org/10.1515/jpm.2009.081>

Andresen, J.H., Saugstad, O.D., 2008. Effects of Nicotine Infusion on Striatal Glutamate and Cortical Non-Protein-Bound Iron in Hypoxic Newborn Piglets. *Neonatology* 94, 284–292. <https://doi.org/10.1159/000151648>

Andrew, M.J., Parr, J.R., Montague-Johnson, C., Braddick, O., Laler, K., Williams, N., Baker, B., Sullivan, P.B., 2015. Optimising nutrition to improve growth and reduce neurodisabilities in neonates at risk of neurological impairment, and children with suspected or confirmed cerebral palsy. *BMC Pediatr.* 15, 22. <https://doi.org/10.1186/s12887-015-0339-2>

Andrews, D.L., Williams, G.S., Mahoney, J.C., West, J.R., 1999. DNA fragmentation during exposure of rat cerebella to ethanol under hypoxia imposed in vitro. *J. Neurobiol.* 38, 82–92. [https://doi.org/10.1002/\(sici\)1097-4695\(199901\)38:1<82::aid-neu6>3.0.co;2-u](https://doi.org/10.1002/(sici)1097-4695(199901)38:1<82::aid-neu6>3.0.co;2-u)

Androschuk, A., Bolduc, F. V, 2015. Modeling intellectual disability in drosophila. *Neuromethods*. https://doi.org/10.1007/978-1-4939-2709-8_14

Andrzejewska, A., Nowakowski, A., Janowski, M., Bulte, J.W.M., Gilad, A.A., Walczak, P., Lukomska, B., 2015. Pre- and postmortem imaging of transplanted cells. *Int. J. Nanomedicine* 10, 5543–5559. <https://doi.org/10.2147/IJN.S83557>

Ansar, M., Ullah, F., Paracha, S.A., Adams, D.J., Lai, A., Pais, L., Iwaszkiewicz, J., Millan, F., Sarwar, M.T., Agha, Z., Shah, S.F., Qaisar, A.A., Falconnet, E., Zoete, V., Ranza, E., Makrythanasis, P., Santoni, F.A., Ahmed, J., Katsanis, N., Walsh, C., Davis, E.E., Antonarakis, S.E., 2019. Bi-allelic Variants in DYNC1I2 Cause Syndromic Microcephaly with Intellectual Disability, Cerebral Malformations, and Dysmorphic Facial Features. *Am. J. Hum. Genet.* 104, 1073–1087. <https://doi.org/10.1016/j.ajhg.2019.04.002>

Antal, A., Alekseichuk, I., Bikson, M., Brockmöller, J., Brunoni, A.R., Chen, R., Cohen, L.G., Dowthwaite, G., Ellrich, J., Flöel, A., Fregni, F., George, M.S., Hamilton, R., Haueisen, J., Herrmann, C.S., Hummel, F.C., Lefaucheur, J.P., Liebetanz, D., Loo, C.K., McCaig, C.D., Miniussi, C., Miranda, P.C., Moliadze, V., Nitsche, M.A., Nowak, R., Padberg, F., Pascual-Leone, A., Poppendieck, W., Priori, A., Rossi, S., Rossini, P.M., Rothwell, J., Rueger, M.A., Ruffini, G., Schellhorn, K., Siebner, H.R., Ugawa, Y., Wexler, A., Ziemann, U., Hallett, M., Paulus, W., 2017. Low intensity transcranial electric stimulation: Safety, ethical,

legal regulatory and application guidelines. *Clin. Neurophysiol.* 128, 1774–1809. <https://doi.org/10.1016/j.clinph.2017.06.001>

Arata, S., Nakamachi, T., Onimaru, H., Hashimoto, H., Shioda, S., 2013. Impaired response to hypoxia in the respiratory center is a major cause of neonatal death of the PACAP-knockout mouse. *Eur. J. Neurosci.* 37, 407–416. <https://doi.org/10.1111/ejn.12054>

Arce, V.M., Devesa, P., Devesa, J., 2013. Role of growth hormone (GH) in the treatment on neural diseases: From neuroprotection to neural repair. *Neurosci. Res.* 76, 179–186. <https://doi.org/10.1016/j.neures.2013.03.014>

Archer, T., Kostrzewska, R.M., Beninger, R.J., Palomo, T., 2011. Staging neurodegenerative disorders: Structural, regional, biomarker, and functional progressions. *Neurotox. Res.* 19, 211–234. <https://doi.org/10.1007/s12640-010-9190-2>

Ardalan, M., Chumak, T., Vexler, Z., Mallard, C., 2019. Sex-dependent effects of perinatal inflammation on the brain: Implication for neuro-psychiatric disorders. *Int. J. Mol. Sci.* 20. <https://doi.org/10.3390/ijms20092270>

Arenas, E., Denham, M., Villaescusa, J.C., 2015. How to make a midbrain dopaminergic neuron. *Dev.* 142, 1918–1936. <https://doi.org/10.1242/dev.097394>

Aridas, J.D.S., Yawno, T., Sutherland, A.E., Nitsos, I., Ditchfield, M., Wong, F.Y., Fahey, M.C., Malhotra, A., Wallace, E.M., Jenkin, G., Miller, S.L., 2014. Detecting brain injury in neonatal hypoxic ischemic encephalopathy: Closing the gap between experimental and clinical research. *Exp. Neurol.* 261, 281–290. <https://doi.org/10.1016/j.expneurol.2014.07.009>

Arkhipova, E.F., 2012. [Logopedic and psychological-pedagogic maintenance of infants with cerebral palsy]. *Zhurnal Nevrol. i psichiatrii Im. S.S. Korsakova* 112, 52–55.

Arteaga, O., Revuelta, M., Urigüen, L., Álvarez, A., Montalvo, H., Hilario, E., 2015. Pretreatment with resveratrol prevents neuronal injury and cognitive deficits induced by perinatal hypoxia-ischemia in rats. *PLoS One* 10. <https://doi.org/10.1371/journal.pone.0142424>

Arteaga, O., Revuelta, M., Uriguen, L., Martínez-Millan, L., Hilario, E., Alvarez, A., 2017. Docosahexaenoic Acid Reduces Cerebral Damage and Ameliorates Long-Term Cognitive Impairments Caused by Neonatal Hypoxia-Ischemia in Rats. *Mol. Neurobiol.* 54, 7137–7155. <https://doi.org/10.1007/s12035-016-0221-8>

Asano, T., Mori, T., Shimoda, T., Shinagawa, R., Satoh, S., Yada, N., Katsumata, S., Matsuda, S., Kagamiishi, Y., Tateishi, N., 2005. Arundic acid (ONO-2506) ameliorates delayed ischemic brain damage by preventing astrocytic overproduction of S100B. *Curr. Drug Targets CNS Neurol. Disord.* 4, 127–142. <https://doi.org/10.2174/1568007053544084>

- Atik, A., Harding, R., De Matteo, R., Kondos-Devcic, D., Cheong, J., Doyle, L.W., Tolcos, M., 2017. Caffeine for apnea of prematurity: Effects on the developing brain. *Neurotoxicology* 58, 94–102. <https://doi.org/10.1016/j.neuro.2016.11.012>
- Aurand, E.R., Wagner, J.L., Shandas, R., Bjugstad, K.B., 2014. Hydrogel formulation determines cell fate of fetal and adult neural progenitor cells. *Stem Cell Res.* 12, 11–23. <https://doi.org/10.1016/j.scr.2013.09.013>
- Autheman, D., Sheldon, R.A., Chaudhuri, N., von Arx, S., Siegenthaler, C., Ferriero, D.M., Christen, S., 2012. Glutathione peroxidase overexpression causes aberrant ERK activation in neonatal mouse cortex after hypoxic preconditioning. *Pediatr. Res.* 72, 568–575. <https://doi.org/10.1038/pr.2012.124>
- Autret, F., Dauger, S., Renolleau, S., Eng, G. V., Kosofsky, B.E., Gressens, P., Gaultier, C., Gallego, J., 2002. Ventilatory control in newborn mice prenatally exposed to cocaine. *Pediatr. Pulmonol.* 34, 434–441. <https://doi.org/10.1002/ppul.10202>
- Auvin, S., Pineda, E., Shin, D., Gressens, P., Mazarati, A., 2012. Novel Animal Models of Pediatric Epilepsy. *Neurotherapeutics* 9, 245–261. <https://doi.org/10.1007/s13311-012-0119-8>
- Aydin, A., Genc, K., Akhisaroglu, M., Yorukoglu, K., Gokmen, N., Gonullu, E., 2003. Erythropoietin exerts neuroprotective effect in neonatal rat model of hypoxic-ischemic brain injury. *Brain Dev.* 25, 494–498. [https://doi.org/10.1016/s0387-7604\(03\)00039-1](https://doi.org/10.1016/s0387-7604(03)00039-1)
- Azimi-Zonooz, A., Shuttleworth, C.W., Connor, J.A., 2006. GABAergic protection of hippocampal pyramidal neurons against glutamate insult: Deficit in young animals compared to adults. *J. Neurophysiol.* 96, 299–308. <https://doi.org/10.1152/jn.01082.2005>
- Azizi, S., Birgani, P.M., Marzbani, H., Nourian, R., Kohanpour, M., Mirbagheri, M.M., 2018. Assessment of neuroplasticity of corticospinal tract induced by antigravity treadmill (AlterG) in cerebral palsy children. *Conf. Proc. ... Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. IEEE Eng. Med. Biol. Soc. Annu. Conf.* 2018, 2495–2498. <https://doi.org/10.1109/EMBC.2018.8512730>
- Azmitia, E.C., Singh, J.S., Hou, X.P., Wegiel, J., 2011. Dystrophic serotonin axons in postmortem brains from young autism patients. *Anat. Rec.* 294, 1653–1662. <https://doi.org/10.1002/ar.21243>
- B., D., 2020. Animal models of cerebral palsy. *Dev. Med. Child Neurol.* 62, 4. <https://doi.org/10.1111/dmcn.14397>
- B., D., K., P., L., de M., G., C., 2015. Phenotypic plasticity and the perception-action-cognition-environment paradigm in neurodevelopmental genetic disorders. *Dev. Med. Child Neurol.* 57, 52–54. <https://doi.org/10.1111/dmcn.12694>

- B., G., M., S., M., D., A., S., J., L., S., S., M., O., J.J., V., P.A., R., U., F.-M., 2007. Estradiol attenuates hyperoxia-induced cell death in the developing white matter. *Ann. Neurol.* 61, 562–573. <https://doi.org/10.1002/ana.21118>
- B., H., C., W., Q., C., W., Y., Z., W., M., M., F., Q., P., C., C., Z., Y., Z., 2020. NF155-overexpression promotes remyelination and functional restoration in a hypoxic-ischemic mixed neonatal rat forebrain cell culture system. *Neurosci. Lett.* 718. <https://doi.org/10.1016/j.neulet.2020.134743>
- B., M., L.G., R., E., A., C., C., N., W., S.T., D., Mason, B., Rollins, L.G., Asumadu, E., Cange, C., Walton, N., Donaldson, S.T., B., M., L.G., R., E., A., C., C., N., W., S.T., D., 2018. Nesting environment provides sex-specific neuroprotection in a rat model of neonatal hypoxic-ischemic injury. *Front. Behav. Neurosci.* 12. <https://doi.org/10.3389/fnbeh.2018.00221>
- B., P., 2009. NerveCenter: Media focus on “miracle cure” for cerebral palsy pits science vs. hype. *Ann. Neurol.* 66, A9–A11. <https://doi.org/10.1002/ana.21875>
- B., Q., L., H., L., Z., L., S.S., L., S.S., X., W., N., L., N., W., X., Y., Q., W., Y., Y., Qi, B., Hu, L., Zhu, L., Shang, L., Sheng, L., Wang, X., Liu, N., Wen, N., Yu, X., Wang, Q., Yang, Y., B., Q., L., H., L., Z., L., S.S., L., S.S., X., W., N., L., N., W., X., Y., Q., W., Y., Y., 2017. Metformin Attenuates Cognitive Impairments in Hypoxia–Ischemia Neonatal Rats via Improving Remyelination. *Cell. Mol. Neurobiol.* 37, 1269–1278. <https://doi.org/10.1007/s10571-016-0459-8>
- B., T., D., W., M., L., Q., W., Q., Y., W., S., C., C., 2017. An in vivo study of hypoxia-inducible factor-1 α signaling in ginsenoside Rg1-mediated brain repair after hypoxia/ischemia brain injury. *Pediatr. Res.* 81, 120–126. <https://doi.org/10.1038/pr.2016.178>
- B., Z., Z., Z., 2017. Insulin growth factor 1 protects neural stem cells against apoptosis induced by hypoxia through akt/mitogen-activated protein kinase/extracellular signal-regulated kinase (Akt/MAPK/ERK) pathway in hypoxia-ischemic encephalopathy. *Med. Sci. Monit.* 23, 1872–1879. <https://doi.org/10.12659/MSM.901055>
- B.J., B., L., S., V., C., V., D., M.P., H., G., D., M., K., P., G., B., F., 2017. Persistently Altered Metabolic Phenotype following Perinatal Excitotoxic Brain Injury. *Dev. Neurosci.* 39, 182–191. <https://doi.org/10.1159/000464131>
- B.M., J., E.C., M., C.E., W., P.D., G., 1995. Intrauterine asphyxia and brain development. *Dev. Brain Dysfunct.* 8, 138–151.
- Baburamani, A.A., Hurling, C., Stolp, H., Sobotka, K., Gressens, P., Hagberg, H., Thornton, C., 2015. Mitochondrial Optic Atrophy (OPA) 1 Processing Is Altered in Response to Neonatal Hypoxic-Ischemic Brain Injury. *Int. J. Mol. Sci.* 16, 22509–22526. <https://doi.org/10.3390/ijms160922509>

Baburamani, A.A., Supramaniam, V.G., Hagberg, H., Mallard, C., A.A., B., V.G., S., H., H., C., M., 2014. Microglia toxicity in preterm brain injury. *Reprod. Toxicol.* 48, 106–112. <https://doi.org/10.1016/j.reprotox.2014.04.002>

Badr Zahr, L.K., Purdy, I., 2006. Brain injury in the infant: the old, the new, and the uncertain. *J. Perinat. Neonatal Nurs.* 20, 163–167.
<https://doi.org/10.1097/00005237-200604000-00011>

Bae, S.-H., Jo, A., Park, J.H., Lim, C.-W., Choi, Y., Oh, J., Park, J.-M., Kong, T., Weissleder, R., Lee, H., Moon, J., 2019. Bioassay for monitoring the anti-aging effect of cord blood treatment. *Theranostics* 9, 1–10.
<https://doi.org/10.7150/thno.30422>

Bae, S.-H., Kong, T.-H., Lee, H.-S., Kim, K.-S., Hong, K.S., Chopp, M., Kang, M.-S., Moon, J., 2012. Long-lasting paracrine effects of human cord blood cells on damaged neocortex in an animal model of cerebral palsy. *Cell Transplant.* 21, 2497–2515. <https://doi.org/10.3727/096368912X640457>

Baghchechi, M., Plaia, A., Hamer, M., Ghosh, N., Ashwal, S., Obenaus, A., M., B., A., P., M., H., N., G., S., A., A., O., Baghchechi, M., Plaia, A., Hamer, M., Ghosh, N., Ashwal, S., Obenaus, A., M., B., A., P., M., H., N., G., S., A., A., O., 2017. Susceptibility-Weighted Imaging Identifies Iron-Oxide-Labeled Human Neural Stem Cells: Automated Computational Detection. *Dev. Neurosci.* 38, 445–457.
<https://doi.org/10.1159/000455837>

Bahi, N., Nehlig, A., Evrard, P., Gressens, P., 2001. Caffeine does not affect excitotoxic brain lesions in newborn mice. *Eur. J. Paediatr. Neurol.* 5, 161–165.
<https://doi.org/10.1053/ejpn.2001.0497>

Bain, J.M., Moore, L., Ren, Z., Simonishvili, S., Levison, S.W., 2013. Vascular Endothelial Growth Factors A and C are Induced in the SVZ Following Neonatal Hypoxia-Ischemia and Exert Different Effects on Neonatal Glial Progenitors. *Transl. Stroke Res.* 4, 158–170. <https://doi.org/10.1007/s12975-012-0213-6>

Bakhtiari, R., Cummine, J., Reed, A., Fox, C.M., Chouinard, B., Cribben, I., Boliek, C.A., 2017. Changes in brain activity following intensive voice treatment in children with cerebral palsy. *Hum. Brain Mapp.* 38, 4413–4429.
<https://doi.org/10.1002/hbm.23669>

Balakrishnan, B., Dai, H., Janisse, J., Romero, R., Kannan, S., 2013. Maternal endotoxin exposure results in abnormal neuronal architecture in the newborn rabbit. *Dev. Neurosci.* 35, 396–405. <https://doi.org/10.1159/000353156>

Balasubramaniam, J., Del Bigio, M.R., 2006. Animal models of germinal matrix hemorrhage. *J. Child Neurol.* 21, 365–371.
<https://doi.org/10.2310/7010.2006.00074>

Baldassarro, V.A., Marchesini, A., Giardino, L., Calza, L., V.A., B., A., M., L., G., L., C., Baldassarro, V.A., Marchesini, A., Giardino, L., Calza, L., 2017. PARP activity and inhibition in fetal and adult oligodendrocyte precursor cells: Effect on cell

survival and differentiation. *Stem Cell Res.* 22, 54–60.
<https://doi.org/10.1016/j.scr.2017.05.011>

Balduini, W., Carloni, S., Buonocore, G., 2012. Autophagy in hypoxia-ischemia induced brain injury. *J. Matern. Neonatal Med.* 25, 30–34.
<https://doi.org/10.3109/14767058.2012.663176>

Bali, P., Lahiri, D.K., Banik, A., Nehru, B., Anand, A., 2016. Potential for stem cells therapy in Alzheimer's disease: Do neurotrophic factors play critical role? *Curr. Alzheimer Res.* 13, 208–220.
<https://doi.org/10.2174/1567205013666160314145347>

Ballanyi, K., Volker, A., Richter, D.W., 1996. Functional relevance of anaerobic metabolism in the isolated respiratory network of newborn rats. *Pflugers Arch. J. Physiol.* 432, 741–748. <https://doi.org/10.1007/s004240050193>

Ballester-Plane, J., Schmidt, R., Laporta-Hoyos, O., Junque, C., Vazquez, E., Delgado, I., Zubiaurre-Elorza, L., Macaya, A., Poo, P., Toro, E., de Reus, M.A., van den Heuvel, M.P., Pueyo, R., 2017. Whole-brain structural connectivity in dyskinetic cerebral palsy and its association with motor and cognitive function. *Hum. Brain Mapp.* 38, 4594–4612. <https://doi.org/10.1002/hbm.23686>

Ballok, D.A., 2007. Neuroimmunopathology in a murine model of neuropsychiatric lupus. *Brain Res. Rev.* 54, 67–79.
<https://doi.org/10.1016/j.brainresrev.2006.12.003>

Bally, L., Grandgirard, D., Leib, S.L., 2016. Inhibition of hippocampal regeneration by adjuvant dexamethasone in experimental infant rat pneumococcal meningitis. *Antimicrob. Agents Chemother.* 60, 1841–1846.
<https://doi.org/10.1128/AAC.02429-15>

Banasiak, K.J., Haddad, G.G., 1998. Hypoxia-induced apoptosis: Effect of hypoxic severity and role of p53 in neuronal cell death. *Brain Res.* 797, 295–304.
[https://doi.org/10.1016/s0006-8993\(98\)00286-8](https://doi.org/10.1016/s0006-8993(98)00286-8)

Barateiro, A., Brites, D., Fernandes, A., 2016. Oligodendrocyte development and myelination in neurodevelopment: Molecular mechanisms in health and disease. *Curr. Pharm. Des.* 22, 656–679.
<https://doi.org/10.2174/1381612822666151204000636>

Baratz-Goldstein, R., Toussia-Cohen, S., Elpaz, A., Rubovitch, V., Pick, C.G., 2017. Immediate and delayed hyperbaric oxygen therapy as a neuroprotective treatment for traumatic brain injury in mice. *Mol. Cell. Neurosci.* 83, 74–82.
<https://doi.org/10.1016/j.mcn.2017.06.004>

Bardile, C.F., Garcia-Miralles, M., Caron, N.S., Rayan, N.A., Langley, S.R., Harmston, N., Rondelli, A.M., Yi Teo, R.T., Waltl, S., Anderson, L.M., Bae, H.-G., Jung, S., Williams, A., Prabhakar, S., Petretto, E., Hayden, M.R., Pouladi, M.A., 2019. Intrinsic mutant HTT-mediated defects in oligodendroglia cause myelination

deficits and behavioral abnormalities in Huntington disease. Proc. Natl. Acad. Sci. U. S. A. 116, 9622–9627. <https://doi.org/10.1073/pnas.1818042116>

Barks, A.K., Beeson, M.M., Matveeva, T., Gale, J.J., Rao, R., Tran, P. V, 2019. Perinatal Ischemia Alters Global Expression of Synaptosomal Proteins Critical for Neural Plasticity in the Developing Mouse Brain. Dev. Neurosci. 40, 638–650. <https://doi.org/10.1159/000499126>

Barks, J.D.E., Liu, Y.-Q., Shangguan, Y., Li, J., Pfau, J., Silverstein, F.S., 2008. Impact of indolent inflammation on neonatal hypoxic-ischemic brain injury in mice. Int. J. Dev. Neurosci. 26, 57–65. <https://doi.org/10.1016/j.ijdevneu.2007.08.005>

Barks, J.D., Liu, Y., Shangguan, Y., Djuric, Z., Ren, J., Silverstein, F.S., 2017. Maternal high-fat diet influences outcomes after neonatal hypoxic-ischemic brain injury in rodents. J. Cereb. Blood Flow Metab. 37, 307–318. <https://doi.org/10.1177/0271678X15624934>

Barnea, E.R., Almogi-Hazan, O., Or, R., Mueller, M., Ria, F., Weiss, L., Paidas, M.J., 2015. Immune regulatory and neuroprotective properties of preimplantation factor: From newborn to adult. Pharmacol. Ther. 156, 10–25. <https://doi.org/10.1016/j.pharmthera.2015.10.008>

Baron, R., Ferriero, D.M., Frisoni, G.B., Bettegowda, C., Gokaslan, Z.L., Kessler, J.A., Vezzani, A., Waxman, S.G., Jarius, S., Wildemann, B., Weller, M., 2015. Neurology - The next 10 years. Nat. Rev. Neurol. 11, 658–664. <https://doi.org/10.1038/nrneurol.2015.196>

Barradas, P.C., Savignon, T., Manhaes, A.C., Tenorio, F., da Costa, A.P., Cunha-Rodrigues, M.C., Vaillant, J., 2016. Prenatal Systemic Hypoxia-Ischemia and Oligodendroglia Loss in Cerebellum, in: VonBernhardi, R. (Ed.), Glial Cells in Health and Disease of the Cns, Advances in Experimental Medicine and Biology. pp. 333–345. https://doi.org/10.1007/978-3-319-40764-7_16

Barrett, R.D., Bennet, L., Davidson, J., Dean, J.M., George, S., Emerald, B.S., Gunn, A.J., 2007. Destruction and reconstruction: Hypoxia and the developing brain. Birth Defects Res. Part C - Embryo Today Rev. 81, 163–176. <https://doi.org/10.1002/bdrc.20095>

Bartley, J., Soltau, T., Wimborne, H., Kim, S., Martin-Studdard, A., Hess, D., Hill, W., Waller, J., Carroll, J., 2005. BrdU-positive cells in the neonatal mouse hippocampus following hypoxic-ischemic brain injury. Bmc Neurosci. 6. <https://doi.org/10.1186/1471-2202-6-15>

Bartley, J., Carroll, J.E., 2003. Stem cell therapy for cerebral palsy. Expert Opin. Biol. Ther. 3, 541–549. <https://doi.org/10.1517/14712598.3.4.541>

Barui, A., Chowdhury, F., Pandit, A., Datta, P., 2018. Rerouting mesenchymal stem cell trajectory towards epithelial lineage by engineering cellular niche. Biomaterials 156, 28–44. <https://doi.org/10.1016/j.biomaterials.2017.11.036>

- Basilious, A., Yager, J., Fehlings, M.G., 2015. Neurological outcomes of animal models of uterine artery ligation and relevance to human intrauterine growth restriction: a systematic review. *Dev. Med. Child Neurol.* 57, 420–430.
<https://doi.org/10.1111/dmcn.12599>
- Basovich, S.N., 2013. Trends in the use of preconditioning to hypoxia for early prevention of future life diseases. *Biosci. Trends* 7, 23–32.
- Basu, A.P., 2014. Early intervention after perinatal stroke: Opportunities and challenges. *Dev. Med. Child Neurol.* <https://doi.org/10.1111/dmcn.12407>
- Basuodan, R., Basu, A.P., Clowry, G.J., 2018. Human neural stem cells dispersed in artificial ECM form cerebral organoids when grafted in vivo. *J. Anat.* 233, 155–166. <https://doi.org/10.1111/joa.12827>
- Bavis, R.W., MacFarlane, P.M., 2017. Developmental plasticity in the neural control of breathing. *Exp. Neurol.* 287, 176–191.
<https://doi.org/10.1016/j.expneurol.2016.05.032>
- Bayer, S.A., Altman, J., 2005. The human brain during the second trimester, *The Human Brain During the Second Trimester*.
- Bazán, E., Herranz, A.S., Reimers, D., Alonso, R., Díaz-Gil, J.J., Lobo, M.V.T., Paíño, C.L., Asensio, M.J., 2005. LGF («Liver growth factor») as a factor involved in the proliferation, migration and differentiation of neural stem cells: Potential use in Parkinson's disease . *Mapfre Med.* 16, 237–247.
- Bednar, M.M., Perry, A., 2012. Neurorestoration therapeutics for neurodegenerative and psychiatric disease. *Neurol. Res.* 34, 129–142.
<https://doi.org/10.1179/1743132811Y.0000000069>
- Bednarek, N., Clément, Y., Lelièvre, V., Olivier, P., Loron, G., Garnotel, R., Gressens, P., 2009. Ontogeny of MMPs and TIMPs in the murine neocortex. *Pediatr. Res.* 65, 296–300. <https://doi.org/10.1203/PDR.0b013e3181973aee>
- Beldick, S.R., Hong, J., Altamentova, S., Khazaei, M., Hundal, A., Zavvarian, M.-M., Rumajogee, P., Chio, J., Fehlings, M.G., S.R., B., J., H., S., A., M., K., A., H., M.-M., Z., P., R., J., C., M.G., F., Beldick, S.R., Hong, J., Altamentova, S., Khazaei, M., Hundal, A., Zavvarian, M.-M., Rumajogee, P., Chio, J., Fehlings, M.G., S.R., B., J., H., S., A., M., K., A., H., M.-M., Z., P., R., J., C., M.G., F., 2018. Severe-combined immunodeficient rats can be used to generate a model of perinatal hypoxic-ischemic brain injury to facilitate studies of engrafted human neural stem cells. *PLoS One* 13. <https://doi.org/10.1371/journal.pone.0208105>
- Bellardita, C., Bolzoni, F., Sorosina, M., Marfia, G., Carelli, S., Gorio, A., Formenti, A., 2012. Voltage-Dependent Ionic Channels in Differentiating Neural Precursor Cells Collected from Adult Mouse Brains Six Hours Post-Mortem. *J. Neurosci. Res.* 90, 751–758. <https://doi.org/10.1002/jnr.22805>

- Bello, F.D., Giannella, M., Giorgioni, G., Piergentili, A., Quaglia, W., 2019. Receptor ligands as helping hands to l-dopa in the treatment of parkinson's disease. *Biomolecules* 9. <https://doi.org/10.3390/biom9040142>
- Bellot, B., Peyronnet-Roux, J., Gire, C., Simeoni, U., Vinay, L., Viemari, J.C., 2014. Deficits of brainstem and spinal cord functions after neonatal hypoxia-ischemia in mice. *Pediatr. Res.* 75, 723–730. <https://doi.org/10.1038/pr.2014.42>
- Benadiba, M., Luurtsema, G., Tumas, V., Buchpigel, C.A., Busatto, G.F., 2013. New perspectives in nuclear neurology for the evaluation of Parkinson's disease. *J. Parkinsons. Dis.* 3, 301–323. <https://doi.org/10.3233/JPD-130207>
- Ben-Ari, Y., Gaiarsa, J.-L., Tyzio, R., Khazipov, R., 2007. GABA: A pioneer transmitter that excites immature neurons and generates primitive oscillations. *Physiol. Rev.* 87, 1215–1284. <https://doi.org/10.1152/physrev.00017.2006>
- Benítez-Burraco, A., Lattanzi, W., Murphy, E., 2016. Language impairments in asd resulting from a failed domestication of the human brain. *Front. Neurosci.* 10. <https://doi.org/10.3389/fnins.2016.00373>
- Bennet, L., Van Den Heuvel, L., M Dean, J., Drury, P., Wassink, G., Jan Gunn, A., L., B., L., V.D.H., J., M.D., P., D., G., W., A., J.G., Bennet, L., Van Den Heuvel, L., M Dean, J., Drury, P., Wassink, G., Jan Gunn, A., 2013. Neural plasticity and the Kennard principle: Does it work for the preterm brain? *Clin. Exp. Pharmacol. Physiol.* 40, 774–784. <https://doi.org/10.1111/1440-1681.12135>
- Beraldi, R., Chan, C.H., Rogers, C.S., Kovács, A.D., Meyerholz, D.K., Trantzas, C., Lambertz, A.M., Darbro, B.W., Weber, K.L., White, K.A.M., Rheeden, R. V, Kruer, M.C., Dacken, B.A., Wang, X.J., Davis, B.T., Rohret, J.A., Struzynski, J.T., Rohret, F.A., Weimer, J.M., Pearce, D.A., 2015. A novel porcine model of ataxia telangiectasia reproduces neurological features and motor deficits of human disease. *Hum. Mol. Genet.* 24, 6473–6484. <https://doi.org/10.1093/hmg/ddv356>
- Berghauzen-Maciejewska, K., Wardas, J., Kosmowska, B., Domin, H., Śmiałowska, M., Głowacka, U., Ossowska, K., 2016. Adaptive down-regulation of the serotonin transporter in the 6-hydroxydopamine-induced rat model of preclinical stages of Parkinson's disease and after chronic pramipexole treatment. *Neuroscience* 314, 22–34. <https://doi.org/10.1016/j.neuroscience.2015.11.049>
- Berman, D.R., Mozurkewich, E., Liu, Y., Barks, J., 2009. Docosahexaenoic acid pretreatment confers neuroprotection in a rat model of perinatal cerebral hypoxia-ischemia. *Am. J. Obstet. Gynecol.* 200, 305.e1-305.e6. <https://doi.org/10.1016/j.ajog.2009.01.020>
- Berndt, C., Lun, A., Heldt, J., Rohde, E., Gross, J., 1992. SHORT-TERM AND LONG-TERM EFFECTS OF POSTNATAL HYPOXIA ON THE STRIATAL METABOLISM AND TRANSPORT OF DOPAMINE. *Biog. Amin.* 9, 141–151.
- Bersano, A., Ballabio, E., Lanfranconi, S., Boncoraglio, G.B., Corti, S., Locatelli, F., Baron, P., Bresolin, N., Parati, E., Candelise, L., 2010. Clinical studies in stem

cells transplantation for stroke: A review. *Curr. Vasc. Pharmacol.* 8, 29–34.
<https://doi.org/10.2174/157016110790226570>

Bertalan, G., Boehm-Sturm, P., Schreyer, S., Morr, A.-S., Steiner, B., Tzschätzsch, H., Braun, J., Guo, J., Sack, I., 2019. The influence of body temperature on tissue stiffness, blood perfusion, and water diffusion in the mouse brain. *Acta Biomater.* 96, 412–420. <https://doi.org/10.1016/j.actbio.2019.06.034>

Bertalan, G., Klein, C., Schreyer, S., Steiner, B., Kreft, B., Tzschätzsch, H., de Schellenberger, A.A., Nieminen-Kelhä, M., Braun, J., Guo, J., Sack, I., 2020. Biomechanical properties of the hypoxic and dying brain quantified by magnetic resonance elastography. *Acta Biomater.* 101, 395–402.
<https://doi.org/10.1016/j.actbio.2019.11.011>

Bertrand, N., Siren, A.L., Tworek, D., McCarron, R.M., Spatz, M., 2000. Differential expression of HSC73 and HSP72 mRNA and proteins between young and adult gerbils after transient cerebral ischemia: Relation to neuronal vulnerability. *J. Cereb. Blood Flow Metab.* 20, 1056–1065. <https://doi.org/10.1097/00004647-200007000-00005>

Bertrand, S.J., Zhang, Z., Patel, R., O’Ferrell, C., Punjabi, N.M., Kudchadkar, S.R., Kannan, S., 2020. Transient neonatal sleep fragmentation results in long-term neuroinflammation and cognitive impairment in a rabbit model. *Exp. Neurol.* 327. <https://doi.org/10.1016/j.expneurol.2020.113212>

Beumer, W., Gibney, S.M., Drexhage, R.C., Pont-Lezica, L., Doorduin, J., Klein, H.C., Steiner, J., Connor, T.J., Harkin, A., Versnel, M.A., Drexhage, H.A., 2012. The immune theory of psychiatric diseases: A key role for activated microglia and circulating monocytes. *J. Leukoc. Biol.* 92, 959–975.
<https://doi.org/10.1189/jlb.0212100>

Beunders, G., Voorhoeve, E., Golzio, C., Pardo, L.M., Rosenfeld, J.A., Talkowski, M.E., Simonic, I., Lionel, A.C., Vergult, S., Pyatt, R.E., Van De Kamp, J., Nieuwint, A., Weiss, M.M., Rizzu, P., Verwer, L.E.N.I., Van Spaendonk, R.M.L., Shen, Y., Wu, B.-L., Yu, T., Yu, Y., Chiang, C., Gusella, J.F., Lindgren, A.M., Morton, C.C., Van Binsbergen, E., Bulk, S., Van Rossem, E., Vanakker, O., Armstrong, R., Park, S.-M., Greenhalgh, L., Maye, U., Neill, N.J., Abbott, K.M., Sell, S., Ladda, R., Farber, D.M., Bader, P.I., Cushing, T., Drautz, J.M., Konczal, L., Nash, P., De Los Reyes, E., Carter, M.T., Hopkins, E., Marshall, C.R., Osborne, L.R., Gripp, K.W., Thrush, D.L., Hashimoto, S., Gastier-Foster, J.M., Astbury, C., Ylstra, B., Meijers-Heijboer, H., Posthuma, D., Menten, B., Mortier, G., Scherer, S.W., Eichler, E.E., Girirajan, S., Katsanis, N., Groffen, A.J., Sisternans, E.A., 2013. Exonic deletions in AUTS2 cause a syndromic form of intellectual disability and suggest a critical role for the C terminus. *Am. J. Hum. Genet.* 92, 210–220. <https://doi.org/10.1016/j.ajhg.2012.12.011>

Bhatt, A.J., Feng, Y., Wang, J., Famuyide, M., Hersey, K., 2013. Dexamethasone induces apoptosis of progenitor cells in the subventricular zone and dentate gyrus of developing rat brain. *J. Neurosci. Res.* 91, 1191–1202.
<https://doi.org/10.1002/jnr.23232>

- Bian, X.X., Yuan, X.S., Qi, C.P., 2010. Effect of Recombinant Human Erythropoietin on Serum S100B Protein and Interleukin-6 Levels After Traumatic Brain Injury in the Rat. *Neurol. Med. Chir. (Tokyo)*. 50, 361–365.
<https://doi.org/10.2176/nmc.50.361>
- Bianchi, V.E., Locatelli, V., Rizzi, L., 2017. Neurotrophic and neuroregenerative effects of GH/IGF1. *Int. J. Mol. Sci.* 18. <https://doi.org/10.3390/ijms18112441>
- Bickler, P.E., Gallego, S.M., Hansen, B.M., 1993. DEVELOPMENTAL-CHANGES IN INTRACELLULAR CALCIUM REGULATION IN RAT CEREBRAL-CORTEX DURING HYPOXIA. *J. Cereb. Blood Flow Metab.* 13, 811–819.
<https://doi.org/10.1038/jcbfm.1993.103>
- Bielefeldt-Ohmann, H., Bellanca, R.U., Crockett, C.M., Curnow, E., Eiffert, K., Gillen, M., Glanister, D., Hayes, E., Kelley, S., Minoshima, S., Vogel, K., 2004. Subacute necrotizing encephalopathy in a pig-tailed macaque (*Macaca nemestrina*) that resembles mitochondrial encephalopathy in humans. *Comp. Med.* 54, 422–433.
- Bielefeldt-Ohmann, H., Tolnay, A.E., Reisenhauer, C.E., Hansen, T.R., Smirnova, N., Van Campen, H., 2008. Transplacental infection with non-cytopathic bovine viral diarrhoea virus types 1b and 2: Viral spread and molecular neuropathology. *J. Comp. Pathol.* 138, 72–85. <https://doi.org/10.1016/j.jcpa.2007.10.006>
- Bikson, M., Grossman, P., Thomas, C., Zannou, A.L., Jiang, J., Adnan, T., Mourdoukoutas, A.P., Kronberg, G., Truong, D., Boggio, P., Brunoni, A.R., Charvet, L., Fregni, F., Fritsch, B., Gillick, B., Hamilton, R.H., Hampstead, B.M., Jankord, R., Kirton, A., Knotkova, H., Liebetanz, D., Liu, A.L., Loo, C., Nitsche, M.A., Reis, J., Richardson, J.D., Rotenberg, A., Turkeltaub, P.E., Woods, A.J., 2016. Safety of Transcranial Direct Current Stimulation: Evidence Based Update 2016. *Brain Stimul.* 9, 641–661. <https://doi.org/10.1016/j.brs.2016.06.004>
- Bilbo, S.D., Schwarz, J.M., 2012. The immune system and developmental programming of brain and behavior. *Front. Neuroendocrinol.* 33, 267–286.
<https://doi.org/10.1016/j.yfrne.2012.08.006>
- Bilbo, S.D., Smith, S.H., Schwarz, J.M., 2012. A lifespan approach to neuroinflammatory and cognitive disorders: A critical role for glia. *J. Neuroimmune Pharmacol.* 7, 24–41. <https://doi.org/10.1007/s11481-011-9299-y>
- Biouss, G., Antounians, L., Li, B., O'Connell, J.S., Seo, S., Catania, V.D., Guadagno, J., Rahman, A., Zani-Ruttenstock, E., Svergun, N., Pierro, A., Zani, A., 2019. Experimental necrotizing enterocolitis induces neuroinflammation in the neonatal brain. *J. Neuroinflammation* 16. <https://doi.org/10.1186/s12974-019-1481-9>
- Biran, V., Phan Duy, A., Decobert, F., Bednarek, N., Alberti, C., Baud, O., 2014. Is melatonin ready to be used in preterm infants as a neuroprotectant? *Dev. Med. Child Neurol.* 56, 717–723. <https://doi.org/10.1111/dmcn.12415>
- Bissonnette, J.M., 2000. Mechanisms regulating hypoxic respiratory depression during fetal and postnatal life. *Am. J. Physiol. Integr. Comp. Physiol.* 278, R1391–R1400.

- Bitar, F.F., El Sabban, M., Bitar, H., Diab, K., Mroueh, S., Nasser, M., Mikati, M., Dbaibo, G.S., 2002. Lack of apoptosis in the hypoxic brain of a rat model mimicking cyanotic heart disease. *Brain Inj.* 16, 891–900.
<https://doi.org/10.1080/02699050210147194>
- Blacker, D., 2007. Future neurology: 1 year on, and forging further into the future. *Future Neurol.* 2, 1–2. <https://doi.org/10.2217/14796708.2.1.1>
- Blackstone, C., 2012. Cellular pathways of hereditary spastic paraplegia. *Annu. Rev. Neurosci.* <https://doi.org/10.1146/annurev-neuro-062111-150400>
- Blattes, E., Lockhart, B., Lestage, P., Schwendimann, L., Gressens, P., Fleury, M.-B., Largeron, M., 2005. Novel 2-alkylamino-1,4-benzoxazine derivatives as potent neuroprotective agents: structure-activity relationship studies. *J. Med. Chem.* 48, 1282–1286. <https://doi.org/10.1021/jm040874m>
- Blecher, R., Heinemann-Yerushalmi, L., Assaraf, E., Konstantin, N., Chapman, J.R., Cope, T.C., Bewick, G.S., Banks, R.W., Zelzer, E., 2018. New functions for the proprioceptive system in skeletal biology. *Philos. Trans. R. Soc. B Biol. Sci.* 373. <https://doi.org/10.1098/rstb.2017.0327>
- Blutstein, T., Castello, M.A., Viehweg, S.S., Hadjimarkou, M.M., McQuail, J.A., Holder, M., Thompson, L.P., Mong, J.A., 2013. Differential Responses of Hippocampal Neurons and Astrocytes to Nicotine and Hypoxia in the Fetal Guinea Pig. *Neurotox. Res.* 24, 80–93. <https://doi.org/10.1007/s12640-012-9363-2>
- Boggetti, B., Jasik, J., Takamiya, M., Strähle, U., Reugels, A.M., Campos-Ortega, J.A., 2012. NBP, a zebrafish homolog of human Kank3, is a novel Numb interactor essential for epidermal integrity and neurulation. *Dev. Biol.* 365, 164–174. <https://doi.org/10.1016/j.ydbio.2012.02.021>
- Bohlin, K., 2016. Cell-based strategies to reconstitute vital functions in preterm infants with organ failure. *Best Pract. Res. Clin. Obstet. Gynaecol.* 31, 99–111. <https://doi.org/10.1016/j.bpobgyn.2015.08.012>
- Boisvert, E.M., Means, R.E., Michaud, M., Madri, J.A., Katz, S.G., 2019. Minocycline mitigates the effect of neonatal hypoxic insult on human brain organoids. *Cell Death Dis.* 10. <https://doi.org/10.1038/s41419-019-1553-x>
- Bokesch, P.M., Marchand, J., Seirafi, P.A., Deiss, J.M., Warner, K.G., Bronson, R.T., Kream, R.M., 1996. Immediate-early gene expression in ovine brain after cardiopulmonary bypass and hypothermic circulatory arrest. *Anesthesiology* 85, 1439–1446. <https://doi.org/10.1097/00000542-199612000-00026>
- Boksa, P., 1998. Birth insult alters ethanol preference in the adult rat. *Eur. J. Pharmacol.* 348, 143–153. [https://doi.org/10.1016/s0014-2999\(98\)00141-1](https://doi.org/10.1016/s0014-2999(98)00141-1)
- Boksa, P., 2010. Effects of prenatal infection on brain development and behavior: a review of findings from animal models. *Brain. Behav. Immun.* 24, 881–897. <https://doi.org/10.1016/j.bbi.2010.03.005>

- Bola, M., Prilloff, S., Matzke, S., Henrich-Noack, P., 2013. Brain restoration as an emerging field in neurology and neuroscience. *Restor. Neurol. Neurosci.* 31, 669–679. <https://doi.org/10.3233/RNN-139020>
- Boliek, C.A., Fox, C.M., 2014. Individual and environmental contributions to treatment outcomes following a neuroplasticity-principled speech treatment (LSVT LOUD) in children with dysarthria secondary to cerebral palsy: a case study review. *Int. J. Speech. Lang. Pathol.* 16, 372–385.
<https://doi.org/10.3109/17549507.2014.917438>
- Bonkowsky, J.L., Son, J.-H., 2018. Hypoxia and connectivity in the developing vertebrate nervous system. *DMM Dis. Model. Mech.* 11.
<https://doi.org/10.1242/dmm.037127>
- Borhani-Haghghi, M., Mohamadi, Y., Kashani, I.R., 2019. In utero transplantation of neural stem cells ameliorates maternal inflammation-induced prenatal white matter injury. *J. Cell. Biochem.* 120, 12785–12795. <https://doi.org/10.1002/jcb.28548>
- Borlongan, C. V, Weiss, M.D., 2011. Baby STEPS: A giant leap for cell therapy in neonatal brain injury. *Pediatr. Res.* 70, 3–9.
<https://doi.org/10.1203/PDR.0b013e31821d0d00>
- Bosnjak, V.M., Dakovic, I., Duranovic, V., Lujic, L., Krakar, G., Marn, B., 2011. Malformations of cortical development in children with congenital cytomegalovirus infection - A study of nine children with proven congenital cytomegalovirus infection. *Coll. Antropol.* 35 Suppl 1, 229–234.
- Bossenmeyer-Pourié, C., Lièvre, V., Grojean, S., Koziel, V., Pillot, T., Daval, J.L., 2002. Sequential expression patterns of apoptosis- and cell cycle-related proteins in neuronal response to severe or mild transient hypoxia. *Neuroscience* 114, 869–882.
[https://doi.org/10.1016/S0306-4522\(02\)00324-X](https://doi.org/10.1016/S0306-4522(02)00324-X)
- Botting, K.J., Wang, K.C.W., Padhee, M., McMillen, I.C., Summers-Pearce, B., Rattanatray, L., Cutri, N., Posterino, G.S., Brooks, D.A., Morrison, J.L., 2012. Early origins of heart disease: Low birth weight and determinants of cardiomyocyte endowment. *Clin. Exp. Pharmacol. Physiol.* 39, 814–823.
<https://doi.org/10.1111/j.1440-1681.2011.05649.x>
- Boukhtouche, F., Brugg, B., Wehrlé, R., Bois-Joyeux, B., Danan, J.-L., Dusart, I., Mariani, J., 2010. Induction of early Purkinje cell dendritic differentiation by thyroid hormone requires ROR α . *Neural Dev.* 5. <https://doi.org/10.1186/1749-8104-5-18>
- Boyd, R.N., Ziviani, J., Sakzewski, L., Novak, I., Badawi, N., Pannek, K., Elliott, C., Greaves, S., Guzzetta, A., Whittingham, K., Valentine, J., Morgan, C., Wallen, M., Eliasson, A.-C., Findlay, L., Ware, R., Fiori, S., Rose, S., 2017. REACH: study protocol of a randomised trial of rehabilitation very early in congenital hemiplegia. *BMJ Open* 7, e017204. <https://doi.org/10.1136/bmjopen-2017-017204>

- Braccioli, L., Heijnen, C.J., Coffer, P.J., Nijboer, C.H., L., B., C.J., H., P.J., C., C.H., N., 2017. Delayed administration of neural stem cells after hypoxia-ischemia reduces sensorimotor deficits, cerebral lesion size, and neuroinflammation in neonatal mice. *Pediatr. Res.* 81, 127–135. <https://doi.org/10.1038/pr.2016.172>
- Braems, G.A., Yao, L.J., Inchley, K., Brickenden, A., Han, V.K.M., Grolla, A., Challis, J.R.G., Possmayer, F., 2000. Ovine surfactant protein cDNAs: use in studies on fetal lung growth and maturation after prolonged hypoxemia. *Am. J. Physiol. Cell. Mol. Physiol.* 278, L754–L764.
- Brambrink, A.M., Martin, L.J., Hanley, D.F., Becker, K.J., Koehler, R.C., Traystman, R.J., 1999. Effects of the AMPA receptor antagonist NBQX on outcome of newborn pigs after asphyxic cardiac arrest. *J. Cereb. Blood Flow Metab.* 19, 927–938. <https://doi.org/10.1097/00004647-199908000-00012>
- Brandenburg, J.E., Gransee, H.M., Fogarty, M.J., Sieck, G.C., 2018. Differences in lumbar motor neuron pruning in an animal model of early onset spasticity. *J. Neurophysiol.* 120, 601–609. <https://doi.org/10.1152/jn.00186.2018>
- Brazel, C.Y., Rosti, R.T., Boyce, S., Rothstein, R.P., Levison, S.W., 2004. Perinatal hypoxia/ischemia damages and depletes progenitors from the mouse subventricular zone. *Dev. Neurosci.* 26, 266–274. <https://doi.org/10.1159/000082143>
- Brekke, E.M.F., Morken, T.S., Wideroe, M., Haberg, A.K., Brubakk, A.M., Sonnewald, U., 2014. The pentose phosphate pathway and pyruvate carboxylation after neonatal hypoxic-ischemic brain injury. *J. Cereb. Blood Flow Metab.* 34, 724–734. <https://doi.org/10.1038/jcbfm.2014.8>
- Briscoe, T.A., Tolcos, M., Dieni, S., Loeliger, M., Rees, S.M., 2006. Prenatally compromised neurons respond to brain-derived neurotrophic factor treatment in vitro. *Neuroreport* 17, 1385–1389. <https://doi.org/10.1097/01.wnr.0000233104.51149.9c>
- Brites, D., 2012. The evolving landscape of neurotoxicity by unconjugated bilirubin: role of glial cells and inflammation. *Front. Pharmacol.* 3. <https://doi.org/10.3389/fphar.2012.00088>
- Brucken, A., Kurnaz, P., Bleilevens, C., Derwall, M., Weis, J., Nolte, K., Rossaint, R., Fries, M., 2014. Dose dependent neuroprotection of the noble gas argon after cardiac arrest in rats is not mediated by K-ATP-Channel opening. *Resuscitation* 85, 826–832. <https://doi.org/10.1016/j.resuscitation.2014.02.014>
- Bruno, C.J., Greco, T.M., Ischiropoulos, H., 2011. Nitric oxide counteracts the hyperoxia-induced proliferation and proinflammatory responses of mouse astrocytes. *Free Radic. Biol. Med.* 51, 474–479. <https://doi.org/10.1016/j.freeradbiomed.2011.04.041>
- Brywe, K.G., Mallard, C., Gustavsson, M., Hedtjarn, M., Leverin, A.L., Wang, X.Y., Blomgren, K., Isgaard, J., Hagberg, H., 2005. IGF-I neuroprotection in the

immature brain after hypoxia-ischemia, involvement of Akt and GSK3 beta? Eur. J. Neurosci. 21, 1489–1502. <https://doi.org/10.1111/j.1460-9568.2005.03982.x>

Bu, P.L., Alam, S.M.K., Dhakal, P., Vivian, J.L., Soares, M.J., 2016. A Prolactin Family Paralog Regulates Placental Adaptations to a Physiological Stressor. Biol. Reprod. 94. <https://doi.org/10.1095/biolreprod.115.138032>

Buckmaster, P.S., 2004. Laboratory animal models of temporal lobe epilepsy. Comp. Med. 54, 473–485.

Buczynski, B.W., Mai, N., Yee, M., Allen, J.L., Prifti, L., Co-Slechta, D.A., Halterman, M.W., O'Reilly, M.A., 2018. Lung-Specific Extracellular Superoxide Dismutase Improves Cognition of Adult Mice Exposed to Neonatal Hyperoxia. Front. Med. 5. <https://doi.org/10.3389/fmed.2018.00334>

Budhdeo, S., Rajapaksa, S., 2011. Functional recovery in cerebral palsy may be potentiated by administration of selective serotonin reuptake inhibitors. Med. Hypotheses 77, 386–388. <https://doi.org/10.1016/j.mehy.2011.05.026>

Buller, K.M., Wixey, J.A., Pathipati, P., Carty, M., Colditz, P.B., Williams, C.E., Scheepens, A., 2008. Selective losses of brainstem catecholamine neurons after hypoxia-ischemia in the immature rat pup. Pediatr. Res. 63, 364–369. <https://doi.org/10.1203/PDR.0b013e3181659774>

Bullmann, T., Holzer, M., Mori, H., Arendt, T., 2009. Pattern of tau isoforms expression during development in vivo. Int. J. Dev. Neurosci. 27, 591–597. <https://doi.org/10.1016/j.ijdevneu.2009.06.001>

Buono, K.D., Goodus, M.T., Clausi, M.G., Jiang, Y., Loporchio, D., Levison, S.W., K.D., B., M.T., G., M.G., C., Y., J., D., L., S.W., L., Buono, K.D., Goodus, M.T., Clausi, M.G., Jiang, Y., Loporchio, D., Levison, S.W., 2015. Mechanisms of mouse neural precursor expansion after neonatal hypoxia-ischemia. J. Neurosci. 35, 8855–8865. <https://doi.org/10.1523/JNEUROSCI.2868-12.2015>

Burke, L., Richardson, R., Fowler, V., Jackson, L., 1995. Therapeutic methods for cerebral palsy. J. Paediatr. Child Health. <https://doi.org/10.1111/j.1440-1754.1995.tb00894.x>

Burke, R.E., Karanas, A.L., 1990. Quantitative morphological analysis of striatal cholinergic neurons in perinatal asphyxia. Ann. Neurol. 27, 81–88. <https://doi.org/10.1002/ana.410270113>

Butts, B.D., Houde, C., Mehmet, H., 2008. Maturation-dependent sensitivity of oligodendrocyte lineage cells to apoptosis: Implications for normal development and disease. Cell Death Differ. 15, 1178–1186. <https://doi.org/10.1038/cdd.2008.70>

Byeon, J.H., Kim, G.-H., Kim, J.Y., Sun, W., Kim, H., Eun, B.-L., 2015. Cognitive dysfunction and hippocampal damage induced by hypoxic-ischemic brain injury

and prolonged febrile convulsions in immature rats. *J. Korean Neurosurg. Soc.* 58, 22–29. <https://doi.org/10.3340/jkns.2015.58.1.22>

C., B., U., F., M.H., S., W.S., L., L., C., F., G., T., K., R., G., Bregere, C., Fisch, U., Sailer, M.H., Lieb, W.S., Chicha, L., Goepfert, F., Kremer, T., Guzman, R., C., B., U., F., M.H., S., W.S., L., L., C., F., G., T., K., R., G., 2017. Neonatal hypoxia-ischemia in rat increases doublecortin concentration in the cerebrospinal fluid. *Eur. J. Neurosci.* 46, 1758–1767. <https://doi.org/10.1111/ejn.13612>

C., C., Y., Y.Y.Y., Y., Y.Y.Y., Chen, C., Yang, Y., Yao, Y., 2019. HBO Promotes the Differentiation of Neural Stem Cells via Interactions Between the Wnt3/β-Catenin and BMP2 Signaling Pathways. *Cell Transplant.* 28, 1686–1699. <https://doi.org/10.1177/0963689719883578>

C., I., Ikonomidou, C., 2011. Triggers of cell death in the developing brain. *Curr. Pediatr. Rev.* 7, 293–300. <https://doi.org/10.2174/157339611796892292>

C., L.-R., R., P.-L., A., T.-B., V., V., P., M., M., H.-M., Lespay-Rebolledo, C., Perez-Lobos, R., Tapia-Bustos, A., Vio, V., Morales, P., Herrera-Marschitz, M., 2018. Regionally Impaired Redox Homeostasis in the Brain of Rats Subjected to Global Perinatal Asphyxia: Sustained Effect up to 14 Postnatal Days. *Neurotox. Res.* 34, 660–676. <https://doi.org/10.1007/s12640-018-9928-9>

C., L., Y., G., Y., L., Z., Y., 2011. Environmental enrichment promotes neural remodeling in newborn rats with hypoxic-ischemic brain damage. *Neural Regen. Res.* 6, 1548–1553. <https://doi.org/10.3969/j.issn.1673-5374.2011.20.005>

C., M., K., R., 2014. Cx43 expression and function in the nervous system-implications for stem cell mediated regeneration. *Front. Physiol.* 5 MAR. <https://doi.org/10.3389/fphys.2014.00106>

C., P.-S., E., V.D.T., F., G., F., V.B., 2004. Redox state of near infrared spectroscopy-measured cytochrome aa 3 correlates with delayed cerebral energy failure following perinatal hypoxia-ischaemia in the newborn pig. *Exp. Brain Res.* 156, 20–26. <https://doi.org/10.1007/s00221-003-1761-5>

C., P.-S., E., V.D.T., F., G., F., V.B., Peeters-Scholte, C., van den Tweel, E., Groenendaal, F., van Bel, F., 2004. Redox state of near infrared spectroscopy-measured cytochrome aa(3) correlates with delayed cerebral energy failure following perinatal hypoxia-ischaemia in the newborn pig. *Exp. Brain Res.* 156, 20–26. <https://doi.org/10.1007/s00221-003-1761-5>

C., Q., J., Z., X., C., J., Wan, J., Wang, P., Z., Y., L., 2017. Hypoxia stimulates neural stem cell proliferation by increasing HIF-1α expression and activating Wnt/β-catenin signaling. *Cell. Mol. Biol.* 63, 12–19. <https://doi.org/10.14715/cmb/2017.63.7.2>

C., T., H., H., 2015. Role of mitochondria in apoptotic and necroptotic cell death in the developing brain. *Clin. Chim. Acta* 451, 35–38. <https://doi.org/10.1016/j.cca.2015.01.026>

- C., X., K., Z., X., W., K., B., C., Z., Xie, C., Zhou, K., Wang, X., Blomgren, K., Zhu, C., C., X., K., Z., X., W., K., B., C., Z., 2014. Therapeutic benefits of delayed lithium administration in the neonatal rat after cerebral hypoxia-ischemia. PLoS One 9. <https://doi.org/10.1371/journal.pone.0107192>
- C., Z., R., M., G., S., C., P., M., V., 2015. Cerebral white matter injuries following a hypoxic/ischemic insult during the perinatal period: Pathophysiology, prognostic factors, and future strategy of treatment approach. a minireview. Curr. Pharm. Des. 21, 1418–1425. <https://doi.org/10.2174/1381612821666150105122008>
- C., Z., K., B., 2012. Biochemical and molecular biological assessments of neonatal hypoxia-ischemia: Cell signaling. Springer Protoc. Handbooks. https://doi.org/10.1007/978-1-61779-782-8_21
- C., Z., Y., S., J., G., X., W., N., P., K., B., Zhu, C., Sun, Y., Gao, J., Wang, X., Plesnila, N., Blomgren, K., C., Z., Y., S., J., G., X., W., N., P., K., B., 2013. Inhaled Nitric Oxide Protects Males But not Females from Neonatal Mouse Hypoxia-Ischemia Brain Injury. Transl. Stroke Res. 4, 201–207. <https://doi.org/10.1007/s12975-012-0217-2>
- C.A., W., 2005. Neurological aspects of the Angelman syndrome. Brain Dev. 27, 88–94. <https://doi.org/10.1016/j.braindev.2003.09.014>
- C.-C., J.L., B., D., 2013. Astrocytes: The missing link in neurologic disease? Semin. Pediatr. Neurol. 20, 236–241. <https://doi.org/10.1016/j.spen.2013.10.004>
- C.H., C., H.M., C., Z.H., L., R.F., W., C.M., Z., 2013. Normobaric oxygen for cerebral ischemic injury. Neural Regen. Res. 8, 2885–2894. <https://doi.org/10.3969/j.issn.1673-5374.2013.31.001>
- C.J., L., Y., L., H.Y., G., 2006. Changes in hippocampal neurons and memory function during the developmental stage of newborn rats with hypoxic-ischemic encephalopathy. Neural Regen. Res. 1, 681–684.
- C.R., N.J., G., W., M., K., D.M., V., 2004. Effect of neonatal dexamethasone exposure on growth and neurological development in the adult rat. Am. J. Physiol. - Regul. Integr. Comp. Physiol. 287, R375–R385. <https://doi.org/10.1152/ajpregu.00012.2004>
- C.S., L., H.A., K., L., C., S.G., H., E., T., R.M., K., N.E.J., B., Liverman, C.S., Kaftan, H.A., Cui, L., Hersperger, S.G., Taboada, E., Klein, R.M., Berman, N.E.J., 2006. Altered expression of pro-inflammatory and developmental genes in the fetal brain in a mouse model of maternal infection. Neurosci. Lett. 399, 220–225. <https://doi.org/10.1016/j.neulet.2006.01.064>
- C.T.J., V.V., C.J., H., F., V.B., A., K., 2011. Osteopontin enhances endogenous repair after neonatal hypoxic-ischemic brain injury. Stroke 42, 2294–2301. <https://doi.org/10.1161/STROKEAHA.110.608315>

C.T.J., V.V., L., B., H.L.D.M., W., A., K., C.J., H., 2014. Therapeutic potential of genetically modified mesenchymal stem cells after neonatal hypoxic-ischemic brain damage. *Mol. Ther.* 22, 645–654. <https://doi.org/10.1038/mt.2013.260>

Caffarelli, C., Santamaria, F., Di Mauro, D., Mastorilli, C., Mirra, V., Bernasconi, S., 2016. Progress in pediatrics in 2015: choices in allergy, endocrinology, gastroenterology, genetics, haematology, infectious diseases, neonatology, nephrology, neurology, nutrition, oncology and pulmonology. *Ital. J. Pediatr.* <https://doi.org/10.1186/s13052-016-0288-x>

Cahill-Rowley, K., Rose, J., 2014. Etiology of impaired selective motor control: emerging evidence and its implications for research and treatment in cerebral palsy. *Dev. Med. Child Neurol.* 56, 522–528. <https://doi.org/10.1111/dmcn.12355>

Cai, Z., Chen, G., He, W., Xiao, M., Yan, L.-J., 2015. Activation of mTOR: A culprit of Alzheimer's disease? *Neuropsychiatr. Dis. Treat.* 11, 1015–1030. <https://doi.org/10.2147/NDT.S75717>

Calinescu, A.A., Yadav, V.N., Carballo, E., Kadiyala, P., Tran, D., Zamler, D.B., Doherty, R., Srikanth, M., Lowenstein, P.R., Castro, M.G., 2017. Survival and Proliferation of Neural Progenitor-Derived Glioblastomas Under Hypoxic Stress is Controlled by a CXCL12/CXCR4 Autocrine-Positive Feedback Mechanism. *Clin. Cancer Res.* 23, 1250–1262. <https://doi.org/10.1158/1078-0432.ccr-15-2888>

Calvert, J.W., Yin, W., Patel, M., Badr, A., Mychaskiw, G., Parent, A.D., Zhang, J.H., 2002. Hyperbaric oxygenation prevented brain injury induced by hypoxia-ischemia in a neonatal rat model. *Brain Res.* 951, 1–8. [https://doi.org/10.1016/s0006-8993\(02\)03094-9](https://doi.org/10.1016/s0006-8993(02)03094-9)

Cameron, S.H., Alwakeel, A.J., Goddard, L., Hobbs, C.E., Gowing, E.K., Barnett, E.R., Kohe, S.E., Sizemore, R.J., Oorschot, D.E., 2015. Delayed post-treatment with bone marrow-derived mesenchymal stem cells is neurorestorative of striatal medium-spiny projection neurons and improves motor function after neonatal rat hypoxia-ischemia. *Mol. Cell. Neurosci.* 68, 56–72. <https://doi.org/10.1016/j.mcn.2015.03.019>

Camm, E.J., Gibbs, M.E., Harding, R., 2001. Restriction of prenatal gas exchange impairs memory consolidation in the chick. *Dev. Brain Res.* 132, 141–150. [https://doi.org/10.1016/S0165-3806\(01\)00305-4](https://doi.org/10.1016/S0165-3806(01)00305-4)

Camm, E.J., Tijsseling, D., Richter, H.G., Adler, A., Hansell, J.A., Derkx, J.B., Cross, C.M., Giussani, D.A., 2011. Oxidative stress in the developing brain: Effects of postnatal glucocorticoid therapy and antioxidants in the rat. *PLoS One* 6. <https://doi.org/10.1371/journal.pone.0021142>

Canet, G., Hernandez, C., Zussy, C., Chevallier, N., Desrumaux, C., Givalois, L., 2019. Is AD a stress-related disorder? Focus on the HPA axis and its promising therapeutic targets. *Front. Aging Neurosci.* 11. <https://doi.org/10.3389/fnagi.2019.00269>

- Cánoval-Ahedo, M., Alonso-Alconada, D., 2019. Combined therapy in neonatal hypoxic-ischaemic encephalopathy . An. Pediatr. 91, 59.e1-59.e7.
<https://doi.org/10.1016/j.anpedi.2019.04.007>
- Canovas-Ahedo, M., Alonso-Alconada, D., 2019. [Combined therapy in neonatal hypoxic-ischaemic encephalopathy]. An. Pediatr. (Barc). 91, 59.e1-59.e7.
<https://doi.org/10.1016/j.anpedi.2019.04.007>
- Cantagrel, S., Gressens, P., Bodard, S., Suc, A.L., Laugier, J., Guilloteau, D., Chalon, S., 2001. mRNA D-2 dopaminergic receptor expression after hypoxia-ischemia in rat immature brain. Biol. Neonate 80, 68–73. <https://doi.org/10.1159/000047123>
- Cantero, G., Liu, X.B., Mervis, R.F., Lazaro, M.T., Cederbaum, S.D., Golshani, P., Lipshutz, G.S., 2016. Rescue of the Functional Alterations of Motor Cortical Circuits in Arginase Deficiency by Neonatal Gene Therapy. J. Neurosci. 36, 6680–6690. <https://doi.org/10.1523/jneurosci.0897-16.2016>
- Cao, J., Khan, B., Hervey, N., Tian, F., Delgado, M.R., Clegg, N.J., Smith, L., Roberts, H., Tulchin-Francis, K., Shierk, A., Shagman, L., MacFarlane, D., Liu, H., Alexandrakis, G., 2015. Evaluation of cortical plasticity in children with cerebral palsy undergoing constraint-induced movement therapy based on functional near-infrared spectroscopy. J. Biomed. Opt. 20, 046009.
<https://doi.org/10.1117/1.jbo.20.4.046009>
- Cardona-Gómez, G.P., Arango-Davila, C., Gallego-Gómez, J.C., Barrera-Ocampo, A., Pimienta, H., Garcia-Segura, L.M., 2006. Estrogen dissociates Tau and alpha-amino-3-hydroxy-5-methylisoxazole-4- propionic acid receptor subunit in postischemic hippocampus. Neuroreport 17, 1337–1341.
<https://doi.org/10.1097/01.wnr.0000230508.78467.96>
- Cardoso, F.L., Herz, J., Fernandes, A., Rocha, J., Sepodes, B., Brito, M.A., McGavern, D.B., Brites, D., 2015. Systemic inflammation in early neonatal mice induces transient and lasting neurodegenerative effects. J. Neuroinflammation 12.
<https://doi.org/10.1186/s12974-015-0299-3>
- Carletti, J. V, Deniz, B.F., Miguel, P.M., Rojas, J.J., Kolling, J., Scherer, E.B., Wyse, A.T.D., Netto, C.A., Pereira, L.O., 2012. Folic Acid Prevents Behavioral Impairment and Na⁺,K⁺-ATPase Inhibition Caused by Neonatal Hypoxia-Ischemia. Neurochem. Res. 37, 1624–1630. <https://doi.org/10.1007/s11064-012-0757-6>
- Carloni, S., Carnevali, A., Cimino, M., Balduini, W., 2007. Extended role of necrotic cell death after hypoxia-ischemia-induced neuro degeneration in the neonatal rat. Neurobiol. Dis. 27, 354–361. <https://doi.org/10.1016/j.nbd.2007.06.009>
- Carloni, S., Riparini, G., Buonocore, G., Balduini, W., 2017. Rapid modulation of the silent information regulator 1 by melatonin after hypoxia-ischemia in the neonatal rat brain. J. Pineal Res. 63. <https://doi.org/10.1111/jpi.12434>

- Carpentier, P.A., Dingman, A.L., Palmer, T.D., 2011. Placental TNF-alpha signaling in illness-induced complications of pregnancy. *Am. J. Pathol.* 178, 2802–2810.
<https://doi.org/10.1016/j.ajpath.2011.02.042>
- Carr, L.J., 1996. Development and reorganization of descending motor pathways in children with hemiplegic cerebral palsy. *Acta Paediatr. Suppl.* 416, 53–57.
<https://doi.org/10.1111/j.1651-2227.1996.tb14278.x>
- Carroll, J.E., Borlongan, C.V., 2008. Adult stem cell therapy for acute brain injury in children. *CNS Neurol. Disord. - Drug Targets* 7, 361–369.
<https://doi.org/10.2174/187152708786441812>
- Carver, A.R., Andrikopoulou, M., Lei, J., Tamayo, E., Gamble, P., Hou, Z., Zhang, J., Mori, S., Saade, G.R., Costantine, M.M., Burd, I., 2014. Maternal pravastatin prevents altered fetal brain development in a preeclamptic CD-1 mouse model. *PLoS One* 9. <https://doi.org/10.1371/journal.pone.0100873>
- Catalão, C.H.R., Shimizu, G.Y., Tida, J.A., Garcia, C.A.B., dos Santos, A.C., Salmon, C.E.G., Rocha, M.J.A., da Silva Lopes, L., 2017. Environmental enrichment reduces brain damage in hydrocephalic immature rats. *Child's Nerv. Syst.* 33, 921–931. <https://doi.org/10.1007/s00381-017-3403-4>
- Celik, Y., Resitoglu, B., Komur, M., Polat, A., Erdogan, S., Alakaya, M., Beydagl, H., 2016. Fibroblast growth factor 2 improves cognitive function in neonatal rats with hypoxic ischaemic brain injury. *J. Pak. Med. Assoc.* 66, 549–553.
- Celletti, C., Camerota, F., 2011. Preliminary evidence of focal muscle vibration effects on spasticity due to cerebral palsy in a small sample of Italian children. *Clin. Ter.* 162, e125-8.
- Ceprián, M., Vargas, C., García-Toscano, L., Penna, F., Jiménez-Sánchez, L., Achicallende, S., Elezgarai, I., Grandes, P., Hind, W., Pazos, M.R., Martínez-Orgado, J., 2019. Cannabidiol Administration Prevents Hypoxia-Ischemia-Induced Hypomyelination in Newborn Rats. *Front. Pharmacol.* 10. <https://doi.org/10.3389/fphar.2019.01131>
- Chae, C.-H., Lee, H.-C., Jung, S.-L., Kim, T.-W., Kim, J.-H., Kim, N.-J., Kim, H.-T., 2012. Swimming exercise increases the level of nerve growth factor and stimulates neurogenesis in adult rat hippocampus. *Neuroscience* 212, 30–37.
<https://doi.org/10.1016/j.neuroscience.2012.03.030>
- Chae, S.Y., Jang, J.H., Im, G.H., Jeong, J.-H., Jung, W.-B., Ko, S., Jie, H., Kim, J.H., Chang, Y.S., Chung, S., Kim, K.-S., Lee, J.H., 2019. Physical exercise enhances adult cortical plasticity in a neonatal rat model of hypoxic-ischemic injury: Evidence from BOLD-fMRI and electrophysiological recordings. *Neuroimage* 188, 335–346. <https://doi.org/10.1016/j.neuroimage.2018.12.019>
- Chai, Y., Yin, X., Y., C., X., Y., 2014. Neural dysfunction and neural regeneration, a new window into the neonatal hypoxic-ischemic brain damage. *Acta Medica Mediterr.* 30, 167–173.

Chakrabarty, S., Shulman, B., Martin, J.H., 2009. Activity-dependent codevelopment of the corticospinal system and target interneurons in the cervical spinal cord. *J. Neurosci.* 29, 8816–8827. <https://doi.org/10.1523/JNEUROSCI.0735-09.2009>

Chalatsa, I., Arvanitis, D.A., Mikropoulou, E. V., Giagini, A., Papadopoulou-Daifoti, Z., Aligiannis, N., Halabalaki, M., Tsarbopoulos, A., Skaltounis, L.A., Sanoudou, D., 2018. Beneficial effects of sideritis scardica and cichorium spinosum against amyloidogenic pathway and tau misprocessing in Alzheimer's disease neuronal cell culture models. *J. Alzheimer's Dis.* 64, 787–800. <https://doi.org/10.3233/JAD-170862>

Chang, Y.S., Mu, D.Z., Wendland, M., Sheldon, R.A., Vexler, Z.S., McQuillen, P.S., Ferriero, D.M., 2005. Erythropoietin improves functional and histological outcome in neonatal stroke. *Pediatr. Res.* 58, 106–111. <https://doi.org/10.1203/01.pdr.0000163616.89767.69>

Chang, Y.P., 2014. Evidence for adverse effect of perinatal glucocorticoid use on the developing brain. *Korean J. Pediatr.* 57, 101–109. <https://doi.org/10.3345/kjp.2014.57.3.101>

Chao, M.-W., Chen, C.-P., Yang, Y.-H., Chuang, Y.-C., Chu, T.-Y., Tseng, C.-Y., 2016. N-acetylcysteine attenuates lipopolysaccharide-induced impairment in lamination of Ctip2-and Tbr1-expressing cortical neurons in the developing rat fetal brain. *Sci. Rep.* 6. <https://doi.org/10.1038/srep32373>

Charney, E., 2012. Humans, fruit flies, and automatons. *Behav. Brain Sci.* 35, 381–410. <https://doi.org/10.1017/S0140525X12001501>

Charriaut-Marlangue, C., Besson, V.C., Baud, O., 2018. Sexually dimorphic outcomes after neonatal stroke and hypoxia-ischemia. *Int. J. Mol. Sci.* 19. <https://doi.org/10.3390/ijms19010061>

Charriaut-Marlangue, C., Leconte, C., Csaba, Z., Chafa, L., Pansiot, J., Talatizi, M., Simon, K., Moretti, R., Marchand-Leroux, C., Baud, O., Besson, V.C., 2018. Sex differences in the effects of PARP inhibition on microglial phenotypes following neonatal stroke. *Brain. Behav. Immun.* 73, 375–389. <https://doi.org/10.1016/j.bbi.2018.05.022>

Charvet, C.J., Šimić, G., Kostović, I., Knezović, V., Vukšić, M., Leko, M.B., Takahashi, E., Sherwood, C.C., Wolfe, M.D., Finlay, B.L., 2017. Coevolution in the timing of GABAergic and pyramidal neuron maturation in primates. *Proc. R. Soc. B Biol. Sci.* 284. <https://doi.org/10.1098/rspb.2017.1169>

Chau, V., Poskitt, K.J., Miller, S.P., 2009. Advanced Neuroimaging Techniques for the Term Newborn With Encephalopathy. *Pediatr. Neurol.* 40, 181–188. <https://doi.org/10.1016/j.pediatrneurol.2008.09.012>

Chau, V., Taylor, M.J., Miller, S.P., 2013. Visual function in preterm infants: Visualizing the brain to improve prognosis. *Doc. Ophthalmol.* 127, 41–55. <https://doi.org/10.1007/s10633-013-9397-7>

- Chauhan, N.B., Siegel, G.J., Feinstein, D.L., 2005. Propentofylline attenuates tau hyperphosphorylation in Alzheimer's Swedish mutant model Tg2576. *Neuropharmacology* 48, 93–104.
<https://doi.org/10.1016/j.neuropharm.2004.09.014>
- Chavanas, S., 2016. Peroxisome proliferator-activated receptor γ (PPAR γ) activation: A key determinant of neuropathogeny during congenital infection by cytomegalovirus. *Neurogenesis* 3. <https://doi.org/10.1080/23262133.2016.1231654>
- Chekhonin, V.P., Lebedev, S. V, Dmitrieva, T.B., Blinov, A. V, Gurina, O.I., Semenova, A. V, Volodin, N.N., 2003. Enzyme immunoassay of NSE and GFAP as the criterion of dynamic evaluation of the rat blood-brain barrier in perinatal hypoxic ischemic injury of the CNS. *Bull. Exp. Biol. Med.* 136, 261–265.
<https://doi.org/10.1023/B:BEBM.0000008978.27644.4b>
- Chen, A., Siow, B., Blamire, A.M., Lako, M., Clowry, G.J., 2010. Transplantation of magnetically labeled mesenchymal stem cells in a model of perinatal brain injury. *Stem Cell Res.* 5, 255–266. <https://doi.org/10.1016/j.scr.2010.08.004>
- Chen, G., Hu, Y.R., Liu, W., Li, J.A., Wen, L.B., Li, J.X., Zhao, L.H., Yang, X.P., Zhu, Y., Sun, Z.Z., Chi, G.M., 2010. An animal model of cerebral palsy induced by prenatal exposure to lipopolysaccharide and hypoxia. *Neural Regen. Res.* 5, 1100–1103. <https://doi.org/10.3969/j.issn.1673-5374.2010.14.011>
- Chen, G., Wang, Yali, Xu, Z., Fang, F., Xu, R., Wang, Yue, Hu, X., Fan, L., Liu, H., 2013. Neural stem cell-like cells derived from autologous bone mesenchymal stem cells for the treatment of patients with cerebral palsy. *J. Transl. Med.* 11, 21.
<https://doi.org/10.1186/1479-5876-11-21>
- Chen, H., Li, J., Liu, J., Liu, L., Liu, N., Song, Y.-Z., 2009. Effects of prenatal taurine on mRNA expression of PKA-CREB signal pathway and glial cell line-derived neurotrophic factor in fetal rat brains of intrauterine growth restriction. *Chinese J. Contemp. Pediatr.* 11, 923–926.
- Chen, J.H., Kuo, H.C., Lee, K.F., Tsai, T.H., 2015. Global Proteomic Analysis of Brain Tissues in Transient Ischemia Brain Damage in Rats. *Int. J. Mol. Sci.* 16, 11873–11891. <https://doi.org/10.3390/ijms160611873>
- Chen, L.M., Haddad, G.G., Boron, W.F., 2008. Effects of chronic continuous hypoxia on the expression of SLC4A8 (NDCBE) in neonatal versus adult mouse brain. *Brain Res.* 1238, 85–92. <https://doi.org/10.1016/j.brainres.2008.08.033>
- Chen, L., Liu, Y., Lin, Q.-M., Xue, L., Wang, W., Xu, J.-W., L., C., Y., L., Q.-M., L., L., X., W., J.-W., X., 2016. Electroacupuncture at Baihui (DU20) acupoint upregulates mRNA expression of NeuroD molecules in the brains of newborn rats suffering in utero fetal distress. *Neural Regen. Res.* 11, 604–609.
<https://doi.org/10.4103/1673-5374.180745>

- Chen, P., Wang, L., Deng, Q., Ruan, H., Cai, W., 2015. Alteration in rectification of potassium channels in perinatal hypoxia ischemia brain damage. *J. Neurophysiol.* 113, 592–600. <https://doi.org/10.1152/jn.00144.2014>
- Chen, Q., de Lecea, L., Hu, Z., Gao, D., 2015. The Hypocretin/Orexin System: An Increasingly Important Role in Neuropsychiatry. *Med. Res. Rev.* 35, 152–197. <https://doi.org/10.1002/med.21326>
- Chen, R., Cohen, L.G., Hallett, M., R., C., L.G., C., M., H., 2002. Nervous system reorganization following injury. *Neuroscience* 111, 761–773. [https://doi.org/10.1016/S0306-4522\(02\)00025-8](https://doi.org/10.1016/S0306-4522(02)00025-8)
- Chen, W.F., Chang, H., Huang, L.T., Lai, M.C., Yang, C.H., Wan, T.H., Yang, S.N., 2006. Alterations in long-term seizure susceptibility and the complex of PSD-95 with NMDA receptor from animals previously exposed to perinatal hypoxia. *Epilepsia* 47, 288–296. <https://doi.org/10.1111/j.1528-1167.2006.00420.x>
- Chen, W.F., Chang, H., Wong, C.S., Huang, L.T., Yang, C.H., Yang, S.N., 2007. Impaired expression of postsynaptic density proteins in the hippocampal CA1 region of rats following perinatal hypoxia. *Exp. Neurol.* 204, 400–410. <https://doi.org/10.1016/j.expneurol.2006.12.002>
- Chen, W.F., Hsu, J.H., Lin, C.S., Jong, Y.J., Yang, C.H., Huang, L.T., Yang, S.N., 2011. Granulocyte-Colony Stimulating Factor Alleviates Perinatal Hypoxia-Induced Decreases in Hippocampal Synaptic Efficacy and Neurogenesis in the Neonatal Rat Brain. *Pediatr. Res.* 70, 589–595. <https://doi.org/10.1203/PDR.0b013e3182324424>
- Chen, W.L., Xu, B.F., Xiao, A.J., Liu, L., Fang, X.Y., Liu, R., Turlova, E., Barszczuk, A., Zhong, X., Sun, C.L.F., Britto, L.R.G., Feng, Z.P., Sun, H.S., 2015. TRPM7 inhibitor carvacrol protects brain from neonatal hypoxic-ischemic injury. *Mol. Brain* 8. <https://doi.org/10.1186/s13041-015-0102-5>
- Chen, W.-L., Niu, Y.-Y., Jiang, W.-Z., Tang, H.-L., Zhang, C., Xia, Q.-M., Tang, X.-Q., 2015. Neuroprotective effects of hydrogen sulfide and the underlying signaling pathways. *Rev. Neurosci.* 26, 129–142. <https://doi.org/10.1515/revneuro-2014-0051>
- Chen, X., Hovanesian, V., Naqvi, S., Lim, Y.-P., Tucker, R., Donahue, J.E., Stopa, E.G., Stonestreet, B.S., 2018. Systemic infusions of anti-interleukin-1 β neutralizing antibodies reduce short-term brain injury after cerebral ischemia in the ovine fetus. *Brain. Behav. Immun.* 67, 24–35. <https://doi.org/10.1016/j.bbi.2017.08.002>
- Chen, Y., Ginis, I., Hallenbeck, J.M., 2001. The protective effect of ceramide in immature rat brain hypoxia-ischemia involves up-regulation of Bcl-2 and reduction of TUNEL-positive cells. *J. Cereb. Blood Flow Metab.* 21, 34–40. <https://doi.org/10.1097/00004647-200101000-00005>

- Cheng, G., Kaminski, H.J., Gong, B., Zhou, L., Hatala, D., Howell, S.J., Zhou, X., Mustari, M.J., 2008. Monocular visual deprivation in Macaque monkeys: A profile in the gene expression of lateral geniculate nucleus by laser capture microdissection. *Mol. Vis.* 14, 1401–1413.
- Chew, L.J., DeBoy, C.A., 2016. Pharmacological approaches to intervention in hypomyelinating and demyelinating white matter pathology. *Neuropharmacology* 110, 605–625. <https://doi.org/10.1016/j.neuropharm.2015.06.008>
- Chew, L.-J., Fusar-Poli, P., Schmitz, T., 2013. Oligodendroglial alterations and the role of microglia in white matter injury: Relevance to schizophrenia. *Dev. Neurosci.* 35, 102–129. <https://doi.org/10.1159/000346157>
- Chhor, V., Le Charpentier, T., Lebon, S., Oré, M.-V., Celador, I.L., Josserand, J., Degos, V., Jacotot, E., Hagberg, H., Sävman, K., Mallard, C., Gressens, P., Fleiss, B., 2013. Characterization of phenotype markers and neuronotoxic potential of polarised primary microglia In vitro. *Brain. Behav. Immun.* 32, 70–85. <https://doi.org/10.1016/j.bbi.2013.02.005>
- Chiba, S., Takada, E., Tadokoro, M., Taniguchi, T., Kadoyama, K., Takenokuchi, M., Kato, S., Suzuki, N., 2012. Loss of dopaminoreceptive neuron causes L-dopa resistant parkinsonism in tauopathy. *Neurobiol. Aging* 33, 2491–2505. <https://doi.org/10.1016/j.neurobiolaging.2011.11.002>
- Chicha, L., Smith, T., Guzman, R., 2014. Stem cells for brain repair in neonatal hypoxia-ischemia. *Childs Nerv. Syst.* 30, 37–46. <https://doi.org/10.1007/s00381-013-2304-4>
- Chlodzinska, N., Gajerska, M., Bartkowska, K., Turlejski, K., Djavadian, R.L., 2011. Lipopolysaccharide injected to pregnant mice affects behavior of their offspring in adulthood. *Acta Neurobiol. Exp. (Wars)*. 71, 519–527.
- Cho, J.-W., Jung, S.-Y., Kim, D.-Y., Chung, Y.-R., Choi, H.-H., Jeon, J.-W., Han, J.-H., 2018. PI3K-Akt-Wnt Pathway Is Implicated in Exercise-Induced Improvement of Short-term Memory in Cerebral Palsy Rats. *Int. Neurourol. J.* 22, S156-164. <https://doi.org/10.5213/inj.1836224.112>
- Cholani, M., Wealing, J., Levine, R.B., Fregosi, R.F., 2017. Developmental nicotine exposure alters potassium currents in hypoglossal motoneurons of neonatal rat. *J. Neurophysiol.* 117, 1544–1552. <https://doi.org/10.1152/jn.00774.2016>
- Christiansen, L., Lundbye-Jensen, J., Perez, M.A., Nielsen, J.B., 2017. How plastic are human spinal cord motor circuitries? *Exp. Brain Res.* 235, 3243–3249. <https://doi.org/10.1007/s00221-017-5037-x>
- Christophidis, L.J., Gorba, T., Gustavsson, M., Williams, C.E., Werther, G.A., Russo, V.C., Scheepens, A., 2009. Growth hormone receptor immunoreactivity is increased in the subventricular zone of juvenile rat brain after focal ischemia: A potential role for growth hormone in injury-induced neurogenesis. *Growth Horm. Igf Res.* 19, 497–506. <https://doi.org/10.1016/j.ghir.2009.05.001>

- Chu, Y., Morfini, G.A., Kordower, J.H., 2016. Alterations in Activity-Dependent Neuroprotective Protein in Sporadic and Experimental Parkinson's Disease. *J. Parkinsons. Dis.* 6, 77–97. <https://doi.org/10.3233/JPD-160812>
- Chu, Y., Parada, I., Prince, D.A., 2009. Temporal and topographic alterations in expression of the $\alpha 3$ isoform of Na⁺,K⁺-ATPase in the rat freeze lesion model of microgyria and epileptogenesis. *Neuroscience* 162, 339–348. <https://doi.org/10.1016/j.neuroscience.2009.04.003>
- Chun, J., Agulian, S., Haddad, G.G., 1991. O₂ TENSION IN ADULT AND NEONATAL BRAIN-SLICES UNDER SEVERAL EXPERIMENTAL CONDITIONS. *Brain Res.* 568, 159–164. [https://doi.org/10.1016/0006-8993\(91\)91392-e](https://doi.org/10.1016/0006-8993(91)91392-e)
- Chung, Y.Y., Jeon, Y.H., Kim, S.W., 2014. Cortical Neuronal Loss after Chronic Prenatal Hypoxia : A Comparative Laboratory Study. *J. Korean Neurosurg. Soc.* 56, 488–491. <https://doi.org/10.3340/jkns.2014.56.6.488>
- Chung, Y., Cho, H., Jo, G.H., Jun, Y., 2019. Hypoxia of rats subjected to carotid artery ligation results in impaired neurogenesis and reduced number of cortical neurons. *In Vivo (Brooklyn)*. 33, 441–445. <https://doi.org/10.21873/invivo.11492>
- Chung, Y., So, K., Kim, E., Kim, S., Jeon, Y., Y., C., K., S., E., K., S., K., Y., J., Chung, Y., So, K., Kim, E., Kim, S., Jeon, Y., 2015. Immunoreactivity of neurogenic factor in the guinea pig brain after prenatal hypoxia. *Ann. Anat.* 200, 66–72. <https://doi.org/10.1016/j.aanat.2015.02.003>
- Cilio, M.R., Ferriero, D.M., 2010. Synergistic neuroprotective therapies with hypothermia. *Semin. Fetal Neonatal Med.* 15, 293–298. <https://doi.org/10.1016/j.siny.2010.02.002>
- Cimino, P.J., Yang, Y., Li, X., Hemingway, J.F., Cherne, M.K., Khademi, S.B., Fukui, Y., Montine, K.S., Montine, T.J., Keene, C.D., 2013. Ablation of the microglial protein DOCK2 reduces amyloid burden in a mouse model of Alzheimer's disease. *Exp. Mol. Pathol.* 94, 366–371. <https://doi.org/10.1016/j.yexmp.2013.01.002>
- Cincotta, M., Borgheresi, A., Liotta, P., Montigiani, A., Marin, E., Zaccara, G., Ziemann, U., 2000. Reorganization of the motor cortex in a patient with congenital hemiparesis and mirror movements. *Neurology* 55, 129–131. <https://doi.org/10.1212/wnl.55.1.129>
- Cioni, G., Inguaggiato, E., Sgandurra, G., 2016. Early intervention in neurodevelopmental disorders: underlying neural mechanisms. *Dev. Med. Child Neurol.* 58, 61–66. <https://doi.org/10.1111/dmcn.13050>
- Clark, I.A., Vissel, B., 2018. The inflammatory nature of post-surgical delirium predicts benefit of agents with anti-TNF effects, such as dexmedetomidine. *Front. Neurosci.* 12. <https://doi.org/10.3389/fnins.2018.00257>

- Clark, I.A., Vissel, B., 2018. Therapeutic implications of how TNF links apolipoprotein E, phosphorylated tau, α -synuclein, amyloid- β and insulin resistance in neurodegenerative diseases. *Br. J. Pharmacol.* 175, 3859–3875.
<https://doi.org/10.1111/bph.14471>
- Clarkson, A.N., 2007. Anesthetic-mediated protection/preconditioning during cerebral ischemia. *Life Sci.* 80, 1157–1175. <https://doi.org/10.1016/j.lfs.2006.12.022>
- Clausi, M.G., Pasquini, L.A., Soto, E.F., Pasquini, J.M., 2010. Apotransferrin-induced recovery after hypoxic/ischaemic injury on myelination. *ASN Neuro* 2, 293–309.
<https://doi.org/10.1042/an20100020>
- Clowry, G., Molnár, Z., Rakic, P., 2010. Renewed focus on the developing human neocortex. *J. Anat.* 217, 276–288. <https://doi.org/10.1111/j.1469-7580.2010.01281.x>
- Coe, C.L., Lubach, G.R., 2005. Developmental consequences of antenatal dexamethasone treatment in nonhuman primates. *Neurosci. Biobehav. Rev.* 29, 227–235. <https://doi.org/10.1016/j.neubiorev.2004.10.003>
- Confortim, H.D., Deniz, B.F., de Almeida, W., Miguel, P.M., Bronauth, L., Vieira, M.C., de Oliveira, B.C., Pereira, L.O., 2019. Neonatal hypoxia-ischemia caused mild motor dysfunction, recovered by acrobatic training, without affecting morphological structures involved in motor control in rats. *Brain Res.* 1707, 27–44.
<https://doi.org/10.1016/j.brainres.2018.11.021>
- Conroy, S.M., Nguyen, V., Quina, L.A., Blakely-Gonzales, P., Ur, C., Netzeband, J.G., Prieto, A.L., Gruol, D.L., 2004. Interleukin-6 produces neuronal loss in developing cerebellar granule neuron cultures. *J. Neuroimmunol.* 155, 43–54.
<https://doi.org/10.1016/j.jneuroim.2004.06.014>
- Coq, J.-O., Delcour, M., Massicotte, V.S., Baud, O., Barbe, M.F., 2016. Prenatal ischemia deteriorates white matter, brain organization, and function: implications for prematurity and cerebral palsy. *Dev. Med. Child Neurol.* 58, 7–11.
<https://doi.org/10.1111/dmcn.13040>
- Corbett, D., Jeffers, M., Nguemeni, C., Gomez-Smith, M., Livingston-Thomas, J., 2015. Lost in translation: Rethinking approaches to stroke recovery. *Prog. Brain Res.*
<https://doi.org/10.1016/bs.pbr.2014.12.002>
- Corcelli, M., Hawkins, K., Vlahova, F., Hunjan, A., Dowding, K., De Coppi, P., David, A.L., Peebles, D., Gressens, P., Hagberg, H., Hristova, M., Guillot, P. V, 2018. Neuroprotection of the hypoxic-ischemic mouse brain by human CD117+CD90+CD105+ amniotic fluid stem cells. *Sci. Rep.* 8.
<https://doi.org/10.1038/s41598-018-20710-9>
- Cordeiro, C.N., Tsimis, M., Burd, I., 2015. Infections and brain development. *Obstet. Gynecol. Surv.* 70, 644–655. <https://doi.org/10.1097/OGX.0000000000000236>

Costa-Silva, J.H., de Brito-Alves, J.L., Barros, M.A.D., Nogueira, V.O., Paulino-Silva, K.M., de Oliveira-Lira, A., Nobre, I.G., Fragoso, J., Leandro, C.G., 2015. New Insights on the Maternal Diet Induced-Hypertension: Potential Role of the Phenotypic Plasticity and Sympathetic-Respiratory Overactivity. *Front. Physiol.* 6. <https://doi.org/10.3389/fphys.2015.00345>

Cottrell, J.E., Hartung, J., J.E., C., J., H., 2012. Developmental disability in the young and postoperative cognitive dysfunction in the elderly after anesthesia and surgery: Do data justify changing clinical practice? *Mt. Sinai J. Med.* 79, 75–94. <https://doi.org/10.1002/msj.21283>

Covey, M. V, Loporchio, D., Buono, K.D., Levison, S.W., 2011. Opposite effect of inflammation on subventricular zone versus hippocampal precursors in brain injury. *Ann. Neurol.* 70, 616–626. <https://doi.org/10.1002/ana.22473>

Covey, M. V, Murphy, M.P., Hobbs, C.E., Smith, R.A.J., Oorschot, D.E., 2006. Effect of the mitochondrial antioxidant, Mito Vitamin E, on hypoxic-ischemic striatal injury in neonatal rats: A dose-response and stereological study. *Exp. Neurol.* 199, 513–519. <https://doi.org/10.1016/j.expneurol.2005.12.026>

Crampton, S.J., Collins, L.M., Toulouse, A., Nolan, Y.M., O'Keeffe, G.W., 2012. Exposure of foetal neural progenitor cells to IL-1 β impairs their proliferation and alters their differentiation - A role for maternal inflammation? *J. Neurochem.* 120, 964–973. <https://doi.org/10.1111/j.1471-4159.2011.07634.x>

Cree, B.A.C., Niu, J., Hoi, K.K., Zhao, C., Caganap, S.D., Henry, R.G., Dao, D.Q., Zollinger, D.R., Mei, F., Shen, Y.-A.A., Franklin, R.J.M., Ullian, E.M., Xiao, L., Chan, J.R., Fancy, S.P.J., 2018. Clemastine rescues myelination defects and promotes functional recovery in hypoxic brain injury. *Brain* 141, 85–98. <https://doi.org/10.1093/brain/awx312>

Crescenzi, R., DeBrosse, C., Nanga, R.P.R., Reddy, S., Haris, M., Hariharan, H., Iba, M., Lee, V.M.Y., Detre, J.A., Borthakur, A., Reddy, R., 2014. In vivo measurement of glutamate loss is associated with synapse loss in a mouse model of tauopathy. *Neuroimage* 101, 185–192. <https://doi.org/10.1016/j.neuroimage.2014.06.067>

Crespo-Eguilaz, N., Dominguez, P.D., Vaquero, M., Narbona, J., 2018. [Developmental amnesia and early brain damage: neuropsychology and neuroimaging]. *Rev. Neurol.*

Cruz-Ochoa, N.A., Ochoa-Amaya, J.E., Pulecio, S.L., Xavier, G.F., Nogueira, M.I., 2019. Neonatal anoxia impairs long-term energy metabolism and somatic development of Wistar rats. *Int. J. Dev. Neurosci.* 79, 76–85. <https://doi.org/10.1016/j.ijdevneu.2019.11.001>

Cumberland, A.L., Palliser, H.K., Rani, P., Walker, D.W., Hirst, J.J., 2017. Effects of combined IUGR and prenatal stress on the development of the hippocampus in a fetal Guinea pig model. *J. Dev. Orig. Health Dis.* 8, 584–596. <https://doi.org/10.1017/S2040174417000307>

- Cummings, K.J., Commons, K.G., Fan, K.C., Li, A.H., Nattie, E.E., 2009. Severe spontaneous bradycardia associated with respiratory disruptions in rat pups with fewer brain stem 5-HT neurons. *Am. J. Physiol. Integr. Comp. Physiol.* 296, R1783–R1796. <https://doi.org/10.1152/ajpregu.00122.2009>
- Cummings, K.J., Li, A.H., Deneris, E.S., Nattie, E.E., 2010. Bradycardia in serotonin-deficient Pet-1(−/−) mice: influence of respiratory dysfunction and hyperthermia over the first 2 postnatal weeks. *Am. J. Physiol. Integr. Comp. Physiol.* 298, R1333–R1342. <https://doi.org/10.1152/ajpregu.00110.2010>
- Cummings, K.J., Pendlebury, J.D., Sherwood, N.M., Wilson, R.J.A., 2004. Sudden neonatal death in PACAP-deficient mice is associated with reduced respiratory chemoresponse and susceptibility to apnoea. *J. Physiol.* 555, 15–26. <https://doi.org/10.1113/jphysiol.2003.052514>
- Cunha, C., Brambilla, R., Thomas, K.L., 2010. A simple role for BDNF in learning and memory? *Front. Mol. Neurosci.* 3. <https://doi.org/10.3389/neuro.02.001.2010>
- Cunha-Rodrigues, M.C., Balduci, C.T.D.N., Tenório, F., Barradas, P.C., 2018. GABA function may be related to the impairment of learning and memory caused by systemic prenatal hypoxia-ischemia. *Neurobiol. Learn. Mem.* 149, 20–27. <https://doi.org/10.1016/j.nlm.2018.01.004>
- Cutz, E., Yeger, H., Pan, J., 2007. Pulmonary neuroendocrine cell system in pediatric lung disease-recent advances. *Pediatr. Dev. Pathol.* 10, 419–435. <https://doi.org/10.2350/07-04-0267.1>
- Czikk, M.J., Totten, S., Hammond, R., Richardson, B.S., 2015. Microtubule-Associated Protein 2 and Synaptophysin in the Preterm and Near-Term Ovine Fetal Brain and the Effect of Intermittent Umbilical Cord Occlusion. *Reprod. Sci.* 22, 367–376. <https://doi.org/10.1177/1933719114529371>
- D., A., A.N., Z., S., C., J., M., T.L., W., S.W., L., 2014. Insulin-like growth factor receptor signaling is necessary for epidermal growth factor mediated proliferation of SVZ neural precursors in vitro following neonatal hypoxia-ischemia. *Front. Neurol.* 5 MAY. <https://doi.org/10.3389/fneur.2014.00079>
- D., A., M., B., Y., J., R.B., C., S.V., K., S.W., L., 2013. Egr-1 is a critical regulator of EGF-receptor-mediated expansion of subventricular zone neural stem cells and progenitors during recovery from hypoxia-hypoglycemia. *ASN Neuro* 5, 183–193. <https://doi.org/10.1042/AN20120032>
- D., A.-A., A., Á., L., Á.-G., E., H., 2011. Therapeutic potential of the endocannabinoid system in perinatal asphyxia. *Rev. Neurol.* 53, 758–764.
- D., G., D., M., 2011. The NeuroDevNet Vision. *Semin. Pediatr. Neurol.* 18, 2–4. <https://doi.org/10.1016/j.spen.2011.02.007>
- D., I., U.E., L., S., B., A., M.-L., P., G., 2017. Microglia activation and schizophrenia: Lessons from the effects of minocycline on postnatal neurogenesis, neuronal

survival and synaptic pruning. *Schizophr. Bull.* 43, 493–496.
<https://doi.org/10.1093/schbul/sbw088>

D., L., L., L., M., X., J., W., L., C., J., L., Z., L., G., L., Y., W., L., Q., 2017. AMPK activates FOXO3a and promotes neuronal apoptosis in the developing rat brain during the early phase after hypoxia-ischemia. *Brain Res. Bull.* 132, 1–9.
<https://doi.org/10.1016/j.brainresbull.2017.05.001>

D., Maślińska, M., L.-K., A., K., D., Makarewicz, 2002. Proinflammatory cytokines in injured rat brain following perinatal asphyxia. *Folia Neuropathol.* 40, 177–182.

D., P., K., S., E.-K., C., Y., C., J.-Y., J., J., K., H.-S., J., W., L., Y.-B., L., S.U., K., S.S., J., Y.-B., K., 2015. Protective effects of N -acetyl- L -cysteine in human oligodendrocyte progenitor cells and restoration of motor function in neonatal rats with hypoxic-ischemic encephalopathy. *Evidence-based Complement. Altern. Med.* 2015. <https://doi.org/10.1155/2015/764251>

D., X., Y., Q., L., P., X., L., D., M., Xiao, D., Qu, Y., Pan, L., Li, X., Mu, D., D., X., Y., Q., L., P., X., L., D., M., 2018. MicroRNAs participate in the regulation of oligodendrocytes development in white matter injury. *Rev. Neurosci.* 29, 151–160.
<https://doi.org/10.1515/revneuro-2017-0019>

D., Y., Y.-Y., S., N., N., J.M., B., A., S., R.S., D., M., W.-K., D.A., L., D.M., L., C.-Y., K., 2013. Plasminogen activator inhibitor-1 mitigates brain injury in a rat model of infection-sensitized neonatal hypoxia-ischemia. *Cereb. Cortex* 23, 1218–1229.
<https://doi.org/10.1093/cercor/bhs115>

D., Z., Y., J., J., W., B., Z., G., N., Y., F., Zhu, D., Jia, Y., Wang, J., Zhang, B., Niu, G., Fan, Y., D., Z., Y., J., J., W., B., Z., G., N., Y., F., Zhu, D., Jia, Y., Wang, J., Zhang, B., Niu, G., Fan, Y., D., Z., Y., J., J., W., B., Z., G., N., Y., F., 2011. Human insulin-like growth factor 1-transfected umbilical cord blood neural stem cell transplantation improves hypoxic-ischemic brain injury. *Neural Regen. Res.* 6, 1445–1451. <https://doi.org/10.3969/j.issn.1673-5374.2011.19.001>

D.A., C., R., C., J., D.V., W.J., M., 2009. Elevated glutamate and NMDA disrupt production of the second messenger cyclic GMP in the early postnatal mouse cortex. *Dev. Neurobiol.* 69, 255–266. <https://doi.org/10.1002/dneu.20697>

D.A., G., 2004. Repeat courses of antenatal corticosteroids: The controversy continues. *Am. J. Obstet. Gynecol.* 190, 585–587. <https://doi.org/10.1016/j.ajog.2003.12.012>

D.C., Y., A., K., H., B., B.U., E., S., A., S., G., K., G., O., Y., K., T., O., G., N., D., H., O., 2007. Activated protein C reduces endotoxin-induced white matter injury in the developing rat brain. *Brain Res.* 1164, 14–23.
<https://doi.org/10.1016/j.brainres.2007.04.083>

D.C., Y., A., K., K., T., S., C., H., B., O., Y., N., D., H., O., Yesilirmak, D.C., Kumral, A., Tugyan, K., Cilaker, S., Baskin, H., Yilmaz, O., Duman, N., Ozkan, H., 2008. Effects of activated protein C on neonatal hypoxic ischemic brain injury. *Brain Res.* 1210, 56–62. <https://doi.org/10.1016/j.brainres.2008.02.088>

- D.D., J., E., C., I., S., 2009. Neuroprotective interventions: Is it too late? *J. Child Neurol.* 24, 1212–1219. <https://doi.org/10.1177/0883073809338412>
- D.S., M., H., T., P.A., S., A.S., D., 2010. Cultivating regenerative medicine innovation in China. *Regen. Med.* 5, 35–44. <https://doi.org/10.2217/rme.09.78>
- Daadi, M.M., Davis, A.S., Arac, A., Li, Z., Maag, A.-L., Bhatnagar, R., Jiang, K., Sun, G., Wu, J.C., Steinberg, G.K., M.M., D., A.S., D., A., A., Z., L., A.-L., M., R., B., K., J., G., S., J.C., W., G.K., S., 2010. Human Neural Stem Cell Grafts Modify Microglial Response and Enhance Axonal Sprouting in Neonatal Hypoxic-Ischemic Brain Injury. *Stroke* 41, 516–523. <https://doi.org/10.1161/STROKEAHA.109.573691>
- Dada, T., Rosenzweig, J.M., Al Shammary, M., Firdaus, W., Al Rebh, S., Borbiev, T., Tekes, A., Zhang, J., Alqahtani, E., Mori, S., Pletnikov, M. V., Johnston, M. V., Burd, I., 2014. Mouse model of intrauterine inflammation: Sex-specific differences in long-term neurologic and immune sequelae. *Brain. Behav. Immun.* 38, 142–150. <https://doi.org/10.1016/j.bbi.2014.01.014>
- Daicheng, H., Shiwen, X., Huaping, Z., Yong, L., Qianqian, Z., Changxia, H., 2018. Fangchinoline ameliorates the expressions of angiogenic molecule in cerebral ischemia induced neuronal degeneration in neonatal rats. *Transl. Neurosci.* 9, 117–122. <https://doi.org/10.1515/tnsci-2018-0018>
- Damska, M., Brylko-Chmielik, J., Danielewicz-Kotowicz, A., Dydyk, L., Maslinska, D., Onyszkiewicz, J., 1979. [Comparison of the transplacental effect of luminal and epileptic seizures in pregnant rabbits on the development of the fetal nervous system]. *Probl. Med. Wieku Rozwoj.* 9, 319–323.
- Damji, O., Keess, J., Kirton, A., 2015. Evaluating developmental motor plasticity with paired afferent stimulation. *Dev. Med. Child Neurol.* 57, 548–555. <https://doi.org/10.1111/dmcn.12704>
- Damsted, S.K., Born, A.P., Paulson, O.B., Uldall, P., 2011. Exogenous glucocorticoids and adverse cerebral effects in children. *Eur. J. Paediatr. Neurol.* 15, 465–477. <https://doi.org/10.1016/j.ejpn.2011.05.002>
- Dan, B., 2016. Nutrition, brain function, and plasticity in cerebral palsy. *Dev. Med. Child Neurol.* <https://doi.org/10.1111/dmcn.13208>
- D'Arceuil, H., Rhine, W., De Crespigny, A., Yenari, M., Tait, J.F., Strauss, W.H., Engelhorn, T., Kastrup, A., Moseley, M., Blankenberg, F.G., 2000. 99mTc Anaexin V imaging of neonatal hypoxic brain injury. *Stroke* 31, 2692–2700. <https://doi.org/10.1161/01.STR.31.11.2692>
- D'Arceuil, H., Rhine, W., de Crespigny, A., Yenari, M., Tait, J.F., Strauss, W.H., Engelhorn, T., Kastrup, A., Moseley, M., Blankenberg, F.G., 2000. Tc-99m annexin V imaging of neonatal hypoxic brain injury. *Stroke* 31, 2692–2699. <https://doi.org/10.1161/01.str.31.11.2692>

- Dartnell, J., Lee, E.H., J., D., E.H., L., 2015. Stem cell therapy in cerebral palsy: Current evidence. *Curr. Orthop. Pract.* 26, 15–20.
<https://doi.org/10.1097/BCO.0000000000000188>
- Daval, J.L., Pourie, G., Grojean, S., Lievre, V., Strazielle, C., Blaise, S., Vert, P., 2004. Neonatal hypoxia triggers transient apoptosis followed by neurogenesis in the rat CA1 hippocampus. *Pediatr. Res.* 55, 561–567.
<https://doi.org/10.1203/01.pdr.0000113771.51317.37>
- Daviaud, N., Chevalier, C., Friedel, R.H., Zou, H.Y., 2019. Distinct Vulnerability and Resilience of Human Neuroprogenitor Subtypes in Cerebral Organoid Model of Prenatal Hypoxic Injury. *Front. Cell. Neurosci.* 13.
<https://doi.org/10.3389/fncel.2019.00336>
- Davidson, J.O., Dean, J.M., Fraser, M., Wassink, G., Andelius, T.C., Dhillon, S.K., Bennet, L., Gunn, A.J., 2018. Perinatal brain injury: Mechanisms and therapeutic approaches. *Front. Biosci. - Landmark* 23, 2204–2226.
- Davies, A., Wassink, G., Bennet, L., Gunn, A.J., Davidson, J.O., 2019. Can we further optimize therapeutic hypothermia for hypoxic-ischemic encephalopathy? *Neural Regen. Res.* 14, 1678–1683. <https://doi.org/10.4103/1673-5374.257512>
- Davis, A.S., Zhao, H., Sun, G.H., Sapolsky, R.M., Steinberg, G.K., 2007. Gene therapy using SOD1 protects striatal neurons from experimental stroke. *Neurosci. Lett.* 411, 32–36. <https://doi.org/10.1016/j.neulet.2006.08.089>
- Dawes, W.J., Zhang, X., Fancy, S.P.J., Rowitch, D., Marino, S., 2017. Moderate-Grade Germinal Matrix Haemorrhage Activates Cell Division in the Neonatal Mouse Subventricular Zone. *Dev. Neurosci.* 38, 430–444.
<https://doi.org/10.1159/000455839>
- de Almeida Carvalho Duarte, N., Collange Grecco, L.A., Zanon, N., Galli, M., Fregni, F., Santos Oliveira, C., 2017. Motor Cortex Plasticity in Children With Spastic Cerebral Palsy: A Systematic Review. *J. Mot. Behav.* 49, 355–364.
<https://doi.org/10.1080/00222895.2016.1219310>
- de Cerio, F.G., Lara-Celador, I., Alvarez, A., Hilario, E., 2013. Neuroprotective therapies after perinatal hypoxic-ischemic brain injury. *Brain Sci.* 3, 191–214.
<https://doi.org/10.3390/brainsci3010191>
- de Paula, S., Greggio, S., DaCosta, J.C., 2010. Use of stem cells in perinatal asphyxia: from bench to bedside. *J. Pediatr. (Rio J.)* 86, 451–464.
<https://doi.org/10.2223/jped.2035>
- Dean, J.M., McClendon, E., Hansen, K., Azimi-Zonooz, A., Chen, K., Riddle, A., Gong, X., Sharifnia, E., Hagen, M., Ahmad, T., Leigland, L.A., Hohimer, A.R., Kroenke, C.D., Back, S.A., 2013. Prenatal Cerebral Ischemia Disrupts MRI-Defined Cortical Microstructure Through Disturbances in Neuronal Arborization. *Sci. Transl. Med.* 5. <https://doi.org/10.1126/scitranslmed.3004669>

Dean, J.M., Shi, Z.J., Fleiss, B., Gunn, K.C., Groenendaal, F., van Bel, F., Derrick, M., Juul, S.E., Tan, S., Gressens, P., Mallard, C., Bennet, L., Gunn, A.J., 2015. A Critical Review of Models of Perinatal Infection. *Dev. Neurosci.* 37, 289–304. <https://doi.org/10.1159/000370309>

Dean, J.M., Bennet, L., Back, S.A., McClendon, E., Riddle, A., Gunn, A.J., 2014. What brakes the preterm brain? An arresting story. *Pediatr. Res.* 75, 227–233. <https://doi.org/10.1038/pr.2013.189>

Deconinck, F.J.A., Smorenburg, A.R.P., Benham, A., Ledebt, A., Feltham, M.G., Savelbergh, G.J.P., 2015. Reflections on mirror therapy: a systematic review of the effect of mirror visual feedback on the brain. *Neurorehabil. Neural Repair* 29, 349–361. <https://doi.org/10.1177/1545968314546134>

Decrock, E., De Bock, M., Wang, N., Bultynck, G., Giaume, C., Naus, C.C., Green, C.R., Leybaert, L., 2015. Connexin and pannexin signaling pathways, an architectural blueprint for CNS physiology and pathology? *Cell. Mol. Life Sci.* 72, 2823–2851. <https://doi.org/10.1007/s00018-015-1962-7>

Degos, V., Loron, G., Mantz, J., Gressens, P., 2008. Neuroprotective strategies for the neonatal brain. *Anesth. Analg.* 106, 1670–1680. <https://doi.org/10.1213/ane.0b013e3181733f6f>

Delcour, M., Russier, M., Amin, M., Baud, O., Paban, V., Barbe, M.F., Coq, J.-O., 2012. Impact of prenatal ischemia on behavior, cognitive abilities and neuroanatomy in adult rats with white matter damage. *Behav. Brain Res.* 232, 233–244. <https://doi.org/10.1016/j.bbr.2012.03.029>

Dellanna, M.E., Geloso, M.C., Draisici, G., Luthman, J., 1995. TRANSIENT CHANGES IN FOS AND GFAP IMMUNOREACTIVITY PRECEDE NEURONAL LOSS IN THE RAT HIPPOCAMPUS FOLLOWING NEONATAL ANOXIA. *Exp. Neurol.* 131, 144–156. [https://doi.org/10.1016/0014-4886\(95\)90016-0](https://doi.org/10.1016/0014-4886(95)90016-0)

Demeestere, D., Libert, C., Vandenbroucke, R.E., 2015. Therapeutic implications of the choroid plexus-cerebrospinal fluid interface in neuropsychiatric disorders. *Brain. Behav. Immun.* 50, 1–13. <https://doi.org/10.1016/j.bbi.2015.06.010>

Demers, E.J., McPherson, R.J., Juul, S.E., 2005. Erythropoietin protects dopaminergic neurons and improves neurobehavioral outcomes in juvenile rats after neonatal hypoxia-ischemia. *Pediatr. Res.* 58, 297–301. <https://doi.org/10.1203/01.pdr.0000169971.64558.5a>

Deng, Y.F., Huang, G.T., Che, F., Testroet, E.D., Li, H., Li, H.Y., Nong, T.Y., Yang, X.L., Cui, J.Y., Shi, D.S., Yang, S.F., 2019. Hypoxia enhances buffalo adipose-derived mesenchymal stem cells proliferation, stemness, and reprogramming into induced pluripotent stem cells. *J. Cell. Physiol.* 234, 17254–17268. <https://doi.org/10.1002/jcp.28342>

- Deng, Y.Y., Lu, J., Ling, E.-A., Kaur, C., Y.Y., D., J., L., E.-A., L., C., K., 2011. Role of microglia in the process of inflammation in the hypoxic developing brain. *Front. Biosci. - Sch.* 3 S, 884–900.
- Derugin, N., Wendland, M., Muramatsu, K., Roberts, T.P.L., Gregory, G., Ferriero, D.M., Vexler, Z.S., 2000. Evolution of brain injury after transient middle cerebral artery occlusion in neonatal rats. *Stroke* 31, 1752–1760.
<https://doi.org/10.1161/01.str.31.7.1752>
- Desilva, T.M., Borenstein, N.S., Volpe, J.J., Kinney, H.C., Rosenberg, P.A., 2012. Expression of EAAT2 in neurons and protoplasmic astrocytes during human cortical development. *J. Comp. Neurol.* 520, 3912–3932.
<https://doi.org/10.1002/cne.23130>
- Devesa, J., Almengló, C., Devesa, P., 2016. Multiple effects of growth hormone in the body: Is it really the hormone for growth? *Clin. Med. Insights Endocrinol. Diabetes* 9, 47–71. <https://doi.org/10.4137/CMED.S38201>
- Devesa, J., Reimunde, P., Devesa, P., Barberá, M., Arce, V., 2013. Growth hormone (GH) and brain trauma. *Horm. Behav.* 63, 331–344.
<https://doi.org/10.1016/j.yhbeh.2012.02.022>
- Devesa, J., Devesa, P., Reimunde, P., 2010. [Growth hormone revisited]. *Med. Clin. (Barc.)*. 135, 665–670. <https://doi.org/10.1016/j.medcli.2009.10.017>
- Diaz Heijtz, R., Forssberg, H., 2015. Translational studies exploring neuroplasticity associated with motor skill learning and the regulatory role of the dopamine system. *Dev. Med. Child Neurol.* 57 Suppl 2, 10–14.
<https://doi.org/10.1111/dmcn.12692>
- Diaz, A.L., Gleeson, J.G., 2009. The Molecular and Genetic Mechanisms of Neocortex Development. *Clin. Perinatol.* 36, 503–512.
<https://doi.org/10.1016/j.clp.2009.06.008>
- Diaz, J., Abiola, S., Kim, N., Avaritt, O., Flock, D., Yu, J., Northington, F.J., Chavez-Valdez, R., 2017. Therapeutic Hypothermia Provides Variable Protection against Behavioral Deficits after Neonatal Hypoxia-Ischemia: A Potential Role for Brain-Derived Neurotrophic Factor. *Dev. Neurosci.* 39, 257–272.
<https://doi.org/10.1159/000454949>
- Dickey, E.J., Long, S.N., Hunt, R.W., 2011. Hypoxic Ischemic Encephalopathy-What Can We Learn from Humans? *J. Vet. Intern. Med.* 25, 1231–1240.
<https://doi.org/10.1111/j.1939-1676.2011.00818.x>
- Dieni, S., Rees, S., 2003. Dendritic morphology is altered in hippocampal neurons following prenatal compromise. *J. Neurobiol.* 55, 41–52.
<https://doi.org/10.1002/neu.10194>
- Dillenburg, A., Ireland, G., Holloway, R.K., Davies, C.L., Evans, F.L., Swire, M., Bechler, M.E., Soong, D., Yuen, T.J., Su, G.H., Becher, J.-C., Smith, C., Williams,

A., Miron, V.E., 2018. Activin receptors regulate the oligodendrocyte lineage in health and disease. *Acta Neuropathol.* 135, 887–906.
<https://doi.org/10.1007/s00401-018-1813-3>

Dinomais, M., Marret, S., Vuillerot, C., 2017. [Brain plasticity and early rehabilitative care for children after neonatal arterial cerebral infarction]. *Arch. Pediatr.* 24, 9S61-9S68. [https://doi.org/10.1016/S0929-693X\(17\)30333-0](https://doi.org/10.1016/S0929-693X(17)30333-0)

Dizon, M., Szele, F., Kessler, J.A., 2010. Hypoxia-ischemia induces an endogenous reparative response by local neural progenitors in the postnatal mouse telencephalon. *Dev. Neurosci.* 32, 173–183. <https://doi.org/10.1159/000313468>

Domowicz, M.S., Henry, J.G., Wadlington, N., Navarro, A., Kraig, R.P., Schwartz, N.B., 2011. Astrocyte precursor response to embryonic brain injury. *Brain Res.* 1389, 35–49. <https://doi.org/10.1016/j.brainres.2011.03.006>

Dong, H.-Y., Jiang, X.-M., Niu, C.-B., Du, L., Feng, J.-Y., Jia, F.-Y., 2016. Cerebrolysin improves sciatic nerve dysfunction in a mouse model of diabetic peripheral neuropathy. *Neural Regen. Res.* 11, 156–162.
<https://doi.org/10.4103/1673-5374.175063>

Dong, Y.F., Yu, Z.Y., Sun, Y., Zhou, H., Stites, J., Newell, K., Weiner, C.P., 2011. Chronic fetal hypoxia produces selective brain injury associated with altered nitric oxide synthases. *Am. J. Obstet. Gynecol.* 204.
<https://doi.org/10.1016/j.ajog.2010.11.032>

Donnelly, W.T., Haynes, R.L., Commons, K.G., Erickson, D.J., Panzini, C.M., Xia, L.X., Han, Q.J., Leiter, J.C., 2020. Prenatal intermittent hypoxia sensitizes the laryngeal chemoreflex, blocks serotonergic shortening of the reflex, and reduces 5-HT3 receptor binding in the NTS in anesthetized rat pups. *Exp. Neurol.* 326.
<https://doi.org/10.1016/j.expneurol.2019.113166>

Drobyshevsky, A., Robinson, A.M., Derrick, M., Wyrwicz, A.M., Ji, X.H., Englof, I., Tan, S., 2006. Sensory deficits and olfactory system injury detected by novel application of MEMRI in newborn rabbit after antenatal hypoxia-ischemia. *Neuroimage* 32, 1106–1112. <https://doi.org/10.1016/j.neuroimage.2006.06.002>

Drury, P.P., Davidson, J.O., van den Heijj, L.G., Tan, S., Silverman, R.B., Ji, H., Blood, A.B., Fraser, M., Bennet, L., Gunn, A.J., 2013. Partial neuroprotection by nNOS inhibition during profound asphyxia in preterm fetal sheep. *Exp. Neurol.* 250, 282–292. <https://doi.org/10.1016/j.expneurol.2013.10.003>

Du, Y., Liang, H., Zhang, L., Fu, F., 2017. Administration of Huperzine A exerts antidepressant-like activity in a rat model of post-stroke depression. *Pharmacol. Biochem. Behav.* 158, 32–38. <https://doi.org/10.1016/j.pbb.2017.06.002>

Dubois, C., Houchi, H., Naassila, M., Daoust, M., Pierrefiche, O., 2008. Blunted response to low oxygen of rat respiratory network after perinatal ethanol exposure: involvement of inhibitory control. *J. Physiol.* 586, 1413–1427.
<https://doi.org/10.1113/jphysiol.2007.147165>

- Ducruet, A.F., Derosa, P.A., Zacharia, B.E., Sosunov, S.A., Connolly Jr., E.S., Weinstein, D.E., 2012. GM1485, a nonimmunosuppressive immunophilin ligand, promotes neurofunctional improvement and neural regeneration following stroke. *J. Neurosci. Res.* 90, 1413–1423. <https://doi.org/10.1002/jnr.23033>
- Duksal, F., Kilic, I., Tufan, A.C., Akdogan, I., 2009. Effects of different corticosteroids on the brain weight and hippocampal neuronal loss in rats. *Brain Res.* 1250, 75–80. <https://doi.org/10.1016/j.brainres.2008.10.051>
- Dunbar, M., Kirton, A., 2019. Perinatal Stroke. *Semin. Pediatr. Neurol.* 32. <https://doi.org/10.1016/j.spen.2019.08.003>
- Duncan, J.R., Camm, E., Loeliger, M., Cock, M.L., Harding, R., Rees, S.M., 2004. Effects of umbilical cord occlusion in late gestation on the ovine fetal brain and retina. *J. Soc. Gynecol. Investig.* 11, 369–376. <https://doi.org/10.1016/j.jsgi.2004.03.004>
- Dunnett, S.B., Rosser, A.E., 2011. Clinical translation of cell transplantation in the brain. *Curr. Opin. Organ Transplant.* 16, 632–639. <https://doi.org/10.1097/MOT.0b013e32834c2356>
- Durán-Carabali, L.E., Arcego, D.M., Odorcyk, F.K., Reichert, L., Cordeiro, J.L., Sanches, E.F., Freitas, L.D., Dalmaz, C., Pagnussat, A., Netto, C.A., Duran-Carabali, L.E., Arcego, D.M., Odorcyk, F.K., Reichert, L., Cordeiro, J.L., Sanches, E.F., Freitas, L.D., Dalmaz, C., Pagnussat, A., Netto, C.A., 2018. Prenatal and Early Postnatal Environmental Enrichment Reduce Acute Cell Death and Prevent Neurodevelopment and Memory Impairments in Rats Submitted to Neonatal Hypoxia Ischemia. *Mol. Neurobiol.* 55, 3627–3641. <https://doi.org/10.1007/s12035-017-0604-5>
- Duran-Carabali, L.E., Arcego, D.M., Sanches, E.F., Odorcyk, F.K., Marques, M.R., Tosta, A., Reichert, L., Carvalho, A.S., Dalmaz, C., Netto, C.A., 2019. Preventive and therapeutic effects of environmental enrichment in Wistar rats submitted to neonatal hypoxia-ischemia. *Behav. Brain Res.* 359, 485–497. <https://doi.org/10.1016/j.bbr.2018.11.036>
- Duran-Carabali, L.E., Sanches, E.F., Reichert, L., Netto, C.A., L.E., D.-C., E.F., S., L., R., C.A., N., 2019. Enriched experience during pregnancy and lactation protects against motor impairments induced by neonatal hypoxia-ischemia. *Behav. Brain Res.* 367, 189–193. <https://doi.org/10.1016/j.bbr.2019.03.048>
- Dutta, S., Singh, G., Sreejith, S., Mamidi, M.K., Husin, J.M., Datta, I., Pal, R., Das, A.K., 2013. Cell Therapy: The Final Frontier for Treatment of Neurological Diseases. *CNS Neurosci. Ther.* 19, 5–11. <https://doi.org/10.1111/cns.12027>
- Dutton, G.N., 2013. The spectrum of cerebral visual impairment as a sequel to premature birth: an overview. *Doc. Ophthalmol.* 127, 69–78. <https://doi.org/10.1007/s10633-013-9382-1>

- Dzietko, M., Boos, V., Siffringer, M., Polley, O., Gerstner, B., Genz, K., Endesfelder, S., Börner, C., Jacotot, E., Chauvier, D., Obladen, M., Bührer, C., Felderhoff-Mueser, U., 2008. A critical role for Fas/CD-95 dependent signaling pathways in the pathogenesis of hyperoxia-induced brain injury. *Ann. Neurol.* 64, 664–673. <https://doi.org/10.1002/ana.21516>
- E., B., P., G., M.I., H., J.I., R., T., L., P., R., F.J., P., J., S., F., C., F.R., de F., 2015. Perinatal asphyxia results in altered expression of the hippocampal acylethanolamide/endocannabinoid signaling system associated to memory impairments in postweaned rats. *Front. Neuroanat.* 9, 1–16. <https://doi.org/10.3389/fnana.2015.00141>
- E., D., Y., C., E., E., K., A., G., L., J., L., M., H.-M., 1997. Delayed neuronal death following perinatal asphyxia in rat. *Exp. Brain Res.* 115, 105–115. <https://doi.org/10.1007/PL00005670>
- E., F., L., J., 2020. Peptidomic analysis of hippocampal tissue for explore leptin neuroprotective effect on the preterm ischemia-hypoxia brain damage model rats. *Neuropharmacology* 162. <https://doi.org/10.1016/j.neuropharm.2019.107803>
- E., H., H., S., G., V.A., R., A., 2011. Lipopolysaccharide-induced preconditioning against ischemic injury is associated with changes in Toll-like receptor 4 expression in the rat developing brain. *Pediatr. Res.* 70, 10–14. <https://doi.org/10.1203/PDR.0b013e31821d02aa>
- E., K., R., L., O., T., K.-N., P., C., S., 2013. Autophagy and neurodegenerative disorders. *Neural Regen. Res.* 8, 2275–2283. <https://doi.org/10.3969/j.issn.1673-5374.2013.24.007>
- E., M., K., W., K., D.-O., M.W., H., X., G., T., N., W.W., W., J., M., S.A., B., 2019. Transient Hypoxemia Disrupts Anatomical and Functional Maturation of Preterm Fetal Ovine CA1 Pyramidal Neurons. *J. Neurosci.* 39, 7853–7871. <https://doi.org/10.1523/JNEUROSCI.1364-19.2019>
- E., T., G., U., V.W., M., Taub, E., Uswatte, G., Mark, V.W., 2014. The functional significance of cortical reorganization and the parallel development of CI therapy. *Front. Hum. Neurosci.* 8. <https://doi.org/10.3389/fnhum.2014.00396>
- E., T., C., P., C., M., R., V., M., N., A., N., J.-M., F., 2017. Estrogen receptors and estetroldependent neuroprotective actions: A pilot study. *J. Endocrinol.* 232, 85–95. <https://doi.org/10.1530/JOE-16-0434>
- E., U., M., D., J., N., N., S., L., D., I., B., M., M., 2013. Subchronic perinatal asphyxia in rats: Embryo-foetal assessment of a new model of oxidative stress during critical period of development. *Food Chem. Toxicol.* 61, 233–239. <https://doi.org/10.1016/j.fct.2013.07.023>
- E.C., M., 1995. Repeated asphyxia causes loss of striatal projection neurons in the fetal sheep brain. *Neuroscience* 65, 827–836. [https://doi.org/10.1016/0306-4522\(94\)00504-X](https://doi.org/10.1016/0306-4522(94)00504-X)

E.F., S., R.B., F., L.S., M., E., R., I.D., T., A.S., C., M.K., A., L.S., de F., C.A., N., 2020. Previous adaptation triggers distinct molecular pathways and modulates early and long-term neuroprotective effects of pregnancy swimming preventing neonatal hypoxia-ischemia damage in rats. *Brain Res.* 1733.
<https://doi.org/10.1016/j.brainres.2020.146722>

E.H.A., A., O.A., A.-F., A.A.E., O., 2017. Bone marrow-derived mesenchymal stem cells ameliorate sodium nitrite-induced hypoxic brain injury in a rat model. *Neural Regen. Res.* 12, 1990–1999. <https://doi.org/10.4103/1673-5374.221155>

E.N.J., M., T.L., R., R.J., M., T.M., B., S.E., J., Misbe, E.N.J., Richards, T.L., McPherson, R.J., Burbacher, T.M., Juul, S.E., E.N.J., M., T.L., R., R.J., M., T.M., B., S.E., J., Misbe, E.N.J., Richards, T.L., McPherson, R.J., Burbacher, T.M., Juul, S.E., 2011. Perinatal asphyxia in a nonhuman primate model. *Dev. Neurosci.* 33, 210–221. <https://doi.org/10.1159/000327246>

E.Y., H., P.H., P., 2012. Placental regulation of maternal-fetal interactions and brain development. *Dev. Neurobiol.* 72, 1317–1326. <https://doi.org/10.1002/dneu.22045>

Ebrahim, N., Ehsan, E., Abd El Ghany, E., Sabry, D., Shamaa, A., 2019. Mesenchymal stem cells transplantation attenuates experimentally induced brain injury after neonatal hypoxia by different two routes of administrations. *Biocell* 43, 21–28.
<https://doi.org/10.32604/biocell.2019.06111>

Ebrahimi, S., Esfahani, S.A., Kohkiloezadeh, M., Moghaddam, B.H., Askarian, S., Tanideh, N., Tamadon, A., 2012. A model of cerebral ischemia induction in neonatal rabbits. *J. Appl. Anim. Res.* 40, 37–42.
<https://doi.org/10.1080/09712119.2011.627134>

Edlow, A.G., A.G., E., 2017. Maternal obesity and neurodevelopmental and psychiatric disorders in offspring. *Prenat. Diagn.* 37, 95–110. <https://doi.org/10.1002/pd.4932>

Edwards, M.J., 2006. Review: Hyperthermia and fever during pregnancy. *Birth Defects Res. Part a-Clinical Mol. Teratol.* 76, 507–516. <https://doi.org/10.1002/bdra.20277>

Eftekhari, A., Norton, J.J.S., McDonough, C.M., Wolpaw, J.R., 2018. Retraining Reflexes: Clinical Translation of Spinal Reflex Operant Conditioning. *Neurotherapeutics* 15, 669–683. <https://doi.org/10.1007/s13311-018-0643-2>

Egaña, J.T., Zambrano, C., Nuñez, M.T., Gonzalez-Billault, C., Maccioni, R.B., 2003. Iron-induced oxidative stress modify tau phosphorylation patterns in hippocampal cell cultures. *BioMetals* 16, 215–223. <https://doi.org/10.1023/A:1020727218493>

Eixarch, E., Figueras, F., Hernández-Andrade, E., Crispi, F., Nadal, A., Torre, I., Oliveira, S., Gratacós, E., 2009. An experimental model of fetal growth restriction based on selective ligation of uteroplacental vessels in the pregnant rabbit. *Fetal Diagn. Ther.* 26, 203–211. <https://doi.org/10.1159/000264063>

Eklind, S., Hagberg, H., Wang, X., Sävman, K., Leverin, A.-L., Hedtjärn, M., Mallard, C., 2006. Effect of lipopolysaccharide on global gene expression in the immature

rat brain. *Pediatr. Res.* 60, 161–168.
<https://doi.org/10.1203/01.pdr.0000228323.32445.7d>

El Ghazi, F., Desfeux, A., Brasse-Lagnel, C., Roux, C., Lesueur, C., Mazur, D., Remy-Jouet, I., Richard, V., Jégou, S., Laudenbach, V., Marret, S., Bekri, S., Prevot, V., Gonzalez, B.J., 2012. NO-dependent protective effect of VEGF against excitotoxicity on layer VI of the developing cerebral cortex. *Neurobiol. Dis.* 45, 871–886. <https://doi.org/10.1016/j.nbd.2011.12.003>

Elbasiouny, S.M., Moroz, D., Bakr, M.M., Mushahwar, V.K., 2010. Management of Spasticity After Spinal Cord Injury: Current Techniques and Future Directions. *Neurorehabil. Neural Repair* 24, 23–33.
<https://doi.org/10.1177/1545968309343213>

Elbert, T., Rockstroh, B., Bulach, D., Meinzer, M., Taub, E., 2003. [New developments in stroke rehabilitation based on behavioral and neuroscientific principles: constraint-induced therapy]. *Nervenarzt* 74, 334–342.
<https://doi.org/10.1007/s00115-003-1498-1>

Elitt, C.M., Rosenberg, P.A., 2014. The challenge of understanding cerebral white matter injury in the premature infant. *Neuroscience* 276, 216–238.
<https://doi.org/10.1016/j.neuroscience.2014.04.038>

ElKhodor, B.F., Boksa, P., 1997. Long-term reciprocal changes in dopamine levels in prefrontal cortex versus nucleus accumbens in rats born by caesarean section compared to vaginal birth. *Exp. Neurol.* 145, 118–129.
<https://doi.org/10.1006/exnr.1997.6437>

Empie, K., Rangarajan, V., Juul, S.E., 2015. Is the ferret a suitable species for studying perinatal brain injury? *Int. J. Dev. Neurosci.* 45, 2–10.
<https://doi.org/10.1016/j.ijdevneu.2015.06.005>

Endesfelder, S., Makki, H., Von Haefen, C., Spies, C.D., Bührer, C., Siffringer, M., 2017. Neuroprotective effects of dexmedetomidine against hyperoxia-induced injury in the developing rat brain. *PLoS One* 12.
<https://doi.org/10.1371/journal.pone.0171498>

Endesfelder, S., Zaak, I., Weichelt, U., Bührer, C., Schmitz, T., S., E., I., Z., U., W., C., B., T., S., 2014. Caffeine protects neuronal cells against injury caused by hyperoxia in the immature brain. *Free Radic. Biol. Med.* 67, 221–234.
<https://doi.org/10.1016/j.freeradbiomed.2013.09.026>

Endesfelder, S., Weichelt, U., Schiller, C., Siffringer, M., Bendix, I., Bührer, C., S., E., U., W., C., S., M., S., I., B., C., B., Endesfelder, S., Weichelt, U., Schiller, C., Siffringer, M., Bendix, I., Bührer, C., 2017. Caffeine Protects Against Anticonvulsant-Induced Neurotoxicity in the Developing Rat Brain. *Neurotox. Res.* 32, 460–472. <https://doi.org/10.1007/s12640-017-9768-z>

Engel, T., Gómez-Sintes, R., Alves, M., Jimenez-Mateos, E.M., Fernández-Nogales, M., Sanz-Rodriguez, A., Morgan, J., Beamer, E., Rodríguez-Matellán, A.,

Dunleavy, M., Sano, T., Avila, J., Medina, M., Hernandez, F., Lucas, J.J., Henshall, D.C., 2018. Bi-directional genetic modulation of GSK-3 β exacerbates hippocampal neuropathology in experimental status epilepticus. *Cell Death Dis.* 9. <https://doi.org/10.1038/s41419-018-0963-5>

Escobar, M., Crouzin, N., Cavalier, M., Quentin, J., Roussel, J., Lante, F., Batista-Novais, A.R., Cohen-Solal, C., De Jesus Ferreira, M.-C., Guiramand, J., Barbanel, G., Vignes, M., 2011. Early, time-dependent disturbances of hippocampal synaptic transmission and plasticity after in utero immune challenge. *Biol. Psychiatry* 70, 992–999. <https://doi.org/10.1016/j.biopsych.2011.01.009>

Espinosa-Jeffrey, A., Barajas, S.A.R., Arrazola, A.R., Taniguchi, A., Zhao, P.M., Bokhoor, P., Holley, S.M., Dejarme, D.P., Chu, B., Cepeda, C., Levine, M.S., Gressens, P., Feria-Velasco, A., de Vellis, J., 2013. White matter loss in a mouse model of periventricular leukomalacia is rescued by trophic factors. *Brain Sci.* 3, 1461–1482. <https://doi.org/10.3390/brainsci3041461>

Evans, C., Wang, J., Neff, R., Mendelowitz, D., 2005. Hypoxia recruits a respiratory-related excitatory pathway to brainstem premotor cardiac vagal neurons in animals exposed to prenatal nicotine. *Neuroscience* 133, 1073–1079. <https://doi.org/10.1016/j.neuroscience.2005.03.053>

Evrard, P., Marret, S., Gressens, P., 1997. Environmental and genetic determinants of neural migration and postmigratory survival. *Acta Paediatr. Int. J. Paediatr. Suppl.* 86, 20–26.

Eyre, J.A., 2007. Corticospinal tract development and its plasticity after perinatal injury. *Neurosci. Biobehav. Rev.* 31, 1136–1149. <https://doi.org/10.1016/j.neubiorev.2007.05.011>

Eyre, J.A., 2003. Development and plasticity of the corticospinal system in man. *Neural Plast.* 10, 93–106. <https://doi.org/10.1155/NP.2003.93>

Eyre, J.A., Smith, M., Dabydeen, L., Clowry, G.J., Petacchi, E., Battini, R., Guzzetta, A., Cioni, G., 2007. Is hemiplegic cerebral palsy equivalent to amblyopia of the corticospinal system? *Ann. Neurol.* 62, 493–503. <https://doi.org/10.1002/ana.21108>

Ezquer, M., Seltzer, A.M., 2003. c-fos and tyrosine hydroxylase expression after an excitotoxic lesion on the nigrostriatal system: a study on the effects of hypoxia used as a preconditioning stimulus. *Exp. Neurol.* 183, 523–531. [https://doi.org/10.1016/s0014-4886\(03\)00247-4](https://doi.org/10.1016/s0014-4886(03)00247-4)

F., K., V., S., T., G., C.T., N., C., S., O., G.-T., E., S., 2011. Resveratrol ameliorates hypoxia/ischemia-induced behavioral deficits and brain injury in the neonatal rat brain. *Brain Res.* 1425, 98–110. <https://doi.org/10.1016/j.brainres.2011.09.044>

F., S., G., L., M., M., K., B., F., M., V., E., I.R., S., M., A., S., M., 2013. Inflammatory response and oxidative stress in developing rat brain and its consequences on

motor behavior following maternal administration of LPS and perinatal anoxia. *Int. J. Dev. Neurosci.* 31, 820–827. <https://doi.org/10.1016/j.ijdevneu.2013.10.003>

F., Z., W., F., X., H., X., C., 2020. Compound brain peptide ganglioside can improve intrauterine hypoxia-induced neonatal brain injury and promote synapse regeneration in a mouse model. *Chinese J. Tissue Eng. Res.* 24, 1689–1694. <https://doi.org/10.3969/j.issn.2095-4344.2478>

F.E., J., 2010. Epileptogenesis in the immature brain: Neonatal seizures in hypoxic/ischemic encephalopathy. *Epilepsia* 51, 32. <https://doi.org/10.1111/j.1528-1167.2010.02818.x>

Faa, G., Fanos, V., Fanni, D., Gerosa, C., Faa, A., Fraschini, M., Pais, M.E., Di Felice, E., Papalois, A., Varsami, M., Xanthos, T., Iacovidou, N., 2014. Reoxygenation of Asphyxiated Newborn Piglets: Administration of 100% Oxygen Causes Significantly Higher Apoptosis in Cortical Neurons, as Compared to 21%. *Biomed Res. Int.* <https://doi.org/10.1155/2014/476349>

Failor, S., Nguyen, V., Darcy, D.P., Cang, J.H., Wendland, M.F., Stryker, M.P., McQuillen, P.S., 2010. Neonatal Cerebral Hypoxia-Ischemia Impairs Plasticity in Rat Visual Cortex. *J. Neurosci.* 30, 81–92. <https://doi.org/10.1523/jneurosci.5656-08.2010>

Falck, M., Osredkar, D., Maes, E., Flatebo, T., Wood, T.R., Sabir, H., Thoresen, M., 2017. Hypothermic Neuronal Rescue from Infection-Sensitised Hypoxic-Ischaemic Brain Injury Is Pathogen Dependent. *Dev. Neurosci.* 39, 238–247. <https://doi.org/10.1159/000455838>

Falck, M., Osredkar, D., Maes, E., Flatebo, T., Wood, T.R., Walloe, L., Sabir, H., Thoresen, M., 2018. Hypothermia Is Neuroprotective after Severe Hypoxic-Ischaemic Brain Injury in Neonatal Rats Pre-Exposed to PAM(3)CSK(4). *Dev. Neurosci.* 40, 189–197. <https://doi.org/10.1159/000487798>

Falik-Zaccai, T.C., Savitzki, D., Zivony-Elboum, Y., Vilboux, T., Fitts, E.C., Shoval, Y., Kalfon, L., Samra, N., Keren, Z., Gross, B., Chasnyk, N., Straussberg, R., Mullikin, J.C., Teer, J.K., Geiger, D., Kornitzer, D., Bitterman-Deutsch, O., Samson, A.O., Wakamiya, M., Peterson, J.W., Kirtley, M.L., Pinchuk, I. V., Baze, W.B., Gahl, W.A., Kleta, R., Anikster, Y., Chopra, A.K., 2017. Phospholipase A2-activating protein is associated with a novel form of leukoencephalopathy. *Brain* 140, 370–386. <https://doi.org/10.1093/brain/aww295>

Fan, H.-C., Ho, L.-I., Chi, C.-S., Cheng, S.-N., Juan, C.-J., Chiang, K.-L., Lin, S.-Z., Harn, H.-J., 2015. Current proceedings of cerebral palsy. *Cell Transplant.* 24, 471–485. <https://doi.org/10.3727/096368915X686931>

Fan, L.W., Tien, L.T., Zheng, B., Pang, Y., Rhodes, P.G., Cai, Z., 2010. INTERLEUKIN-1 beta-INDUCED BRAIN INJURY AND NEUROBEHAVIORAL DYSFUNCTIONS IN JUVENILE RATS CAN BE ATTENUATED BY alpha-PHENYL-N-TERT-BUTYL-NITRONE. *Neuroscience* 168, 240–252. <https://doi.org/10.1016/j.neuroscience.2010.03.024>

- Fan, X.Y., Heijnen, C.J., van der Kooij, M.A., Groenendaal, F., van Bel, F., 2011. Beneficial Effect of Erythropoietin on Sensorimotor Function and White Matter After Hypoxia-Ischemia in Neonatal Mice. *Pediatr. Res.* 69, 56–61. <https://doi.org/10.1203/PDR.0b013e3181fcbef3>
- Fan, Y., Chen, Z., Pathak, J.L., Carneiro, A.M.D., Chung, C.Y., 2018. Differential regulation of adhesion and phagocytosis of resting and activated microglia by dopamine. *Front. Cell. Neurosci.* 12. <https://doi.org/10.3389/fncel.2018.00309>
- Fancy, S.P.J., Chan, J.R., Baranzini, S.E., Franklin, R.J.M., Rowitch, D.H., 2011. Myelin regeneration: A recapitulation of development? *Annu. Rev. Neurosci.* <https://doi.org/10.1146/annurev-neuro-061010-113629>
- Fang, C., Yang, Y., Wang, Q., Yao, Y., Zhang, X., He, X., 2013. Intraventricular injection of human dental pulp stem cells improves hypoxic-ischemic brain damage in neonatal rats. *PLoS One* 8, e66748. <https://doi.org/10.1371/journal.pone.0066748>
- Fang, M., Jiang, H., Ye, L., Cai, C., Hu, Y., Pan, S., Li, P., Xiao, J., Lin, Z., 2017. Metformin treatment after the hypoxia-ischemia attenuates brain injury in newborn rats. *Oncotarget* 8, 75308–75325. <https://doi.org/10.18632/oncotarget.20779>
- Farmer, S.F., Harrison, L.M., Ingram, D.A., Stephens, J.A., 1991. Plasticity of central motor pathways in children with hemiplegic cerebral palsy. *Neurology* 41, 1505–1510. <https://doi.org/10.1212/wnl.41.9.1505>
- Fatemi, A., Wilson, M.A., Johnston, M. V, 2009. Hypoxic-ischemic encephalopathy in the term infant. *Clin. Perinatol.* 36, 835–58, vii. <https://doi.org/10.1016/j.clp.2009.07.011>
- Fathali, N., Lekic, T., Zhang, J.H., Tang, J.P., 2010. Long-term evaluation of granulocyte-colony stimulating factor on hypoxic-ischemic brain damage in infant rats. *Intensive Care Med.* 36, 1602–1608. <https://doi.org/10.1007/s00134-010-1913-6>
- Faulkner, S.D., Ruff, C.A., Fehlings, M.G., 2013. The potential for stem cells in cerebral palsy-piecing together the puzzle. *Semin. Pediatr. Neurol.* 20, 146–153. <https://doi.org/10.1016/j.spen.2013.06.002>
- Faustino, J. V, Wang, X., Johnson, C.E., Klibanov, A., Derugin, N., Wendland, M.F., Vexler, Z.S., 2011. Microglial Cells Contribute to Endogenous Brain Defenses after Acute Neonatal Focal Stroke. *J. Neurosci.* 31, 12992–13001. <https://doi.org/10.1523/JNEUROSCI.2102-11.2011>
- Felling, R.J., Snyder, M.J., Romanko, M.J., Rothstein, R.P., Ziegler, A.N., Yang, Z., Givogri, M.I., Bongarzone, E.R., Levison, S.W., R.J., F., M.J., S., M.J., R., R.P., R., A.N., Z., Z., Y., M.I., G., E.R., B., S.W., L., 2006. Neural stem/progenitor cells participate in the regenerative response to perinatal hypoxia/ischemia. *J. Neurosci.* 26, 4359–4369. <https://doi.org/10.1523/JNEUROSCI.1898-05.2006>

- Feng, Y.Z., Fratkins, J.D., LeBlanc, M.H., 2005. Estrogen attenuates hypoxic-ischemic brain injury in neonatal rats. *Eur. J. Pharmacol.* 507, 77–86.
<https://doi.org/10.1016/j.ejphar.2004.11.039>
- Feng, Y., Famuyide, M., Bhatt, A.J., 2013. Dexamethasone decreases insulin-like growth factor-I and -II via a glucocorticoid receptor dependent mechanism in developing rat brain. *Neuroendocrinol. Lett.* 34, 624–634.
- Feng, Y., Rhodes, P.G., Liu, H., Bhatt, A.J., 2009. Dexamethasone induces neurodegeneration but also up-regulates vascular endothelial growth factor A in neonatal rat brains. *Neuroscience* 158, 823–832.
<https://doi.org/10.1016/j.neuroscience.2008.10.024>
- Feng, Z., Liu, J., Ju, R., Z., F., J., L., R., J., 2013. Hyperbaric oxygen treatment promotes neural stem cell proliferation in the subventricular zone of neonatal rats with hypoxic-ischemic brain damage. *Neural Regen. Res.* 8, 1220–1227.
<https://doi.org/10.3969/j.issn.1673-5374.2013.13.007>
- Fernandes, C., Rocha, N.B.F., Rocha, S., Herrera-Solís, A., Salas-Pacheco, J., García-García, F., Murillo-Rodríguez, E., Yuan, T.-F., Machado, S., Arias-Carrión, O., 2015. Detrimental role of prolonged sleep deprivation on adult neurogenesis. *Front. Cell. Neurosci.* 9. <https://doi.org/10.3389/fncel.2015.00140>
- Fernández-López, D., Natarajan, N., Ashwal, S., Vexler, Z.S.Z.S., Fernandez-Lopez, D., Natarajan, N., Ashwal, S., Vexler, Z.S.Z.S., 2014. Mechanisms of perinatal arterial ischemic stroke. *J. Cereb. Blood Flow Metab.* 34, 921–932.
<https://doi.org/10.1038/jcbfm.2014.41>
- Fernández-López, D., Pradillo, J.M., García-Yébenes, I., Martínez-Orgado, J.A., Moro, M.A., Lizasoain, I., D., F.-L., J.M., P., I., G.-Y., J.A., M.-O., M.A., M., I., L., 2010. The cannabinoid WIN55212-2 promotes neural repair after neonatal hypoxia-ischemia. *Stroke* 41, 2956–2964.
<https://doi.org/10.1161/STROKEAHA.110.599357>
- Ferraz, M.M.D., Sab, I.M., Silva, M.A., Santos, D.A.S., Ferraz, M.R., 2015. Prenatal Hypoxia Ischemia Increases Male Rat Sexual Behavior. *J. Sex. Med.* 12, 2013–2021. <https://doi.org/10.1111/jsm.13006>
- Ferreira-Vieira, T.H., Guimaraes, I.M., Silva, F.R., Ribeiro, F.M., 2016. Alzheimer's disease: Targeting the cholinergic system. *Curr. Neuropharmacol.* 14, 101–115.
- Ferrer, I., 2017. Diversity of astroglial responses across human neurodegenerative disorders and brain aging. *Brain Pathol.* 27, 645–674.
<https://doi.org/10.1111/bpa.12538>
- Ferrer, I., 1999. Neuronal death mechanisms in cerebral ischemia. *Rev. Neurol.* 29, 515–521. <https://doi.org/10.33588/rn.2906.99173>
- Ferrer, I., Barrachina, M., Puig, B., Martínez De Lagrán, M., Martí, E., Avila, J., Dierssen, M., 2005. Constitutive Dyrk1A is abnormally expressed in Alzheimer

disease, Down syndrome, Pick disease, and related transgenic models. *Neurobiol. Dis.* 20, 392–400. <https://doi.org/10.1016/j.nbd.2005.03.020>

Ferriero, D.M., 2005. Protecting neurons. *Epilepsia* 46, 45–51.
<https://doi.org/10.1111/j.1528-1167.2005.00302.x>

Ferriero, D.M., Sheldon, R.A., Black, S.M., Chuai, J., 1995. SELECTIVE DESTRUCTION OF NITRIC-OXIDE SYNTHASE NEURONS WITH QUISQUALATE REDUCES DAMAGE AFTER HYPOXIA-ISCHEMIA IN THE NEONATAL RAT. *Pediatr. Res.* 38, 912–918. <https://doi.org/10.1203/00006450-199512000-00014>

Filiano, A.J., Bailey, C.D.C., Tucholski, J., Gundemir, S., Johnson, G.V.W., 2008. Transglutaminase 2 protects against ischemic insult, interacts with HIF1 β , and attenuates HIF1 signaling. *FASEB J.* 22, 2662–2675. <https://doi.org/10.1096/fj.07-097709>

Filloux, F.M., 1996. Neuropathophysiology of movement disorders in cerebral palsy. *J. Child Neurol.* 11 Suppl 1, S5–12. <https://doi.org/10.1177/0883073896011001S02>

Fineschi, V., Viola, R. V., La Russa, R., Santurro, A., Frati, P., 2017. A Controversial Medicolegal Issue: Timing the Onset of Perinatal Hypoxic-Ischemic Brain Injury. *Mediators Inflamm.* 2017. <https://doi.org/10.1155/2017/6024959>

Fink, K.D., Deng, P., Torrest, A., Stewart, H., Pollock, K., Gruenloh, W., Annett, G., Tempkin, T., Wheelock, V., Nolta, J.A., 2015. Developing stem cell therapies for juvenile and adult-onset Huntington's disease. *Regen. Med.* 10, 623–646.
<https://doi.org/10.2217/rme.15.25>

Fitzgerald, M., Hodgetts, S., Van Den Heuvel, C., Natoli, R., Hart, N.S., Valter, K., Harvey, A.R., Vink, R., Provis, J., Dunlop, S.A., 2013. Red/near-infrared irradiation therapy for treatment of central nervous system injuries and disorders. *Rev. Neurosci.* 24, 205–226. <https://doi.org/10.1515/revneuro-2012-0086>

Flagel, S.B., Vázquez, D.M., Watson Jr., S.J., Neal Jr., C.R., 2002. Effects of tapering neonatal dexamethasone on rat growth, neurodevelopment, and stress response. *Am. J. Physiol. - Regul. Integr. Comp. Physiol.* 282, R55–R63.

Fleiss, B., Chhor, V., Rajardin, N., Lebon, S., Hagberg, H., Gressens, P., Thornton, C., 2015. The Anti-Inflammatory Effects of the Small Molecule Pifithrin- μ on BV2 Microglia. *Dev. Neurosci.* 37, 363–375. <https://doi.org/10.1159/000370031>

Fleiss, B., Coleman, H.A., Castillo-Melendez, M., Ireland, Z., Walker, D.W., Parkington, H.C., 2011. Effects of birth asphyxia on neonatal hippocampal structure and function in the spiny mouse. *Int. J. Dev. Neurosci.* 29, 757–766.
<https://doi.org/10.1016/j.ijdevneu.2011.05.006>

Fleiss, B., Guillot, P. V., Titomanlio, L., Baud, O., Hagberg, H., Gressens, P., 2014. Stem Cell Therapy for Neonatal Brain Injury. *Clin. Perinatol.* 41, 133–148.
<https://doi.org/10.1016/j.clp.2013.09.002>

- Fleiss, B., Parkington, H.C., Coleman, H.A., Dickinson, H., Yawno, T., Castillo-Melendez, M., Hirst, J.J., Walker, D.W., 2012. Effect of maternal administration of allopregnanolone before birth asphyxia on neonatal hippocampal function in the spiny mouse. *Brain Res.* 1433, 9–19.
<https://doi.org/10.1016/j.brainres.2011.11.035>
- Foley, A.G., Murphy, K.J., Regan, C.M., 2005. Complex-environment rearing prevents prenatal hypoxia-induced deficits in hippocampal cellular mechanisms necessary for memory consolidation in the adult wistar rat. *J. Neurosci. Res.* 82, 245–254.
<https://doi.org/10.1002/jnr.20641>
- Folkerth, R.D., Zanoni, S., Andiman, S.E., Billiards, S.S., 2008. Neuronal cell death in the arcuate nucleus of the medulla oblongata in stillbirth. *Int. J. Dev. Neurosci.* 26, 133–140. <https://doi.org/10.1016/j.ijdevneu.2007.08.019>
- Follett, P.L., Deng, W., Dai, W., Talos, D.M., Massillon, L.J., Rosenberg, P.A., Volpe, J.J., Jensen, F.E., P.L., F., W., D.D.D.D., W., D.D.D.D., D.M., T., L.J., M., P.A., R., J.J., V., F.E., J., Follett, P.L., Deng, W., Dai, W., Talos, D.M., Massillon, L.J., Rosenberg, P.A., Volpe, J.J., Jensen, F.E., P.L., F., W., D.D.D.D., W., D.D.D.D., D.M., T., L.J., M., P.A., R., J.J., V., F.E., J., 2004. Glutamate Receptor-Mediated Oligodendrocyte Toxicity in Periventricular Leukomalacia: A Protective Role for Topiramate. *J. Neurosci.* 24, 4412–4420.
<https://doi.org/10.1523/JNEUROSCI.0477-04.2004>
- Fong, A.Y., 2010. Postnatal changes in the cardiorespiratory response and ability to autoresuscitate from hypoxic and hypothermic exposure in mammals. *Respir. Physiol. Neurobiol.* 174, 146–155. <https://doi.org/10.1016/j.resp.2010.08.012>
- Forrest, C.M., Khalil, O.S., Pisar, M., Smith, R.A., Darlington, L.G., Stone, T.W., 2012. Prenatal activation of Toll-like receptors-3 by administration of the viral mimetic poly(I:C) changes synaptic proteins, N-methyl-D-aspartate receptors and neurogenesis markers in offspring. *Mol. Brain* 5. <https://doi.org/10.1186/1756-6606-5-22>
- Forsyth, R., Basu, A., 2015. The promotion of recovery through rehabilitation after acquired brain injury in children. *Dev. Med. Child Neurol.* 57, 16–22.
<https://doi.org/10.1111/dmcn.12575>
- Fossel, M., 2020. A unified model of dementias and age-related neurodegeneration. *Alzheimer's Dement.* 16, 365–383. <https://doi.org/10.1002/alz.12012>
- Fowke, T.M., Galinsky, R., Davidson, J.O., Wassink, G., Karunasinghe, R.N., Prasad, J.D., Bennet, L., Gunn, A.J., Dean, J.M., 2018. Loss of interneurons and disruption of perineuronal nets in the cerebral cortex following hypoxia-ischaemia in near-term fetal sheep. *Sci. Rep.* 8. <https://doi.org/10.1038/s41598-018-36083-y>
- Fox, C.M., Ramig, L.O., Ciucci, M.R., Sapir, S., McFarland, D.H., Farley, B.G., 2006. The science and practice of LSVT/LOUD: neural plasticity-principled approach to treating individuals with Parkinson disease and other neurological disorders. *Semin. Speech Lang.* 27, 283–299. <https://doi.org/10.1055/s-2006-955118>

Fragopoulou, A.F., Qian, Y., Diaz Heijtz, R., Forssberg, H., 2019. Correction to: Can Neonatal Systemic Inflammation and Hypoxia Yield a Cerebral Palsy-Like Phenotype in Periadolescent Mice? Mol. Neurobiol. 53, 1610–1611. https://doi.org/10.1007/s12035-019-1610-6

França, M.S., Moron, A.F., Araujo, E., Avedissian, M., Pares, D.B.S., Nardozza, L.M.M., Jaqueta, C.B., Mello, L.E.A.M., 2016. Neonatal neuronal apoptosis after betamethasone administration in pregnant Wistar rats. J. Matern. Neonatal Med. 29, 1089–1093. https://doi.org/10.3109/14767058.2015.1035639

Friel, K.M., Chakrabarty, S., Martin, J.H., 2013. Pathophysiological mechanisms of impaired limb use and repair strategies for motor systems after unilateral injury of the developing brain. Dev. Med. Child Neurol. 55 Suppl 4, 27–31. https://doi.org/10.1111/dmcn.12303

Fryxell, K.J., 2011. CADASIL: Molecular mechanisms and animal models. Neuromethods. https://doi.org/10.1007/978-1-60761-898-0_29

Fukuda, H., Fukuda, A., Zhu, C., Korhonen, L., Swanpalmer, J., Hertzman, S., Leist, M., Lannering, B., Lindholm, D., Bjork-Eriksson, T., Marky, I., Blomgren, K., 2004. Irradiation-induced progenitor cell death in the developing brain is resistant to erythropoietin treatment and caspase inhibition. Cell Death Differ. 11, 1166–1178. https://doi.org/10.1038/sj.cdd.4401472

Fullerton, H.J., Ditelberg, J.S., Chen, S.F., Sarco, D.P., Chan, P.H., Epstein, C.J., Ferriero, D.M., 1998. Copper/zinc superoxide dismutase transgenic brain accumulates hydrogen peroxide after perinatal hypoxia ischemia. Ann. Neurol. 44, 357–364. https://doi.org/10.1002/ana.410440311

Fung, C., Ke, X., Brown, A.S., Yu, X., McKnight, R.A., Lane, R.H., 2012. Uteroplacental insufficiency alters rat hippocampal cellular phenotype in conjunction with ErbB receptor expression. Pediatr. Res. 72, 2–9. https://doi.org/10.1038/pr.2012.32

G., C., G., D., A., G., Cioni, G., D'Acunto, G., Guzzetta, A., G., C., G., D., A., G., 2011. Perinatal brain damage in children. Neuroplasticity, early intervention, and molecular mechanisms of recovery. Prog. Brain Res. https://doi.org/10.1016/B978-0-444-53884-0.00022-1

G., J., M., L., X.-F., Z., X.-Y., L., Q.-L., G., Z.-F., G., H.-G., Z., J.-C., G., Ji, G., Liu, M., Zhao, X.-F., Liu, X.-Y., Guo, Q.-L., Guan, Z.-F., Zhou, H.-G., Guo, J.-C., 2015. NF-kappaB Signaling is Involved in the Effects of Intranasally Engrafted Human Neural Stem Cells on Neurofunctional Improvements in Neonatal Rat Hypoxic-Ischemic Encephalopathy. CNS Neurosci. Ther. 21, 926–935. https://doi.org/10.1111/cns.12441

G., S., Y., W., S., G., A.L., B., F., L., R., K., D.M., F., X., J., Shao, G., Wang, Y.Q., Guan, S.H., Burlingame, A.L., Lu, F.X., Knox, R., Ferriero, D.M., Jiang, X.N., 2017. Proteomic Analysis of Mouse Cortex Postsynaptic Density following

Neonatal Brain Hypoxia-Ischemia. Dev. Neurosci. 39, 66–81.
<https://doi.org/10.1159/000456030>

G., T., M., J.-M., V., H., L., M., D., S., A., S., Thomi, G., Joerger-Messerli, M., Haesler, V., Muri, L., Surbek, D., Schoeberlein, A., 2019. Intranasally administered exosomes from umbilical cord stem cells have preventive neuroprotective effects and contribute to functional recovery after perinatal brain injury. Cells 8.
<https://doi.org/10.3390/cells8080855>

G., W., J.O., D., S.K., D., M., F., R., G., L., B., A.J., G., Wassink, G., Davidson, J.O., Dhillon, S.K., Fraser, M., Galinsky, R., Bennet, L., Gunn, A.J., G., W., J.O., D., S.K., D., M., F., R., G., L., B., A.J., G., 2017. Partial white and grey matter protection with prolonged infusion of recombinant human erythropoietin after asphyxia in preterm fetal sheep. J. Cereb. Blood Flow Metab. 37, 1080–1094.
<https://doi.org/10.1177/0271678X16650455>

G.E., S., L.G., C., L.R., G., R., C., L.D., U., M.H., E., M.A., B., F., C., 2016. Consequences of excessive plasticity in the hippocampus induced by perinatal asphyxia. Exp. Neurol. 286, 116–123.
<https://doi.org/10.1016/j.expneurol.2016.08.017>

G.-F., C., Y.-F., Z., Q., L., W., W., M.-Q., X., Y.-L., Y., 2012. Effects of environmental enrichment on the repair and proliferation of neurons in neonatal rats with hypoxic-ischemic brain damage. Chinese J. Contemp. Pediatr. 14, 139–143.

G.-F., W., Z., L., B.-Q., G., G.-C., Y., J., B., S.-Q., Q., Wang, G.-F., Luan, Z., Gao, B.-Q., Yin, G.-C., Bai, J., Qu, S.-Q., G.-F., W., Z., L., B.-Q., G., G.-C., Y., J., B., S.-Q., Q., 2008. Survival and distribution of human neural stem cells transplanted into cerebral ventricles of neonatal rats with hypoxic-ischemic brain damage. J. Clin. Rehabil. Tissue Eng. Res. 12, 2201–2205.

G.H., X., J.T., H., H.L., G., C.L., M., J.Q., W., Z.S., L., H., C., J., M., H., Y., Z.X., X., 2013. Activin A prevents neuron-like PC12 cell apoptosis after oxygen-glucose deprivation. Neural Regen. Res. 8, 1016–1024. <https://doi.org/10.3969/j.issn.1673-5374.2013.11.007>

G.J., C., B.M., D., N.S., U., C.L., G., P.M., B., Clownry, G.J., Davies, B.M., Upile, N.S., Gibson, C.L., Bradley, P.M., 2004. Spinal cord plasticity in response to unilateral inhibition of the rat motor cortex during development: changes to gene expression, muscle afferents and the ipsilateral corticospinal projection. Eur. J. Neurosci. 20, 2555–2566. <https://doi.org/10.1111/j.1460-9568.2004.03713.x>

G.J., M., P.W., D., 2000. Does methylmercury have a role in causing developmental disabilities in children? Environ. Health Perspect. 108, 413–420.

G.N., Z., N.I., S., T.N., P., Y.V., N., O.G., A., E.V., U., L.A., M., E.V., S., T.Y., P., L.A., S., A.V., C., P.V., K., V.V., U., A.M., D., V.V., Z., 2017. Psychopharmacological Effects of JNK Inhibitor in Posthypoxic Encephalopathy and Mechanisms of Their Development. Bull. Exp. Biol. Med. 163, 18–21.
<https://doi.org/10.1007/s10517-017-3727-9>

G.-Y., Z., J., W., Y.-J., J., R., H., P., L., D.-N., Z., Zhang, G.-Y., Wang, J., Jia, Y.-J., Han, R., Li, P., Zhu, D.-N., 2015. MicroRNA-9 promotes the neuronal differentiation of rat bone marrow mesenchymal stem cells by activating autophagy. *Neural Regen. Res.* 10, 314–320. <https://doi.org/10.4103/1673-5374.143439>

Gaberova, K., Pacheva, I., Ivanov, I., 2018. Task-related fMRI in hemiplegic cerebral palsy-A systematic review. *J. Eval. Clin. Pract.* 24, 839–850. <https://doi.org/10.1111/jep.12929>

Galli, J., Ambrosi, C., Micheletti, S., Merabet, L.B., Pinardi, C., Gasparotti, R., Fazzi, E., 2018. White matter changes associated with cognitive visual dysfunctions in children with cerebral palsy: A diffusion tensor imaging study. *J. Neurosci. Res.* 96, 1766–1774. <https://doi.org/10.1002/jnr.24307>

Galluzzi, L., Morselli, E., Kepp, O., Kroemer, G., 2009. Targeting post-mitochondrial effectors of apoptosis for neuroprotection. *Biochim. Biophys. Acta-Bioenergetics* 1787, 402–413. <https://doi.org/10.1016/j.bbabi.2008.09.006>

Galvin, K.A., Oorschot, D.E., 2003. Continuous low-dose treatment with brain-derived neurotrophic factor or neurotrophin-3 protects striatal medium spiny neurons from mild neonatal hypoxia/ischemia: A stereological study. *Neuroscience* 118, 1023–1032. [https://doi.org/10.1016/s0306-4522\(03\)00066-6](https://doi.org/10.1016/s0306-4522(03)00066-6)

Galvin, K.A., Oorschot, D.E., 1998. Postinjury magnesium sulfate treatment is not markedly neuroprotective for striatal medium spiny neurons after perinatal hypoxia/ischemia in the rat. *Pediatr. Res.* 44, 740–745. <https://doi.org/10.1203/00006450-199811000-00017>

Gano, D., Barkovich, A.J., 2019. Cerebellar hypoplasia of prematurity: Causes and consequences. *Handb. Clin. Neurol.* <https://doi.org/10.1016/B978-0-444-64029-1.00009-6>

Gao, B.-Y., Xu, D.-S., Liu, P.-L., Li, C., Du, L., Hua, Y., Hu, J., Hou, J.-Y., Bai, Y.-L., 2020. Modified constraint-induced movement therapy alters synaptic plasticity of rat contralateral hippocampus following middle cerebral artery occlusion. *Neural Regen. Res.* 15, 1045–1057. <https://doi.org/10.4103/1673-5374.270312>

Gao, J., Wang, S., Wang, X., Zhu, C., 2011. Electroacupuncture enhances cell proliferation and neuronal differentiation in young rat brains. *Neurol. Sci.* 32, 369–374. <https://doi.org/10.1007/s10072-010-0402-6>

Garton, T., Hua, Y., Xiang, J., Xi, G., Keep, R.F., 2017. Challenges for intraventricular hemorrhage research and emerging therapeutic targets. *Expert Opin. Ther. Targets* 21, 1111–1122. <https://doi.org/10.1080/14728222.2017.1397628>

Garvey, M.A., Giannetti, M.L., Alter, K.E., Lum, P.S., 2007. Cerebral palsy: new approaches to therapy. *Curr. Neurol. Neurosci. Rep.* 7, 147–155. <https://doi.org/10.1007/s11910-007-0010-x>

- Gatica-Rojas, V., Mendez-Rebolledo, G., 2014. Virtual reality interface devices in the reorganization of neural networks in the brain of patients with neurological diseases. *Neural Regen. Res.* 9, 888–896. <https://doi.org/10.4103/1673-5374.131612>
- Gaudet, C.M., Lim, Y.P., Stonestreet, B.S., Threlkeld, S.W., 2016. Effects of age, experience and inter-alpha inhibitor proteins on working memory and neuronal plasticity after neonatal hypoxia-ischemia. *Behav. Brain Res.* 302, 88–99. <https://doi.org/10.1016/j.bbr.2016.01.016>
- Gazzolo, D., Serpero, L.D., Frigiola, A., Abella, R., Giamberti, A., Li Volti, G., Michetti, F., 2013. Antenatal glucocorticoids supplementation and central nervous system development. *Curr. Drug Metab.* 14, 160–166.
- Geißler, M., Dinse, H.R., Neuhoff, S., Kreikemeier, K., Meier, C., 2011. Human umbilical cord blood cells restore brain damage induced changes in rat somatosensory cortex. *PLoS One* 6. <https://doi.org/10.1371/journal.pone.0020194>
- Gencpinar, P., Tuzun, F., Ozbal, S., Tugyan, K., Duman, N., Ozkan, H., Kumral, A., 2011. Effects of neotrofin on neonatal hypoxic ischemic brain injury. *Neurosci. Lett.* 505, 205–210. <https://doi.org/10.1016/j.neulet.2011.10.027>
- Genetta, T., Lee, B.H., Sola, A., 2007. Low doses of ethanol and hypoxia administered together act synergistically to promote the death of cortical neurons. *J. Neurosci. Res.* 85, 131–138. <https://doi.org/10.1002/jnr.21067>
- Gennaro, M., Mattiello, A., Pizzorusso, T., 2019. Rodent models of developmental ischemic stroke for translational research: Strengths and weaknesses. *Neural Plast.* 2019. <https://doi.org/10.1155/2019/5089321>
- George, P.M., Steinberg, G.K., 2015. Novel Stroke Therapeutics: Unraveling Stroke Pathophysiology and Its Impact on Clinical Treatments. *Neuron* 87, 297–309. <https://doi.org/10.1016/j.neuron.2015.05.041>
- Ghali, M.G.Z., Beshay, S., 2019. Role of fast inhibitory synaptic transmission in neonatal respiratory rhythmogenesis and pattern formation. *Mol. Cell. Neurosci.* 100. <https://doi.org/10.1016/j.mcn.2019.103400>
- Ghanbari, M., Munshi, S.T., Ma, B., Lendemeijer, B., Bansal, S., Adams, H.H., Wang, W., Goth, K., Slump, D.E., van den Hout, M.C.G.N., van IJcken, W.F.J., Bellusci, S., Pan, Q., Erkeland, S.J., de Vrij, F.M.S., Kushner, S.A., Ikram, M.A., 2019. A functional variant in the miR-142 promoter modulating its expression and conferring risk of Alzheimer disease. *Hum. Mutat.* 40, 2131–2145. <https://doi.org/10.1002/humu.23872>
- Ghosal, K., Stathopoulos, A., Thomas, D., Phenis, D., Vitek, M.P., Pimplikar, S.W., 2013. The apolipoprotein-E-mimetic COG112 protects amyloid precursor protein intracellular domain-overexpressing animals from alzheimer's disease-like pathological features. *Neurodegener. Dis.* 12, 51–58. <https://doi.org/10.1159/000341299>

Gacoia, G.P., 1993. ASPHYXIAL BRAIN-DAMAGE IN THE NEWBORN - NEW INSIGHTS INTO PATHOPHYSIOLOGY AND POSSIBLE PHARMACOLOGICAL INTERVENTIONS. *South. Med. J.* 86, 676–682. <https://doi.org/10.1097/00007611-199306000-00018>

Giaume, C., Kirchhoff, F., Matute, C., Reichenbach, A., Verkhratsky, A., 2007. Glia: The fulcrum of brain diseases. *Cell Death Differ.* 14, 1324–1335. <https://doi.org/10.1038/sj.cdd.4402144>

Gibney, G.T., Zhang, J.H., Douglas, R.M., Haddad, G.G., Xia, Y., 2002. Na⁺/Ca²⁺ exchanger expression in the developing rat cortex. *Neuroscience* 112, 65–73. [https://doi.org/10.1016/s0306-4522\(02\)00059-3](https://doi.org/10.1016/s0306-4522(02)00059-3)

Gibson, C.L., Arnott, G.A., Clowry, G.J., 2000. Plasticity in the rat spinal cord seen in response to lesions to the motor cortex during development but not to lesions in maturity. *Exp. Neurol.* 166, 422–434. <https://doi.org/10.1006/exnr.2000.7511>

Gieling, E.T., Antonides, A., Fink-Gremmels, J., Haar, K.T., Kuller, W.I., Meijer, E., Nordquist, R.E., Stouten, J.M., Zeinstra, E., Van Der Staay, F.J., 2014. Chronic allopurinol treatment during the last trimester of pregnancy in sows: Effects on low and normal birth weight offspring. *PLoS One* 9. <https://doi.org/10.1371/journal.pone.0086396>

Giffard, R.G., Swanson, R.A., 2005. Ischemia-induced programmed cell death in astrocytes. *Glia* 50, 299–306. <https://doi.org/10.1002/glia.20167>

Gilchrist, C., Cumberland, A., Walker, D., Tolcos, M., 2018. Intrauterine growth restriction and development of the hippocampus: implications for learning and memory in children and adolescents. *Lancet Child Adolesc. Heal.* 2, 755–764. [https://doi.org/10.1016/s2352-4642\(18\)30245-1](https://doi.org/10.1016/s2352-4642(18)30245-1)

Gilles, F., Gressens, P., Dammann, O., Leviton, A., 2018. Hypoxia-ischemia is not an antecedent of most preterm brain damage: the illusion of validity. *Dev. Med. Child Neurol.* 60, 120–125. <https://doi.org/10.1111/dmcn.13483>

Gillick, B.T., Zirpel, L., 2012. Neuroplasticity: An Appreciation From Synapse to System. *Arch. Phys. Med. Rehabil.* 93, 1846–1855. <https://doi.org/10.1016/j.apmr.2012.04.026>

Gingras, J.L., Long, W.A., Segreti, T., Wasserstein, M., 1995. Pre- and postnatal effects of chronic maternal hypoxia on substance-P immunoreactivity in rabbit brainstem regions. *Dev. Neurosci.* 17, 350–356. <https://doi.org/10.1159/000111305>

Ginsberg, Y., Khatib, N., Weiss, B., Arison, S., Ross, M.G., Weiner, Z., Beloosesky, R., 2017. Magnesium sulfate (MG) prevents maternal inflammation induced offspring cerebral injury evident on MRI but not via IL-1 β . *Neuroscience* 353, 98–105. <https://doi.org/10.1016/j.neuroscience.2017.03.046>

Girard, S., Sébire, H., Brochu, M.E., Briota, S., Sarret, P., Sébire, G., S., G., H., S., M.-E., B., S., B., P., S., G., S., Girard, S., Sébire, H., Brochu, M.E., Briota, S., Sarret,

- P., Sébire, G., 2012. Postnatal administration of IL-1Ra exerts neuroprotective effects following perinatal inflammation and/or hypoxic-ischemic injuries. *Brain. Behav. Immun.* 26, 1331–1339. <https://doi.org/10.1016/j.bbi.2012.09.001>
- Girolamo, F., Coppola, C., Ribatti, D., Trojano, M., 2014. Angiogenesis in multiple sclerosis and experimental autoimmune encephalomyelitis. *Acta Neuropathol. Commun.* 2. <https://doi.org/10.1186/s40478-014-0084-z>
- Glew, G.M., Bennett, F.C., 2011. Cerebral palsy grown up. *J. Dev. Behav. Pediatr.* 32, 469–475. <https://doi.org/10.1097/DBP.0b013e3182202d42>
- Goffigan-Holmes, J., Sanabria, D., Diaz, J., Flock, D., Chavez-Valdez, R., 2019. Calbindin-1 Expression in the Hippocampus following Neonatal Hypoxia-Ischemia and Therapeutic Hypothermia and Deficits in Spatial Memory. *Dev. Neurosci.* 40, 508–522. <https://doi.org/10.1159/000497056>
- Golan, M.H., Mane, R., Molczadzki, G., Zuckerman, M., Kaplan-Louson, V., Huleihel, M., Perez-Polo, J.R., 2009. Impaired migration signaling in the hippocampus following prenatal hypoxia. *Neuropharmacology* 57, 511–522. <https://doi.org/10.1016/j.neuropharm.2009.07.028>
- Golden, W.C., Brambrink, A.M., Traystman, R.J., Martin, L.J., 2001. Failure to sustain recovery of Na,K-ATPase function is a possible mechanism for striatal neurodegeneration in hypoxic-ischemic newborn piglets. *Brain Res. Mol. Brain Res.* 88, 94–102. [https://doi.org/10.1016/s0169-328x\(01\)00032-8](https://doi.org/10.1016/s0169-328x(01)00032-8)
- Goldman, S.A., 2016. Stem and Progenitor Cell-Based Therapy of the Central Nervous System: Hopes, Hype, and Wishful Thinking. *Cell Stem Cell* 18, 174–188. <https://doi.org/10.1016/j.stem.2016.01.012>
- Goldman, S.A., 2011. Progenitor cell-based treatment of the pediatric myelin disorders. *Arch. Neurol.* 68, 848–856. <https://doi.org/10.1001/archneurol.2011.46>
- Goldman, S.A., Kuypers, N.J., 2015. How to make an oligodendrocyte. *Dev.* 142, 3983–3995. <https://doi.org/10.1242/dev.126409>
- Goldman, S.A., Nedergaard, M., Windrem, M.S., 2012. Glial Progenitor Cell-Based Treatment and Modeling of Neurological Disease. *Science (80-.).* 338, 491–495. <https://doi.org/10.1126/science.1218071>
- Goldman, S., S., G., 2005. Stem and progenitor cell-based therapy of the human central nervous system. *Nat. Biotechnol.* 23, 862–871. <https://doi.org/10.1038/nbt1119>
- Goldstein, M., 2004. The treatment of cerebral palsy: What we know, what we don't know. *J. Pediatr.* 145, S42-6. <https://doi.org/10.1016/j.jpeds.2004.05.022>
- Gonzales-Portillo, G.S., Reyes, S., Aguirre, D., Pabon, M.M., Borlongan, C. V, 2014. Stem cell therapy for neonatal hypoxic-ischemic encephalopathy. *Front. Neurol.* 5 AUG. <https://doi.org/10.3389/fneur.2014.00147>

- Gonzales-Portillo, G.S., Sanberg, P.R., Franzblau, M., Gonzales-Portillo, C., Diamandis, T., Staples, M., Sanberg, C.D., Borlongan, C. V, 2014. Mannitol-enhanced delivery of stem cells and their growth factors across the blood-brain barrier. *Cell Transplant.* 23, 531–539. <https://doi.org/10.3727/096368914X678337>
- Goodus, M.T., Guzman, A.M., Calderon, F., Jiang, Y.H., Levison, S.W., 2015. Neural Stem Cells in the Immature, but Not the Mature, Subventricular Zone Respond Robustly to Traumatic Brain Injury. *Dev. Neurosci.* 37, 29–42. <https://doi.org/10.1159/000367784>
- Gordon, A.M., Hadders-Algra, M., 2011. Can cerebral palsy impairments be minimized in infants at risk? Potential insights from basic neuroscience research. *Dev. Med. Child Neurol.* 53 Suppl 4, 2–3. <https://doi.org/10.1111/j.1469-8749.2011.04053.x>
- Gordon, A.L., di Maggio, A., 2012. Rehabilitation for children after acquired brain injury: current and emerging approaches. *Pediatr. Neurol.* 46, 339–344. <https://doi.org/10.1016/j.pediatrneurol.2012.02.029>
- Gortner, L., Felderhoff-Müser, U., Monz, D., Bieback, K., Klüter, H., Jellema, R., Kramer, B.W., Keller, M., Reiss, I., Horn, P.A., Giebel, B., 2012. Regenerative therapies in neonatology: Clinical perspectives. *Klin. Padiatr.* 224, 233–240. <https://doi.org/10.1055/s-0032-1316296>
- Goyal, D., Shuaib, S., Mann, S., Goyal, B., 2017. Rationally Designed Peptides and Peptidomimetics as Inhibitors of Amyloid- β (A β) Aggregation: Potential Therapeutics of Alzheimer's Disease. *ACS Comb. Sci.* 19, 55–80. <https://doi.org/10.1021/acscombisci.6b00116>
- Gozal, D., Torres, J.E., Gozal, E., Nuckton, T.J., Dixon, M.K., Gozal, Y.M., Hornby, P.J., 1998. Nitric oxide modulates anoxia-induced gasping in the developing rat. *Biol. Neonate* 73, 264–274. <https://doi.org/10.1159/000013985>
- Gozal, E., Gozal, D., 2001. Physiological and genomic consequences of intermittent hypoxia - Invited review: Respiratory plasticity following intermittent hypoxia: developmental interactions. *J. Appl. Physiol.* 90, 1995–1999.
- Graciarena, M., Depino, A.M., Pitossi, F.J., 2010. Prenatal inflammation impairs adult neurogenesis and memory related behavior through persistent hippocampal TGF β 1 downregulation. *Brain. Behav. Immun.* 24, 1301–1309. <https://doi.org/10.1016/j.bbi.2010.06.005>
- Graciarena, M., Roca, V., Mathieu, P., Depino, A.M., Pitossi, F.J., 2013. Differential vulnerability of adult neurogenesis by adult and prenatal inflammation: Role of TGF- β 1. *Brain. Behav. Immun.* 34, 17–28. <https://doi.org/10.1016/j.bbi.2013.05.007>
- Grafe, M.R., 1994. DEVELOPMENTAL-CHANGES IN THE SENSITIVITY OF THE NEONATAL RAT-BRAIN TO HYPOXIC/ISCHEMIC INJURY. *Brain Res.* 653, 161–166. [https://doi.org/10.1016/0006-8993\(94\)90385-9](https://doi.org/10.1016/0006-8993(94)90385-9)

- Gramsbergen, A., 2007. Neural compensation after early lesions: A clinical view of animal experiments. *Neurosci. Biobehav. Rev.* 31, 1088–1094.
<https://doi.org/10.1016/j.neubiorev.2007.10.002>
- Gramsbergen, A., 2001. Normal and abnormal development of motor behavior: Lessons from experiments in rats. *Neural Plast.* 8, 17–29.
<https://doi.org/10.1155/np.2001.17>
- Greggio, S., de Paula, S., Azevedo, P.N., Venturin, G.T., DaCosta, J.C., 2014. Intra-arterial transplantation of human, umbilical cord blood mononuclear cells in neonatal hypoxic-ischemic rats. *Life Sci.* 96, 33–39.
<https://doi.org/10.1016/j.lfs.2013.10.017>
- Gressens, P., 1999. VIP neuroprotection against excitotoxic lesions of the developing mouse brain. *Ann. N. Y. Acad. Sci.* <https://doi.org/10.1111/j.1749-6632.1999.tb07883.x>
- Gressens, P., 2005. Neuronal migration disorders. *J. Child Neurol.* 20, 968–971.
<https://doi.org/10.1177/08830738050200120701>
- Gressens, P., Marret, S., Evrard, P., 1996. Developmental spectrum of the excitotoxic cascade induced by ibotenate: A model of hypoxic insults in fetuses and neonates. *Neuropathol. Appl. Neurobiol.* 22, 498–502. <https://doi.org/10.1111/j.1365-2990.1996.tb01123.x>
- Gressens, P., Muaku, S.M., Besse, L., Nsegbe, E., Gallego, J., Delpech, B., Gaultier, C., Evrard, P., Ketelslegers, J.M., Maiter, D., 1997. Maternal protein restriction early in rat pregnancy alters brain development in the progeny. *Dev. Brain Res.* 103, 21–35. [https://doi.org/10.1016/s0165-3806\(97\)00109-0](https://doi.org/10.1016/s0165-3806(97)00109-0)
- Griesmaier, E., Posod, A., Gross, M., Neubauer, V., Wegleiter, K., Hermann, M., Urbanek, M., Keller, M., Kiechl-Kohlendorfer, U., 2012. Neuroprotective effects of the sigma-1 receptor ligand PRE-084 against excitotoxic perinatal brain injury in newborn mice. *Exp. Neurol.* 237, 388–395.
<https://doi.org/10.1016/j.expneurol.2012.06.030>
- Grinspan, J.B., 2015. Bone Morphogenetic Proteins: Inhibitors of Myelination in Development and Disease, in: Litwack, G. (Ed.), *Bone Morphogenic Protein, Vitamins and Hormones*. pp. 195–222. <https://doi.org/10.1016/bs.vh.2015.05.005>
- Gross, J., Muller, I., Chen, Y., Elizalde, M., Leclere, N., Herrera-Marschitz, M., Andersson, K., 2000. Perinatal asphyxia induces region-specific long-term changes in mRNA levels of tyrosine hydroxylase and dopamine D-1 and D-2 receptors in rat brain. *Mol. Brain Res.* 79, 110–117. [https://doi.org/10.1016/s0169-328x\(00\)00106-6](https://doi.org/10.1016/s0169-328x(00)00106-6)
- Grovit-Ferbas, K., Harris-White, M.E., 2010. Thinking about HIV: The intersection of virus, neuroinflammation and cognitive dysfunction. *Immunol. Res.* 48, 40–58.
<https://doi.org/10.1007/s12026-010-8166-x>

- Grunt, S., Newman, C.J., Saxer, S., Steinlin, M., Weisstanner, C., Kaelin-Lang, A., 2017. The Mirror Illusion Increases Motor Cortex Excitability in Children With and Without Hemiparesis. *Neurorehabil. Neural Repair* 31, 280–289.
<https://doi.org/10.1177/1545968316680483>
- Guan, J., Waldvogel, H.J., Faull, R.L.M., Gluckman, P.D., Williams, C.E., 1999. The effects of the n-terminal tripeptide of insulin-like growth factor-1, glycine-proline-glutamate in different regions following hypoxic-ischemic brain injury in adult rats. *Neuroscience* 89, 649–659. [https://doi.org/10.1016/s0306-4522\(98\)00338-8](https://doi.org/10.1016/s0306-4522(98)00338-8)
- Guan, X., Yu, J., Li, L., Liu, G., 2004. [Study on mesenchymal stem cells entering the brain through the blood-brain barrier]. *Zhonghua er ke za zhi = Chinese J. Pediatr.* 42, 920–923.
- Gubellini, P., Salin, P., Kerkerian-Le Goff, L., Baunez, C., 2009. Deep brain stimulation in neurological diseases and experimental models: From molecule to complex behavior. *Prog. Neurobiol.* 89, 79–123.
<https://doi.org/10.1016/j.pneurobio.2009.06.003>
- Guerguerian, A.M., Brambrink, A.M., Traystman, R.J., Huganir, R.L., Martin, L.J., 2002. Altered expression and phosphorylation of N-methyl-D-aspartate receptors in piglet striatum after hypoxia-ischemia. *Mol. Brain Res.* 104, 66–80.
[https://doi.org/10.1016/s0169-328x\(02\)00285-1](https://doi.org/10.1016/s0169-328x(02)00285-1)
- Guo, Q., Zhang, J., Zheng, Z., Li, X., Wang, F., Liu, S., Q., G., J., Z., Z., Z., X., L., F., W., S., L., 2020. Lentivirus-mediated microRNA-26a-modified neural stem cells improve brain injury in rats with cerebral palsy. *J. Cell. Physiol.* 235, 1274–1286.
<https://doi.org/10.1002/jcp.29043>
- Gupta, M., Rana, P., Trivedi, R., Kumar, B.S.H., Khan, A.R., Soni, R., Rathore, R.K.S., Khushu, S., 2013. Comparative evaluation of brain neurometabolites and DTI indices following whole body and cranial irradiation: A magnetic resonance imaging and spectroscopy study. *NMR Biomed.* 26, 1733–1741.
<https://doi.org/10.1002/nbm.3010>
- Gurusamy, N., Alsayari, A., Rajasingh, S., Rajasingh, J., 2018. Adult Stem Cells for Regenerative Therapy, Progress in Molecular Biology and Translational Science. <https://doi.org/10.1016/bs.pmbts.2018.07.009>
- Gussenhoven, R., Ophelders, D.R.M.G., Kemp, M.W., Payne, M.S., Spiller, O.B., Beeton, M.L., Stock, S.J., Cillero-Pastor, B., Barré, F.P.Y., Heeren, R.M.A., Kessels, L., Stevens, B., Rutten, B.P., Kallapur, S.G., Jobe, A.H., Kramer, B.W., Wolfs, T.G.A.M., 2017. The Paradoxical Effects of Chronic Intra-Amniotic Ureaplasma parvum Exposure on Ovine Fetal Brain Development. *Dev. Neurosci.* 39, 472–486. <https://doi.org/10.1159/000479021>
- Gussenhoven, R., Westerlaken, R.J.J., Ophelders, D.R.M.G., Jobe, A.H., Kemp, M.W., Kallapur, S.G., Zimmermann, L.J., Sangild, P.T., Pankratova, S., Gressens, P., Kramer, B.W., Fleiss, B., Wolfs, T.G.A.M., 2018. Chorioamnionitis,

neuroinflammation, and injury: Timing is key in the preterm ovine fetus. J. Neuroinflammation 15. <https://doi.org/10.1186/s12974-018-1149-x>

Gwinn, R.P., Spencer, D.D., 2004. Fighting fire with fire: Brain stimulation for the treatment of epilepsy. Clin. Neurosci. Res. 4, 95–105.
<https://doi.org/10.1016/j.cnr.2004.06.009>

H., C., Y., Q., B., T., T., X., D., M., 2012. Role of mammalian target of rapamycin in hypoxic or ischemic brain injury: Potential neuroprotection and limitations. Rev. Neurosci. 23, 279–287. <https://doi.org/10.1515/revneuro-2012-0001>

H., C., W.J., H., L.J., Y., Y.Z., C., 2013. Expression of hypoxia-inducible factor 1 alpha and oligodendrocyte lineage gene-1 in cultured brain slices after oxygen-glucose deprivation. Neural Regen. Res. 8, 328–337. <https://doi.org/10.3969/j.issn.1673-5374.2013.04.005>

H., G., 2017. Xenon-augmented pediatric anesthesia: A small step closer? Paediatr. Anaesth. 27, 1174–1175. <https://doi.org/10.1111/pan.13265>

H., G., I., K., M., H.H., Y., S., M., H.H., Golan, H., Kashtuzki, I., Hallak, M., Sorokin, Y., Huleihel, M., H., G., I., K., M., H.H., Y., S., M., H.H., 2004. Maternal hypoxia during pregnancy induces fetal neurodevelopmental brain damage: Partial protection by magnesium sulfate. J. Neurosci. Res. 78, 430–441.
<https://doi.org/10.1002/jnr.20269>

H., G., R., P.-P., 2011. Editorial. Int. J. Dev. Neurosci. 29, 549.
<https://doi.org/10.1016/j.ijdevneu.2011.07.007>

H., G., H., Z., J., L., Y., Q., D., Y., Y., T., 2016. Vascular endothelial growth factor: An attractive target in the treatment of hypoxic/ischemic brain injury. Neural Regen. Res. 11, 174–179. <https://doi.org/10.4103/1673-5374.175067>

H., L., X., L., Z., L., S., W., J., G., R., S., Y., S., Y., W., H., Y., 2020. Resveratrol reserved hypoxia-ischemia induced childhood hippocampal dysfunction and neurogenesis via improving mitochondrial dynamics. Neurosci. Res.
<https://doi.org/10.1016/j.neures.2019.11.012>

H., L., J., L., F., Z., H., W., Y., Q., D., M., 2014. Nitric oxide synthase in hypoxic or ischemic brain injury. Rev. Neurosci. 26, 105–117.
<https://doi.org/10.1515/revneuro-2014-0041>

H., R., J., W., K., B., 2020. Hypoxia-ischemia in the immature rodent brain impairs serotonergic neuronal function in certain dorsal raphé nuclei. Neural Regen. Res. 15, 457–463. <https://doi.org/10.4103/1673-5374.266067>

H., T., I., M., H., O.-A., T., K., K., K.-S., K., W., Y., U., M., N., K., O., M., T., 2007. Early induction of neuronal lipocalin-type prostaglandin D synthase after hypoxic-ischemic injury in developing brains. Neurosci. Lett. 420, 39–44.
<https://doi.org/10.1016/j.neulet.2007.04.016>

- H., W., D.-Z., M., 2014. Neuroregeneration of newborn rats with hypoxic-ischemic brain damage following antibody-mediated neutralization of paired-immunoglobulin-like receptor B. Chinese J. Contemp. Pediatr. 16, 67–72. <https://doi.org/10.7499/j.issn.1008-8830.2014.01.015>
- H., W., W., G., H., L., R., Z., M., L., Z., C., Q., X., 2013. Inhibition of inflammatory mediator release from microglia can treat ischemic/hypoxic brain injury. Neural Regen. Res. 8, 1157–1168. <https://doi.org/10.3969/j.issn.1673-5374.2013.13.001>
- H., W., Y., X., D., M., 2012. PirB restricts neuronal regeneration in developing rat brain following hypoxia-ischemia. Mol. Med. Rep. 6, 339–344. <https://doi.org/10.3892/mmr.2012.907>
- H., Z., L., Q., Y., S., L., Y., L., H., L., J., J., L., 2018. Basic fibroblast growth factor enhances cell proliferation in the dentate gyrus of neonatal rats following hypoxic–ischemic brain damage. Neurosci. Lett. 673, 67–72. <https://doi.org/10.1016/j.neulet.2018.01.046>
- H.B., S., Stolp, H.B., H.B., S., 2013. Neuropoietic cytokines in normal brain development and neurodevelopmental disorders. Mol. Cell. Neurosci. 53, 63–68. <https://doi.org/10.1016/j.mcn.2012.08.009>
- H.C., G., A.T., C., S.A., S., C.M., B., F., C., P.J., D., 2015. Outcomes for extremely premature infants. Anesth. Analg. 120, 1337–1351. <https://doi.org/10.1213/ANE.0000000000000705>
- H.J., R., J., V.M., A.W.J.W., J., 1993. Permanent increase of the GAD67/synaptophysin ratio in rat cerebral cortex nerve endings as a result of hypoxic ischemic encephalopathy sustained in early postnatal life: A confocal laser scanning microscopic study. Brain Res. 630, 315–329. [https://doi.org/10.1016/0006-8993\(93\)90671-9](https://doi.org/10.1016/0006-8993(93)90671-9)
- H.K., V., S., K., 2006. Association between cerebral palsy, infection, inflammation and cytokines: Mini review. Period. Biol. 108, 563–566.
- H.L., G., X.R., S., Y., X., J.L., Y., D.M., Z., W.L., H., 2013. Emodin prevents hypoxic-ischemic neuronal injury: Involvement of the activin A pathway. Neural Regen. Res. 8, 1360–1367. <https://doi.org/10.3969/j.issn.1673-5374.2013.15.002>
- H.-M., L., X.-D., C., X.-Y., H., 2012. Transplantation of human amniotic epithelial cells in treating neonatal rats with hypoxic-ischemic brain encephalopathy. Chinese J. Tissue Eng. Res. 16, 95–98. <https://doi.org/10.3969/j.issn.1673-8225.2012.01.020>
- H.S., R., A., S., E., S., M.D., M., C.E., W., M., F., 2012. Inhibition of MMP-9 activity following hypoxic ischemia in the developing brain using a highly specific inhibitor. Dev. Neurosci. 34, 417–427. <https://doi.org/10.1159/000343257>
- H.-Y., C., C.-H., L., C.Y., H., J., Y., C.-H., H., W.-C., S., 2017. IGF1R+ Dental Pulp Stem Cells Enhanced Neuroplasticity in Hypoxia-Ischemia Model. Mol. Neurobiol. 54, 8225–8241. <https://doi.org/10.1007/s12035-016-0210-y>

- H.-Y., C., H.-T., L., K.-H., L., Y., Z., C.Y., H., W.C., S., W.-C., S., 2019. Mechanisms of ischaemic neural progenitor proliferation: a regulatory role of the HIF-1 α -CBX7 pathway. *Neuropathol. Appl. Neurobiol.* <https://doi.org/10.1111/nan.12585>
- H.-Z., H., X.-H., W., H., L., 2016. Sex differences in brain MRI abnormalities and neurodevelopmental outcomes in a rat model of neonatal hypoxia-ischemia. *Int. J. Neurosci.* 126, 647–657. <https://doi.org/10.3109/00207454.2015.1047016>
- Hadar, R., Dong, L., del-Valle-Anton, L., Guneykaya, D., Voget, M., Edemann-Calleesen, H., Schweibold, R., Djodari-Irani, A., Goetz, T., Ewing, S., Kettenmann, H., Wolf, S.A., Winter, C., 2017. Deep brain stimulation during early adolescence prevents microglial alterations in a model of maternal immune activation. *Brain. Behav. Immun.* 63, 71–80. <https://doi.org/10.1016/j.bbi.2016.12.003>
- Haddad, G.G., Jiang, C., 1994. MECHANISMS OF NEURONAL SURVIVAL DURING HYPOXIA - ATP-SENSITIVE K⁺ CHANNELS. *Biol. Neonate* 65, 160–165.
- Hadders-Algra, M., 2018. Early human brain development: Starring the subplate. *Neurosci. Biobehav. Rev.* 92, 276–290. <https://doi.org/10.1016/j.neubiorev.2018.06.017>
- Hadders-Algra, M., 2007. Putative neural substrate of normal and abnormal general movements. *Neurosci. Biobehav. Rev.* 31, 1181–1190. <https://doi.org/10.1016/j.neubiorev.2007.04.009>
- Hadders-Algra, M., 2001. Early brain damage and the development of motor behavior in children: clues for therapeutic intervention? *Neural Plast.* 8, 31–49. <https://doi.org/10.1155/NP.2001.31>
- Hagberg, H., Mallard, C., Ferriero, D.M., Vannucci, S.J., Levison, S.W., Vexler, Z.S., Gressens, P., 2015. The role of inflammation in perinatal brain injury. *Nat. Rev. Neurol.* 11, 192–208. <https://doi.org/10.1038/nrneurol.2015.13>
- Hagberg, H., David Edwards, A., Groenendaal, F., 2016. Perinatal brain damage: The term infant. *Neurobiol. Dis.* 92, 102–112. <https://doi.org/10.1016/j.nbd.2015.09.011>
- Hagberg, H., Mallard, C., Rousset Catherine, C.I., Wang, X., 2009. Apoptotic mechanisms in the immature Brain: Involvement of mitochondria. *J. Child Neurol.* 24, 1141–1146. <https://doi.org/10.1177/0883073809338212>
- Hagberg, H., Mallard, C., 2005. Effect of inflammation on central nervous system development and vulnerability. *Curr. Opin. Neurol.* 18, 117–123. <https://doi.org/10.1097/01.wco.0000162851.44897.8f>
- Haghiri, H., Rezaee, A.-A.-R., Sankian, M., Kheradmand, H., Hami, J., 2013. The effects of induced type-I diabetes on developmental regulation of insulin & insulin like growth factor-1 (IGF-1) receptors in the cerebellum of rat neonates. *Metab. Brain Dis.* 28, 397–410. <https://doi.org/10.1007/s11011-013-9386-2>

- Hain, E.G., Klein, C., Munder, T., Braun, J., Riek, K., Mueller, S., Sack, I., Steiner, B., 2016. Dopaminergic neurodegeneration in the mouse is associated with decrease of viscoelasticity of substantia nigra tissue. *PLoS One* 11. <https://doi.org/10.1371/journal.pone.0161179>
- Hallin, U., Kondo, E., Ozaki, Y., Hagberg, H., Shibasaki, F., Blomgren, K., 2006. Bcl-2 phosphorylation in the BH4 domain precedes caspase-3 activation and cell death after neonatal cerebral hypoxic-ischemic injury. *Neurobiol. Dis.* 21, 478–486. <https://doi.org/10.1016/j.nbd.2005.08.013>
- Hamani, C., Saint-Cyr, J.A., Fraser, J., Kaplitt, M., Lozano, A.M., 2004. The subthalamic nucleus in the context of movement disorders. *Brain* 127, 4–20. <https://doi.org/10.1093/brain/awh029>
- Hamel, D., Sanchez, M., Duhamel, F., Roy, O., Honore, J.C., Noueihed, B., Zhou, T.W., Nadeau-Vallee, M., Hou, X., Lavoie, J.C., Mitchell, G., Mamer, O.A., Chemtob, S., 2014. G-Protein-Coupled Receptor 91 and Succinate Are Key Contributors in Neonatal Postcerebral Hypoxia-Ischemia Recovery. *Arterioscler. Thromb. Vasc. Biol.* 34, 285–293. <https://doi.org/10.1161/atvaha.113.302131>
- Hami, J., Sadr-Nabavi, A., Sankian, M., Balali-Mood, M., Haghiri, H., 2013. The effects of maternal diabetes on expression of insulin-like growth factor-1 and insulin receptors in male developing rat hippocampus. *Brain Struct. Funct.* 218, 73–84. <https://doi.org/10.1007/s00429-011-0377-y>
- Hamilton, G., Mathur, R., Allsop, J.M., Forton, D.M., Dhanjal, N.S., Shaw, R.J., Taylor-Robinson, S.D., 2003. Changes in brain intracellular pH and membrane phospholipids on oxygen therapy in hypoxic patients with chronic obstructive pulmonary disease. *Metab. Brain Dis.* 18, 95–109. <https://doi.org/10.1023/a:1021938926807>
- Han, J., Zhang, J.-Z., Zhong, Z.-F., Li, Z.-F., Pang, W.-S., Hu, J., Chen, L.-D., 2018. Gualou Guizhi decoction promotes neurological functional recovery and neurogenesis following focal cerebral ischemia/reperfusion. *Neural Regen. Res.* 13, 1408–1416. <https://doi.org/10.4103/1673-5374.235296>
- Han, T.R., Chun, M.H., Jang, D.H., Kim, K.S., Lim, K.H., Cho, H.J., 2007. Neuroprotective effects of growth hormone against hypoxic-ischemic brain injury in neonatal rats: H-1 magnetic resonance spectroscopic study. *J. Korean Med. Sci.* 22, 122–126. <https://doi.org/10.3346/jkms.2007.22.1.122>
- Handley, E.E., Pitman, K.A., Dawkins, E., Young, K.M., Clark, R.M., Jiang, T.C., Turner, B.J., Dickson, T.C., Blizzard, C.A., 2017. Synapse Dysfunction of Layer v Pyramidal Neurons Precedes Neurodegeneration in a Mouse Model of TDP-43 Proteinopathies. *Cereb. Cortex* 27, 3630–3647. <https://doi.org/10.1093/cercor/bhw185>
- Hanson, D.R., Gottesman, I.I., 2005. Theories of schizophrenia: A genetic-inflammation-vascular synthesis. *BMC Med. Genet.* 6. <https://doi.org/10.1186/1471-2350-6-7>

Harch, P.G., Kriedt, C., Van Meter, K.W., Sutherland, R.J., 2007. Hyperbaric oxygen therapy improves spatial learning and memory in a rat model of chronic traumatic brain injury. *Brain Res.* 1174, 120–129.
<https://doi.org/10.1016/j.brainres.2007.06.105>

Harris, D.T., 2008. Cord blood stem cells: A review of potential neurological applications. *Stem Cell Rev.* 4, 269–274. <https://doi.org/10.1007/s12015-008-9039-8>

Harry, G.J., Kraft, A.D., 2012. Microglia in the developing brain: A potential target with lifetime effects. *Neurotoxicology* 33, 191–206.
<https://doi.org/10.1016/j.neuro.2012.01.012>

Hartlaub, A.M., McElroy, C.A., Maitre, N.L., Hester, M.E., 2019. Modeling human brain circuitry using pluripotent stem cell platforms. *Front. Pediatr.* 7.
<https://doi.org/10.3389/fped.2019.00057>

Hartle, K.D., Jeffers, M.S., Ivanco, T.L., 2010. Changes in Dendritic Morphology and Spine Density in Motor Cortex of the Adult Rat After Stroke During Infancy. *Synapse* 64, 602–610. <https://doi.org/10.1002/syn.20767>

Harvey, L., Boksa, P., 2012. Prenatal and postnatal animal models of immune activation: Relevance to a range of neurodevelopmental disorders. *Dev. Neurobiol.* 72, 1335–1348. <https://doi.org/10.1002/dneu.22043>

Harvey, L., Boksa, P., 2014. Additive effects of maternal iron deficiency and prenatal immune activation on adult behaviors in rat offspring. *Brain. Behav. Immun.* 40, 27–37. <https://doi.org/10.1016/j.bbi.2014.06.005>

Haut, S.R., Velíšková, J., Moshé, S.L., 2004. Susceptibility of immature and adult brains to seizure effects. *Lancet Neurol.* 3, 608–617.
[https://doi.org/10.1016/S1474-4422\(04\)00881-6](https://doi.org/10.1016/S1474-4422(04)00881-6)

Hawkins, K.E., Corcelli, M., Dowding, K., Ranzoni, A.M., Vlahova, F., Hau, K.L., Hunjan, A., Peebles, D., Gressens, P., Hagberg, H., de Coppi, P., Hristova, M., Guillot, P. V, 2018. Embryonic Stem Cell-Derived Mesenchymal Stem Cells (MSCs) Have a Superior Neuroprotective Capacity Over Fetal MSCs in the Hypoxic-Ischemic Mouse Brain. *Stem Cells Transl. Med.* 7, 439–449.
<https://doi.org/10.1002/sctm.17-0260>

Hayakawa, T., Hamada, Y., Maihara, T., Hattori, H., Mikawa, H., 1994. PHENYTOIN REDUCES NEONATAL HYPOXIC-ISCHEMIC BRAIN-DAMAGE IN RATS. *Life Sci.* 54, 387–392. [https://doi.org/10.1016/0024-3205\(94\)00696-2](https://doi.org/10.1016/0024-3205(94)00696-2)

Hayashi, T., Iwai, M., Ikeda, T., Jin, G., Deguchi, K., Nagotani, S., Zhang, H.Z., Sehara, Y., Nagano, I., Shoji, M., Ikenoue, T., Abe, K., T., H., M., I., T., I.I.I., G., J., K., D., S., N., H., Z., Y., S., I., N., M., S., T., I.I.I., K., A., 2005. Neural precursor cells division and migration in neonatal rat brain after ischemic/hypoxic injury. *Brain Res.* 1038, 41–49. <https://doi.org/10.1016/j.brainres.2004.12.048>

- Hayashi, T., Saito, A., Okuno, S., Ferrand-Drake, M., Dodd, R.L., Nishi, T., Maier, C.M., Kinouchi, H., Chan, P.H., 2003. Oxidative damage to the endoplasmic reticulum is implicated in ischemic neuronal cell death. *J. Cereb. Blood Flow Metab.* 23, 1117–1128. <https://doi.org/10.1097/01.wcb.0000089600.87125.ad>
- Haynes, R.L., van Leyen, K., 2013. 12/15-Lipoxygenase Expression Is Increased in Oligodendrocytes and Microglia of Periventricular Leukomalacia. *Dev. Neurosci.* 35, 140–154. <https://doi.org/10.1159/000350230>
- Haynes, R.L., Baud, O., Li, J., Kinney, H.C., Volpe, J.J., Folkerth, R.D., 2005. Oxidative and nitrative injury in periventricular leukomalacia: A review. *Brain Pathol.* 15, 225–233.
- Hays, S.L., McPherson, R.J., Juul, S.E., Wallace, G., Schindler, A.G., Chavkin, C., Gleason, C.A., 2012. Long-term effects of neonatal stress on adult conditioned place preference (CPP) and hippocampal neurogenesis. *Behav. Brain Res.* 227, 7–11. <https://doi.org/10.1016/j.bbr.2011.10.033>
- He, N., Song, Z.M., Lidow, M.S., 1999. Cocaine induces cell death within the primate fetal cerebral wall. *Neuropathol. Appl. Neurobiol.* 25, 504–512.
- He, S., Luan, Z., Qu, S., Qiu, X., Xin, D., Jia, W., Shen, Y., Yu, Z., Xu, T., 2012. Ultrasound guided neural stem cell transplantation through the lateral ventricle for treatment of cerebral palsy in children. *Neural Regen. Res.* 7, 2529–2535. <https://doi.org/10.3969/j.issn.1673-5374.2012.32.007>
- Heavner, S.B., Rubin, A.D., Fung, K., Old, M., Hogikyan, N.D., Feldman, E.L., 2007. Dysfunction of the recurrent laryngeal nerve and the potential of gene therapy. *Ann. Otol. Rhinol. Laryngol.* 116, 441–448. <https://doi.org/10.1177/000348940711600609>
- Hefter, D., Marti, H.H., Gass, P., Inta, D., 2018. Perinatal hypoxia and ischemia in animal models of schizophrenia. *Front. Psychiatry* 9. <https://doi.org/10.3389/fpsyg.2018.00106>
- Heine, V.M., Griveau, A., Chapin, C., Ballard, P.L., Chen, J.K., Rowitch, D.H., 2011. A Small-Molecule Smoothened Agonist Prevents Glucocorticoid-Induced Neonatal Cerebellar Injury. *Sci. Transl. Med.* 3. <https://doi.org/10.1126/scitranslmed.3002731>
- Heinen, M.C., Babler, A., Weis, J., Elsas, J., Nolte, K., Kipp, M., Jähnen-Dechent, W., Hausler, M., 2018. Fetuin-A protein distribution in mature inflamed and ischemic brain tissue. *PLoS One* 13. <https://doi.org/10.1371/journal.pone.0206597>
- Helmy, M.M., Ruusuvuori, E., Watkins, P. V., Voipio, J., Kanold, P.O., Kaila, K., 2012. Acid extrusion via blood-brain barrier causes brain alkalosis and seizures after neonatal asphyxia. *Brain* 135, 3311–3319. <https://doi.org/10.1093/brain/aws257>
- Hemmerle, A.M., Ahlbrand, R., Bronson, S.L., Lundgren, K.H., Richtand, N.M., Seroogy, K.B., 2015. Modulation of schizophrenia-related genes in the forebrain of

adolescent and adult rats exposed to maternal immune activation. *Schizophr. Res.* 168, 411–420. <https://doi.org/10.1016/j.schres.2015.07.006>

Hennebert, O., Laudenbach, V., Laquerriere, A., Verney, C., Carmeliet, P., Marret, S., Leroux, P., 2005. Ontogenetic study of the influence of tissue plasminogen activator (t-PA) in neonatal excitotoxic brain insult and the subsequent microglia/macrophage activation. *Neuroscience* 130, 697–712. <https://doi.org/10.1016/j.neuroscience.2004.09.049>

Henry, V.J., Lecointre, M., Laudenbach, V., Ali, C., Macrez, R., Jullienne, A., Berezowski, V., Carmeliet, P., Vivien, D., Marret, S., Gonzalez, B.J., Leroux, P., 2013. High t-PA release by neonate brain microvascular endothelial cells under glutamate exposure affects neuronal fate. *Neurobiol. Dis.* 50, 201–208. <https://doi.org/10.1016/j.nbd.2012.10.020>

Hernández-Ortega, K., Arias, C., 2012. ERK activation and expression of neuronal cell cycle markers in the hippocampus after entorhinal cortex lesion. *J. Neurosci. Res.* 90, 2116–2126. <https://doi.org/10.1002/jnr.23106>

Herr, K.J., Herr, D.R., Lee, C.-W., Noguchi, K., Chun, J., 2011. Stereotyped fetal brain disorganization is induced by hypoxia and requires lysophosphatidic acid receptor 1 (LPA1) signaling. *Proc. Natl. Acad. Sci. U. S. A.* 108, 15444–15449. <https://doi.org/10.1073/pnas.1106129108>

Herrera, M.I., Otero-Losada, M., Udovin, L.D., Kusnier, C., Kölliker-Frers, R., De Souza, W., Capani, F., 2017. Could Perinatal Asphyxia Induce a Synaptopathy? New Highlights from an Experimental Model. *Neural Plast.* 2017. <https://doi.org/10.1155/2017/3436943>

Herrera-Marschitz, M., Morales, P., Leyton, L., Bustamante, D., Klawitter, V., Espina-Marchant, P., Allende, C., Lisboa, F., Cunich, G., Jara-Cavieres, A., Neira, T., Gutierrez-Hernandez, M.A., Gonzalez-Lira, V., Simola, N., Schmitt, A., Morelli, M., Tasker, R.A., Gebicke-Haerter, P.J., 2011. Perinatal asphyxia: Current status and approaches towards neuroprotective strategies, with focus on sentinel proteins. *Neurotox. Res.* 19, 603–627. <https://doi.org/10.1007/s12640-010-9208-9>

Herrington, T.M., Cheng, J.J., Eskandar, E.N., 2016. Mechanisms of deep brain stimulation. *J. Neurophysiol.* 115, 19–38. <https://doi.org/10.1152/jn.00281.2015>

Herz, J., Koster, C., Reinboth, B.S., Dzietko, M., Hansen, W., Sabir, H., van Velthoven, C., Bendix, I., Felderhoff-Moser, U., 2018. Interaction between hypothermia and delayed mesenchymal stem cell therapy in neonatal hypoxic-ischemic brain injury. *Brain Behav. Immun.* 70, 118–130. <https://doi.org/10.1016/j.bbi.2018.02.006>

Heuland, E., Germaux, M.-A., Galineau, L., Chalon, S., Belzung, C., 2010. Prenatal MDMA exposure delays postnatal development in the rat: A preliminary study. *Neurotoxicol. Teratol.* 32, 425–431. <https://doi.org/10.1016/j.ntt.2010.03.006>

Hewitt, A.J., Dobson, C.C., Brien, J.F., Wynne-Edwards, K.E., Reynolds, J.N., 2014. Chronic ethanol exposure increases the non-dominant glucocorticoid,

corticosterone, in the near-term pregnant guinea pig. *Alcohol* 48, 477–481. <https://doi.org/10.1016/j.alcohol.2014.06.005>

Higuchi, M., Ishihara, T., Zhang, B., Hong, M., Andreadis, A., Trojanowski, J.Q., Lee, V.M.-Y., 2002. Transgenic mouse model of tauopathies with glial pathology and nervous system degeneration. *Neuron* 35, 433–446. [https://doi.org/10.1016/S0896-6273\(02\)00789-4](https://doi.org/10.1016/S0896-6273(02)00789-4)

Hirata, H., Nanda, I., van Riesen, A., McMichael, G., Hu, H., Hamrock, M., Papon, M.-A., Fischer, U., Marouillat, S., Ding, C., Alirol, S., Bienek, M., Preisler-Adams, S., Grimme, A., Seelow, D., Webster, R., Haan, E., MacLennan, A., Stenzel, W., Yap, T.Y., Gardner, A., Nguyen, L.S., Shaw, M., Lebrun, N., Haas, S.A., Kress, W., Haaf, T., Schellenberger, E., Chelly, J., Viot, G., Shaffer, L.G., Rosenfeld, J.A., Kramer, N., Falk, R., El-Khechen, D., Escobar, L.F., Hennekam, R., Wieacker, P., Hubner, C., Ropers, H.-H., Gecz, J., Schuelke, M., Laumonnier, F., Kalscheuer, V.M., H., H.H., I., N., A., V.R., G., M., H., H.H., M., H., M.-A., P., U., F., S., M., C., D., S., A., M., B., S., P.-A., A., G.G.G.G., D., S., R., W., E., H., A., M., W., S., T.Y., Y., A., G.G.G.G., L.S., N., M., S.S.S., N., L., S.A., H., W., K., T., H., E., S., J., C., G., V., L.G., S., J.A., R., N., K., R., F., D., E.-K., L.F., E., R., H., P., W., C., H., H.-H., R., J., G., M., S.S.S., F., L., V.M., K., Hirata, H., Nanda, I., van Riesen, A., McMichael, G., Hu, H., Hamrock, M., Papon, M.-A., Fischer, U., Marouillat, S., Ding, C., Alirol, S., Bienek, M., Preisler-Adams, S., Grimme, A., Seelow, D., Webster, R., Haan, E., MacLennan, A., Stenzel, W., Yap, T.Y., Gardner, A., Nguyen, L.S., Shaw, M., Lebrun, N., Haas, S.A., Kress, W., Haaf, T., Schellenberger, E., Chelly, J., Viot, G., Shaffer, L.G., Rosenfeld, J.A., Kramer, N., Falk, R., El-Khechen, D., Escobar, L.F., Hennekam, R., Wieacker, P., Hubner, C., Ropers, H.-H., Gecz, J., Schuelke, M., Laumonnier, F., Kalscheuer, V.M., H., H.H., I., N., A., V.R., G., M., H., H.H., M., H., M.-A., P., U., F., S., M., C., D., S., A., M., B., S., P.-A., A., G.G.G.G., D., S., R., W., E., H., A., M., W., S., T.Y., Y., A., G.G.G.G., L.S., N., M., S.S.S., N., L., S.A., H., W., K., T., H., E., S., J., C., G., V., L.G., S., J.A., R., N., K., R., F., D., E.-K., L.F., E., R., H., P., W., C., H., H.-H., R., J., G., M., S.S.S., F., L., V.M., K., 2013. ZC4H2 mutations are associated with arthrogryposis multiplex congenita and intellectual disability through impairment of central and peripheral synaptic plasticity. *Am. J. Hum. Genet.* 92, 681–695. <https://doi.org/10.1016/j.ajhg.2013.03.021>

Hoare, B., 2008. Unravelling the cerebral palsy upper limb. *Dev. Med. Child Neurol.* 50, 887. <https://doi.org/10.1111/j.1469-8749.2008.03130.x>

Hobbs, C.E., Murphy, M.P., Smith, R.A.J., Oorschot, D.E., 2008. Neonatal rat hypoxia-ischemia: Effect of the anti-oxidant mitoquinol, and S-PBN. *Pediatr. Int.* 50, 481–488. <https://doi.org/10.1111/j.1442-200X.2008.02705.x>

Hobbs, C.E., Oorschot, D.E., 2008. Neonatal rat hypoxia-ischemia: Long-term rescue of striatal neurons and motor skills by combined antioxidant-hypothermia treatment. *Brain Pathol.* 18, 443–454. <https://doi.org/10.1111/j.1750-3639.2008.00146.x>

Hodapp, M., Vry, J., Mall, V., Faist, M., 2009. Changes in soleus H-reflex modulation after treadmill training in children with cerebral palsy. *Brain* 132, 37–44. <https://doi.org/10.1093/brain/awn287>

Hoeber, D., Siffringer, M., Van De Looij, Y., Herz, J., Sizonenko, S. V, Kempe, K., Serdar, M., Palasz, J., Hadamitzky, M., Endesfelder, S., Fandrey, J., Felderhoff-Müser, U., Bendix, I., 2016. Erythropoietin Restores Long-Term Neurocognitive Function Involving Mechanisms of Neuronal Plasticity in a Model of Hyperoxia-Induced Preterm Brain Injury. *Oxid. Med. Cell. Longev.* 2016.
<https://doi.org/10.1155/2016/9247493>

Hoffman, G.E., McDonald, T., Shedwick, R., Nathanielsz, P.W., 1991. ACTIVATION OF CFOS IN OVINE FETAL CORTICOTROPIN-RELEASING HORMONE NEURONS AT THE TIME OF PARTURITION. *Endocrinology* 129, 3227–3233.
<https://doi.org/10.1210/endo-129-6-3227>

Holmes, G.L., 2009. The Long-Term Effects of Neonatal Seizures. *Clin. Perinatol.* 36, 901–914. <https://doi.org/10.1016/j.clp.2009.07.012>

Holmes, G.L., 2002. Seizure-induced neuronal injury - Animal data. *Neurology* 59, S3–S6. https://doi.org/10.1212/WNL.59.9_suppl_5.S3

Holmes, G.L., 2009. The 2008 Judith Hoyer Lecture: Epilepsy in children: Listening to mothers. *Epilepsy Behav.* 16, 193–202.
<https://doi.org/10.1016/j.yebeh.2009.07.029>

Holopainen, I.E., Laurén, H.B., 2012. Glutamate signaling in the pathophysiology and therapy of prenatal insults. *Pharmacol. Biochem. Behav.* 100, 825–834.
<https://doi.org/10.1016/j.pbb.2011.03.016>

Holt, R.L., Mikati, M.A., 2011. Care for child development: Basic science rationale and effects of interventions. *Pediatr. Neurol.* 44, 239–253.
<https://doi.org/10.1016/j.pediatrneurol.2010.11.009>

Holtzman, D.M., Sheldon, R.A., Jaffe, W., Cheng, Y., Ferriero, D.M., 1996. Nerve growth factor protects the neonatal brain against hypoxic-ischemic injury. *Ann. Neurol.* 39, 114–122. <https://doi.org/10.1002/ana.410390117>

Holubiec, M.I., Galeano, P., Romero, J.I., Hanschmann, E.M., Lillig, C.H., Capani, F., 2020. Thioredoxin 1 Plays a Protective Role in Retinas Exposed to Perinatal Hypoxia-Ischemia. *Neuroscience* 425, 235–250.
<https://doi.org/10.1016/j.neuroscience.2019.11.011>

Hong, Z., Weir, E.K., Varghese, A., Olschewski, A., 2005. Effect of normoxia and hypoxia on K⁺ current and resting membrane potential of fetal rabbit pulmonary artery smooth muscle. *Physiol. Res.* 54, 175–184.

Honoré, J.-C., Kooli, A., Hamel, D., Alquier, T., Rivera, J.-C., Quiniou, C., Hou, X., Kermorvant-Duchemin, E., Hardy, P., Poitout, V., Chemtob, S., 2013. Fatty acid receptor GPR40 mediates neuromicrovascular degeneration induced by transarachidonic acids in rodents. *Arterioscler. Thromb. Vasc. Biol.* 33, 954–961.
<https://doi.org/10.1161/ATVBAHA.112.300943>

- Hor, C.H.H., Tang, B.L., 2019. Beta-propeller protein-associated neurodegeneration (BPAN) as a genetically simple model of multifaceted neuropathology resulting from defects in autophagy. *Rev. Neurosci.* 30, 261–277.
<https://doi.org/10.1515/revneuro-2018-0045>
- Hoseini, S.J., Ghazavi, H., Forouzanfar, F., Mashkani, B., Ghorbani, A., Mahdipour, E., Ghasemi, F., Sadeghnia, H.R., Ghayour-Mobarhan, M., 2017. Fibroblast Growth Factor 1-Transfected Adipose-Derived Mesenchymal Stem Cells Promote Angiogenic Proliferation. *DNA Cell Biol.* 36, 401–412.
<https://doi.org/10.1089/dna.2016.3546>
- Hosseini, S.M.S., Sourtiji, H., Gharaborgha, S.N., Hosseini, S.A., 2017. Review Paper: New Rehabilitation Approaches for Upper Limb Function of Children With Hemiplegia. *Arch. Rehabil.* 18, 254–262. <https://doi.org/10.21859/jrehab-1803254>
- Hou, X.R., Zhang, R.J., Lv, H., Cai, X.H., Xie, G.C., Song, X.G., 2014. Acupuncture at baihui and dazhui reduces brain cell apoptosis in heroin readdicts. *Neural Regen. Res.* 9, 164–170. <https://doi.org/10.4103/1673-5374.125345>
- Hristova, M., Rocha-Ferreira, E., Fontana, X., Thei, L., Buckle, R., Christou, M., Hompoonsup, S., Gostelow, N., Raivich, G., Peebles, D., 2016. Inhibition of Signal Transducer and Activator of Transcription 3 (STAT3) reduces neonatal hypoxic-ischaemic brain damage. *J. Neurochem.* 136, 981–994.
<https://doi.org/10.1111/jnc.13490>
- Hsieh, C.-T., Lee, Y.-J., Dai, X., Ojeda, N.B., Lee, H.J., Tien, L.-T., Fan, L.-W., 2018. Systemic lipopolysaccharide-induced pain sensitivity and spinal inflammation were reduced by minocycline in neonatal rats. *Int. J. Mol. Sci.* 19.
<https://doi.org/10.3390/ijms19102947>
- Hu, M., Liu, Z.J., Lv, P.Y., Wang, H.B., Zhu, Y.F., Qi, Q.Q., Xu, J., 2017. Autophagy and Akt/CREB signalling play an important role in the neuroprotective effect of nimodipine in a rat model of vascular dementia. *Behav. Brain Res.* 325, 79–86.
<https://doi.org/10.1016/j.bbr.2016.11.053>
- Hu, X.M., Qiu, J.X., Grafe, M.R., Rea, H.C., Rassin, D.K., Perez-Polo, J.R., 2003. Bcl-2 family members make different contributions to cell death in hypoxia and/or hyperoxia in rat cerebral cortex. *Int. J. Dev. Neurosci.* 21, 371–377.
[https://doi.org/10.1016/s0736-5748\(03\)00089-3](https://doi.org/10.1016/s0736-5748(03)00089-3)
- Hu, X., Rea, H.C., Wiktorowicz, J.E., Perez-Polo, J.R., 2006. Proteomic analysis of hypoxia/ischemia-induced alteration of cortical development and dopamine neurotransmission in neonatal rat. *J. Proteome Res.* 5, 2396–2404.
<https://doi.org/10.1021/pr060209x>
- Hu, Y.R., Chen, G., Wan, H., Zhang, Z.Y., Zhi, H., Liu, W., Qian, X.W., Chen, M.Z., Wen, L.B., Gao, F., Li, J.X., Zhao, L.H., Y.R., H., G., C., H., W., Z.Y., Z., H., Z., W., L., X.W., Q., M.Z., C., L.B., W., F., G., J.X., L., L.H., Z., Hu, Y.R., Chen, G., Wan, H., Zhang, Z.Y., Zhi, H., Liu, W., Qian, X.W., Chen, M.Z., Wen, L.B., Gao, F., Li, J.X., Zhao, L.H., 2013. A rat pup model of cerebral palsy induced by

prenatal inflammation and hypoxia. *Neural Regen. Res.* 8, 817–824. <https://doi.org/10.3969/j.issn.1673-5374.2013.09.006>

Huang, D., Yang, Z., Wang, Z., Wang, P., Qu, Y., 2018. The macroscopic and microscopic effect of low-frequency whole-body vibration after cerebral ischemia in rats. *Metab. Brain Dis.* 33, 15–25. <https://doi.org/10.1007/s11011-017-0113-2>

Huang, H.-M., Huang, C.-C., Tsai, M.-H., Poon, Y.-C., Chang, Y.-C., H.-M., H., C.-C., H., M.-H., T., Y.-C., P., Y.-C., C., 2018. Systemic 7,8-dihydroxyflavone treatment protects immature retinas against hypoxic-ischemic injury via müller glia regeneration and MAPK/ERK activation. *Investig. Ophthalmol. Vis. Sci.* 59, 3124–3135. <https://doi.org/10.1167/iovs.18-23792>

Huang, J.-C., Li, Y.-F., Zhao, F.-Y., Qu, Y., Mu, D.-Z., 2017. Protective effect of histone acetylation against cortical injury in neonatal rats. *Chinese J. Contemp. Pediatr.* 19, 81–87. <https://doi.org/10.7499/j.issn.1008-8830.2017.01.014>

Huang, J., Zhang, L., Qu, Y., Zhou, Y., Zhu, J., Li, Y., Zhu, T., Zhao, F., Tang, J., Mu, D., 2018. Histone acetylation of oligodendrocytes protects against white matter injury induced by inflammation and hypoxia-ischemia through activation of BDNF-TrkB signaling pathway in neonatal rats. *Brain Res.* 1688, 33–46. <https://doi.org/10.1016/j.brainres.2017.11.005>

Huang, J., Liu, G., Shi, B., Shi, G., He, X., Lu, Z., Zheng, J., Zhang, H., Chen, H., Zhu, Z., 2018. Inhibition of microglial activation by minocycline reduced preoligodendrocyte injury in a neonatal rat brain slice model. *J. Thorac. Cardiovasc. Surg.* 156, 2271–2280. <https://doi.org/10.1016/j.jtcvs.2018.06.038>

Huang, L., Obenaus, A., Hamer, M., Zhang, J., 2016. Neuroprotective effect of hyperbaric oxygen therapy in a juvenile rat model of repetitive mild traumatic brain injury. *Med. Gas Res.* 6, 187–193. <https://doi.org/10.4103/2045-9912.196900>

Huang, W.-L., Ma, Y.-X., Fan, Y.-B., Lai, S.-M., Liu, H.-Q., Liu, J., Luo, L., Li, G.-Y., Tian, S.-M., 2017. Extract of Ginkgo biloba promotes neuronal regeneration in the hippocampus after exposure to acrylamide. *Neural Regen. Res.* 12, 1287–1293. <https://doi.org/10.4103/1673-5374.213548>

Hübner, S., Reich, B., Heckmann, M., 2015. Role of sex steroids and their receptors in human preterm infants: Impacts on future treatment strategies for cerebral development. *Biochem. Pharmacol.* <https://doi.org/10.1016/j.bcp.2015.08.093>

Hung, K.-S., Hwang, S.-L., Liang, C.-L., Chen, Y.-J., Lee, T.-H., Liu, J.-K., Howng, S.-L., Wang, C.-H., 2005. Calpain inhibitor inhibits p35-p25-Cdk5 activation, decreases tau hyperphosphorylation, and improves neurological function after spinal cord hemisection in rats. *J. Neuropathol. Exp. Neurol.* 64, 15–26. <https://doi.org/10.1093/jnen/64.1.15>

Hunter, D.S., Hazel, S.J., Kind, K.L., Owens, J.A., Pitcher, J.B., Gatford, K.L., 2016. Programming the brain: Common outcomes and gaps in knowledge from animal

studies of IUGR. *Physiol. Behav.* 164, 233–248.
<https://doi.org/10.1016/j.physbeh.2016.06.005>

Huo, K.M., Sun, Y.Y., Li, H.F., Du, X.N., Wang, X.Y., Karlsson, N., Zhu, C.L., Blomgren, K., 2012. Lithium reduced neural progenitor apoptosis in the hippocampus and ameliorated functional deficits after irradiation to the immature mouse brain. *Mol. Cell. Neurosci.* 51, 32–42.
<https://doi.org/10.1016/j.mcn.2012.07.002>

Huot, P., Fox, S.H., 2013. The serotonergic system in motor and non-motor manifestations of Parkinson's disease. *Exp. Brain Res.* 230, 463–476.
<https://doi.org/10.1007/s00221-013-3621-2>

Hüppi, P., Sizonenko, S., Amato, M., 2006. Lung disease and brain development. *Biol. Neonate* 89, 284–297. <https://doi.org/10.1159/000092865>

Hutton, J., 2016. Does rubella cause autism: A 2015 reappraisal? *Front. Hum. Neurosci.* 10. <https://doi.org/10.3389/fnhum.2016.00025>

Hwang, S., Choi, J., Kim, M., 2019. Combining human umbilical cord blood cells with erythropoietin enhances angiogenesis/neurogenesis and behavioral recovery after stroke. *Front. Neurol.* 10. <https://doi.org/10.3389/fneur.2019.00357>

I., A.-C., 2009. Insults to the developing brain and impact on neurodevelopmental outcome. *J. Commun. Disord.* 42, 256–262.
<https://doi.org/10.1016/j.jcomdis.2009.03.010>

I., G., 2011. NAP (davunetide) provides functional and structural neuroprotection. *Curr. Pharm. Des.* 17, 1040–1044. <https://doi.org/10.2174/138161211795589373>

I., N., J.P., N., S.M., R., R., H., T.J.M., M., 2014. The impact of chronic intrauterine inflammation on the physiologic and neurodevelopmental consequences of intermittent umbilical cord occlusion in fetal sheep. *Reprod. Sci.* 21, 658–670.
<https://doi.org/10.1177/1933719111399928>

I., S., J.-L., D., I., H., B., K., G., S., P., G., Sfaello, I., Daire, J.-L., Husson, I., Kosofsky, B., Sebag, G., Gressens, P., 2005. Patterns of excitotoxin-induced brain lesions in the newborn rabbit: A neuropathological and MRI correlation. *Dev. Neurosci.* 27, 160–168. <https://doi.org/10.1159/000085988>

Ichinohashi, Y., Sato, Y., Saito, A., Ito, M., Watanabe, K., Hayakawa, M., Nakanishi, K., Wakatsuki, A., Oohira, A., 2013. Dexamethasone administration to the neonatal rat results in neurological dysfunction at the juvenile stage even at low doses. *Early Hum. Dev.* 89, 283–288.
<https://doi.org/10.1016/j.earlhumdev.2012.10.007>

Jerusalimsky, V.N., Balaban, P.M., 2013. Type 1 metalloproteinase is selectively expressed in adult rat brain and can be rapidly up-regulated by kainate. *Acta Histochem.* 115, 816–826. <https://doi.org/10.1016/j.acthis.2013.04.001>

- Ikeda, S., Harada, K., Ohwatashi, A., Kamikawa, Y., 2013. Effects of edaravone, a free radical scavenger, on photochemically induced cerebral infarction in a rat hemiplegic model. *Sci. World J.* 2013. <https://doi.org/10.1155/2013/175280>
- Ikeda, T., Xia, X.Y., Xia, Y.X., Ikenoue, T., Han, B., Choi, B.H., 2000. Glial cell line-derived neurotrophic factor protects against ischemia/hypoxia-induced brain injury in neonatal rat. *Acta Neuropathol.* 100, 161–167.
<https://doi.org/10.1007/s004019900162>
- Ikeda, T., 2008. Stem cells and neonatal brain injury. *Cell Tissue Res.* 331, 263–269.
<https://doi.org/10.1007/s00441-007-0546-8>
- Illa, M., Brito, V., Pla, L., Eixarch, E., Arbat-Plana, A., Batalle, D., Munoz-Moreno, E., Crispi, F., Udina, E., Figueras, F., Gines, S., Gratacos, E., 2018. Early Environmental Enrichment Enhances Abnormal Brain Connectivity in a Rabbit Model of Intrauterine Growth Restriction. *Fetal Diagn. Ther.* 44, 184–193.
<https://doi.org/10.1159/000481171>
- Im, S.H., Yu, J.H., Park, E.S., Lee, J.E., Kim, H.O., Park, K.I., Kim, G.W., Park, C.I., Cho, S.-R., S.H., I., J.H., Y., E.S., P., J.E., L., H.O., K., K.I., P., G.W., K., C.I., P., S.-R., C., 2010. Induction of striatal neurogenesis enhances functional recovery in an adult animal model of neonatal hypoxic-ischemic brain injury. *Neuroscience* 169, 259–268. <https://doi.org/10.1016/j.neuroscience.2010.04.038>
- Imai, K., Kotani, T., Tsuda, H., Nakano, T., Ushida, T., Iwase, A., Nagai, T., Toyokuni, S., Suzumura, A., Kikkawa, F., 2018. Administration of molecular hydrogen during pregnancy improves behavioral abnormalities of offspring in a maternal immune activation model. *Sci. Rep.* 8. <https://doi.org/10.1038/s41598-018-27626-4>
- Ipek-Ugay, S., Drießle, T., Ledwig, M., Guo, J., Hirsch, S., Sack, I., Braun, J., 2015. Tabletop magnetic resonance elastography for the measurement of viscoelastic parameters of small tissue samples. *J. Magn. Reson.* 251, 13–18.
<https://doi.org/10.1016/j.jmr.2014.11.009>
- Ishida, A., Ishiwa, S., Trescher, W.H., Nakajima, W., Lange, M.S., Blue, M.E., Johnston, M. V, 2001. Delayed increase in neuronal nitric oxide synthase immunoreactivity in thalamus and other brain regions after hypoxic-ischemic injury in neonatal rats. *Exp. Neurol.* 168, 323–333.
<https://doi.org/10.1006/exnr.2000.7606>
- Ito, T., 1999. Differentiation and proliferation of pulmonary neuroendocrine cells. *Prog. Histochem. Cytochem.* 34, 253-+. [https://doi.org/10.1016/s0079-6336\(99\)80001-1](https://doi.org/10.1016/s0079-6336(99)80001-1)
- Itoh, M., Fueki, N., Kurata, K., Hayashi, M., Morimatsu, Y., Satoh, J., 1997. [Localized lesions on MRI in the globus pallidus, subthalamic nuclei and hippocampus in patients with severe intellectual and motor disabilities]. No to hattatsu = Brain Dev. 29, 449–454.

- Ivacko, J., Szaflarski, J., Malinak, C., Flory, C., Warren, J.S., Silverstein, F.S., 1997. Hypoxic-ischemic injury induces monocyte chemoattractant protein-1 expression in neonatal rat brain. *J. Cereb. Blood Flow Metab.* 17, 759–770.
- J., A., S., D. montpellier, 2013. Hypoxic-preconditioning enhances the regenerative capacity of neural stem/progenitors in subventricular zone of newborn piglet brain. *Stem Cell Res.* 11, 669–686. <https://doi.org/10.1016/j.scr.2013.04.007>
- J., C., R.W., D., M.L.V., D., 2018. Bone morphogenetic protein signaling: A promising target for white matter protection in perinatal brain injury. *Neural Regen. Res.* 13, 1183–1184. <https://doi.org/10.4103/1673-5374.235025>
- J., C., M., S., X., Z., Z., M., B.H.L., C., R.C., H., Q.-G., Z., C.-F., L., X., X., 2015. Increased oligodendrogenesis by humanin promotes axonal remyelination and neurological recovery in hypoxic/ischemic brains. *Hippocampus* 25, 62–71. <https://doi.org/10.1002/hipo.22350>
- J., D., J., P., H., P., C., C., N., I., D., G., V., L., S., V., V., C., C.-M., L., T., P., G., J., L., O., B., 2013. Use of human umbilical cord blood mononuclear cells to prevent perinatal brain injury: A preclinical study. *Stem Cells Dev.* 22, 169–179. <https://doi.org/10.1089/scd.2012.0183>
- J., D.V., 2002. The MRRC at the University of California (UCLA), Los Angeles, CA. *Int. J. Dev. Neurosci.* 20, 287–288. [https://doi.org/10.1016/S0736-5748\(02\)00031-X](https://doi.org/10.1016/S0736-5748(02)00031-X)
- J., E., N., E., L., B., I., B., J., H., U., F.-M., M., D., Engels, J., Elting, N., Braun, L., Bendix, I., Herz, J., Felderhoff-Moser, U., Dzietko, M., 2017. Sildenafil Enhances Quantity of Immature Neurons and Promotes Functional Recovery in the Developing Ischemic Mouse Brain. *Dev. Neurosci.* 39, 287–297. <https://doi.org/10.1159/000457832>
- J., G., K., A., Y., C., I., M., N., A., M., H.-M., 2005. Effect of perinatal asphyxia on tyrosine hydroxylase and D2 and D1 dopamine receptor mRNA levels expressed during early postnatal development in rat brain. *Mol. Brain Res.* 134, 275–281. <https://doi.org/10.1016/j.molbrainres.2004.10.030>
- J., G., U., U., Y., C., B., B., J., H., K., A., 1997. Modulation of the dopaminergic system by perinatal asphyxia. *Homeost. Heal. Dis.* 38, 29–31.
- J., H., J., P., T., Y., M.R., S., K.P., D., K., T.-L., E., C., A., H., J.Z., G., B., J., D., J., S.M., M., F.M., L., M.S., B., 2012. Delayed administration of a small molecule tropomyosin-related kinase B ligand promotes recovery after hypoxic-ischemic stroke. *Stroke* 43, 1918–1924. <https://doi.org/10.1161/STROKEAHA.111.641878>
- J., J., T., Z., J., S., M., Z.-N., 2019. Effect of the HDAC Inhibitor, Sodium Butyrate, on Neurogenesis in a Rat Model of Neonatal Hypoxia–Ischemia: Potential Mechanism of Action. *Mol. Neurobiol.* 56, 6341–6370. <https://doi.org/10.1007/s12035-019-1518-1>

- J., K., I.-Y., C., Y., D., W.-T., W., W.M., B., C.P., W., P., L., 2015. Chronic fetal hypoxia affects axonal maturation in Guinea pigs during development: A longitudinal diffusion tensor imaging and Tinf2/inf mapping study. *J. Magn. Reson. Imaging* 42, 658–665. <https://doi.org/10.1002/jmri.24825>
- J., L., R., R., R.D., S., M., C., Liu, J.J., Rossaint, R., Sanders, R.D., Coburn, M., J., L., R., R., R.D., S., M., C., 2014. Toxic and protective effects of inhaled anaesthetics on the developing animal brain systematic review and update of recent experimental work. *Eur. J. Anaesthesiol.* 31, 669–677. <https://doi.org/10.1097/EJA.0000000000000073>
- J., M., Y., W., J., Y., M., Y., K.-A., C., L., Z., F., J., Y., L., Z., Z., C., H., Y.-H., S., 2007. Treatment of hypoxic-ischemic encephalopathy in mouse by transplantation of embryonic stem cell-derived cells. *Neurochem. Int.* 51, 57–65. <https://doi.org/10.1016/j.neuint.2007.04.012>
- J., N., Z., Y., Y., J., T., G., I., M., S.W., L., 2007. 17 β -Estradiol protects the neonatal brain from hypoxia-ischemia. *Exp. Neurol.* 208, 269–276. <https://doi.org/10.1016/j.expneurol.2007.08.020>
- J., P., B., M., M.-A., D., G., F., E.M., T., J.-C., R., P., E., P., G., 2001. Deleterious effects of IL-9 -activated mast cells and neuroprotection by antihistamine drugs in the developing mouse brain. *Pediatr. Res.* 50, 222–230. <https://doi.org/10.1203/00006450-200108000-00010>
- J., S., 2015. Neonatal seizures in hypoxic-ischaemic encephalopathy - risks and benefits of anticonvulsant therapy. *Dev. Med. Child Neurol.* 57, 40–43. <https://doi.org/10.1111/dmcn.12724>
- J., T., X., Z., S., Z., Y., Y., X., W., X., Y., L., Z., Tan, J.L., Zheng, X.R., Zhang, S.S., Yang, Y.J., Wang, X., Yu, X.H., Zhong, L., 2014. Response of the sensorimotor cortex of cerebral palsy rats receiving transplantation of vascular endothelial growth factor 165-transfected neural stem cells. *Neural Regen. Res.* 9, 1763–1769. <https://doi.org/10.4103/1673-5374.141785>
- J., V.S., A.-L., S., M.L., K., V., D., A., D.-D.D.E., C., B., Z., C., F., V., A., M., S., S., O., H., S., L., L., S., T., L.C., R., H.-A., G., B., P., A., A., S., R.K., H., W., B., O., B., D., R., V., M., F., C., C., L., V.C., B., E.G., P., A., D.-D.D.E., H., H., N., S.-Y., B., F., P., G., Van Steenwinckel, J., Schang, A.L., Krishnan, M.L., Degos, V., Delahaye-Duriez, A., Bokobza, C., Csaba, Z., Verdonk, F., Montane, A., Sigaut, S., Hennebert, O., Lebon, S., Schwendimann, L., Le Charpentier, T., Hassan-Abdi, R., Ball, G., Aljabar, P., Saxena, A., Holloway, R.K., Birchmeier, W., Baud, O., Rowitch, D., Miron, V., Chretien, F., Leconte, C., Besson, V.C., Petretto, E.G., Edwards, A.D., Hagberg, H., Soussi-Yanicostas, N., Fleiss, B., Gressens, P., J., V.S., A.-L., S., M.L., K., V., D., A., D.-D.D.E., C., B., Z., C., F., V., A., M., S., S., O., H., S., L., L., S., T., L.C., R., H.-A., G., B., P., A., A., S., R.K., H., W., B., O., B., D., R., V., M., F., C., C., L., V.C., B., E.G., P., A., D.-D.D.E., H., H., N., S.-Y., B., F., P., G., 2019. Decreased microglial Wnt/ β -catenin signalling drives microglial pro-inflammatory activation in the developing brain. *Brain* 142, 3806–3833. <https://doi.org/10.1093/brain/awz319>

- J., W., F., Z., L., T., L., S., X., S., L., C., Z., Q., C., Z., 2012. Neuroprotective effects of total saponins from Rubus parvifolius L. on cerebral ischemia/reperfusion injury in rats. *Neural Regen. Res.* 7, 176–181. <https://doi.org/10.3969/j.issn.1673-5374.2012.03.003>
- J., W., Y., X., Z., L., J., Z., T., Z., M., L., Y., W., B., D., 2013. Does closure of acid-sensing ion channels reduce ischemia/reperfusion injury in the rat brain? *Neural Regen. Res.* 8, 1169–1179. <https://doi.org/10.3969/j.issn.1673-5374.2013.13.002>
- J., W., D., S., L.H., T., Wright, J., Stanic, D., Thompson, L.H., J., W., D., S., L.H., T., Wright, J., Stanic, D., Thompson, L.H., 2013. Generation of striatal projection neurons extends into the neonatal period in the rat brain. *J. Physiol.* 591, 67–76. <https://doi.org/10.1113/jphysiol.2012.246397>
- J., Y., L.-N., Y., Y.-Y., W., B.-H., L., S.-M., W., C.-L., H., Y.-L., H., 2016. 13-Methyltetradecanoic acid mitigates cerebral ischemia/reperfusion injury. *Neural Regen. Res.* 11, 1431–1437. <https://doi.org/10.4103/1673-5374.191216>
- J., Z., H., W., O., S., E.L.-L., P., S.-U., K., J.-S., K., J., Y., W., H., H., W., S.M., E., Z., C., X., M., J., X., H., J., S.A., A., T.M., D., V.L., D., 2016. High-content genome-wide rna screen reveals ccr3 as a key mediator of neuronal cell death. *eNeuro* 3. <https://doi.org/10.1523/ENEURO.0185-16.2016>
- J., Z., J., Y., H., W., O., S., M.J., K., G.K.E., U., E.L.-L., P., Z., C., K.M.A., P., W., H., H., W., S.A., A., T.M., D., V.L., D., 2019. The AAA + ATPase Thorase is neuroprotective against ischemic injury. *J. Cereb. Blood Flow Metab.* 39, 1836–1848. <https://doi.org/10.1177/0271678X18769770>
- J., Z., Y., Q., Z., L., F., Z., L., Z., Y., H., C., J., D., M., 2016. Loss of PINK1 inhibits apoptosis by upregulating α -synuclein in inflammation-sensitized hypoxic-ischemic injury in the immature brains. *Brain Res.* 1653, 14–22. <https://doi.org/10.1016/j.brainres.2016.10.009>
- J.C., B., R., C.-V., M.S., H., K., K., L.J., M., J., Z., F.J., N., 2015. Hypoxia-ischemia and therapeutic hypothermia in the neonatal mouse brain - A longitudinal study. *PLoS One* 10. <https://doi.org/10.1371/journal.pone.0118889>
- J.C.Y., L., P., S., C.J., E., A., M., X., W., O., L., A., C., T., S., C., M., 2020. Vancomycin is protective in a neonatal mouse model of *Staphylococcus epidermidis*-potentiated hypoxic-ischemic brain injury. *Antimicrob. Agents Chemother.* 64. <https://doi.org/10.1128/AAC.02003-19>
- J.E., R., N.B., H., N., K., W.D., R., L.H., B., D., A., 2011. Regulation of oligodendrocyte development and myelination by glucose and lactate. *J. Neurosci.* 31, 538–548. <https://doi.org/10.1523/JNEUROSCI.3516-10.2011>
- J.-F., J., J.-P., Z., X.-L., W., Q.-J., M., M.-M., F., Y.-X., C., 2013. Effects of umbilical cord blood monocytes transplantation on EPO protein and oligodendrocyte progenitors in neonatal rats with hypoxic-ischemic brain damage. *Chinese J.*

Contemp. Pediatr. 15, 775–778. <https://doi.org/10.7499/j.issn.1008-8830.2013.09.016>

J.G., L., Y.S., W., S.W., P., D.-H., S., M.K., S., W.-M., B., 2019. The neuroprotective effects of melatonin: Possible role in the pathophysiology of neuropsychiatric disease. Brain Sci. 9. <https://doi.org/10.3390/brainsci9100285>

J.H., K., J.R., W., 2001. Taking sides: Corticospinal tract plasticity during development. Neurology 57, 1530–1531.

J.-H., K., M., S., K., S., 2013. Effects of therapeutic hypothermia on the glial proteome and phenotype. Curr. Protein Pept. Sci. 14, 51–60.
<https://doi.org/10.2174/1389203711314010008>

J.H., S., H., K., E.S., P., J.E., L., D.W., K., H.O., K., S.H., I., J.H., Y., J.Y., K., M.-Y., L., C.H., K., S.-R., C., Seo, J.H., Kim, H.O., Park, E.S., Lee, J.E., Kim, D.W., Kim, H.O., Im, S.H., Yu, J.H., Kim, J.Y., Lee, M.Y., Kim, C.H., Cho, S.R., 2013. Environmental Enrichment Synergistically Improves Functional Recovery by Transplanted Adipose Stem Cells in Chronic Hypoxic-Ischemic Brain Injury. Cell Transplant. 22, 1553–1568. <https://doi.org/10.3727/096368912x662390>

J.-H.F., P., Y., F., M.H., L., P.G., R., J.C., P.J., 2005. Apoptosis and necrosis in developing cerebellum and brainstem induced after focal cerebral hypoxic-ischemic injury. Dev. Brain Res. 156, 87–92.
<https://doi.org/10.1016/j.devbrainres.2005.02.002>

J.I., R., E.-M., H., M., G., S., E., M.I., H., E., B.-C., C.H., L., F., C., Romero, J.I., Hanschmann, E.M., Gellert, M., Eitner, S., Holubiec, M.I., Blanco-Calvo, E., Lillig, C.H., Capani, F., J.I., R., E.-M., H., M., G., S., E., M.I., H., E., B.-C., C.H., L., F., C., Romero, J.I., Hanschmann, E.M., Gellert, M., Eitner, S., Holubiec, M.I., Blanco-Calvo, E., Lillig, C.H., Capani, F., 2015. Thioredoxin 1 and glutaredoxin 2 contribute to maintain the phenotype and integrity of neurons following perinatal asphyxia. Biochim. Biophys. Acta - Gen. Subj. 1850, 1274–1285.
<https://doi.org/10.1016/j.bbagen.2015.02.015>

J.-J., H., X.-L., Y., W.-D., L., S., H., J., Y., W.-H., L., X.-H., H., B.-W., P., 2017. Bumetanide reduce the seizure susceptibility induced by pentylenetetrazol via inhibition of aberrant hippocampal neurogenesis in neonatal rats after hypoxia-ischemia. Brain Res. Bull. 130, 188–199.
<https://doi.org/10.1016/j.brainresbull.2017.01.022>

J.-J., M., S.-P., L., F.-Y., Z., Y., T., D.-Z., M., Y., Q., 2017. Effect of telomerase activation on biological behaviors of neural stem cells in rats with hypoxic-ischemic insults. Chinese J. Contemp. Pediatr. 19, 229–236.
<https://doi.org/10.7499/j.issn.1008-8830.2017.02.019>

J.J.P., A., C., Z., A., R., C.K., M., S.A., B., M., V., R., F., 2012. Central axons preparing to myelinate are highly sensitivity to ischemic injury. Ann. Neurol. 72, 936–951.
<https://doi.org/10.1002/ana.23690>

- J.J.P., A., R., F., 2009. Glutamate receptor-mediated ischemic injury of premyelinated central axons. *Ann. Neurol.* 66, 682–693. <https://doi.org/10.1002/ana.21767>
- J.M., B.-K., B.M., R., 2010. Preface to the 19th annual ASHA-NIH-NIDCD Research Symposium: Neural regeneration and communication processes. *J. Commun. Disord.* 43, 261–264. <https://doi.org/10.1016/j.jcomdis.2010.05.001>
- J.M., D., A.J., G., G., W., L., B., 2006. Transient NMDA receptor-mediated hypoperfusion following umbilical cord occlusion in preterm fetal sheep. *Exp. Physiol.* 91, 423–433. <https://doi.org/10.1113/expphysiol.2005.032375>
- J.-O., C., F., S., M., R., F.F., S., M.M., M., N.N., B., M.F., B., 2008. Impact of neonatal asphyxia and hind limb immobilization on musculoskeletal tissues and S1 map organization: Implications for cerebral palsy. *Exp. Neurol.* 210, 95–108. <https://doi.org/10.1016/j.expneurol.2007.10.006>
- J.P.M., L., D., R., T., S.-R., P.R.P., P., A.P.M., M., C., R.-F., D., S., A., F., M.F., O., F.R.S., L., R., L., A., G., D., U., Lima, J.P.M., Rayee, D., Silva-Rodrigues, T., Pereira, P.R.P., Mendonca, A.P.M., Rodrigues-Ferreira, C., Szczupak, D., Fonseca, A., Oliveira, M.F., Lima, F.R.S., Lent, R., Galina, A., Uziel, D., 2018. Perinatal Asphyxia and Brain Development: Mitochondrial Damage Without Anatomical or Cellular Losses. *Mol. Neurobiol.* 55, 8668–8679. <https://doi.org/10.1007/s12035-018-1019-7>
- J.-W., C., S.-Y., J., D.-Y., K., Y.-R., C., H.-H., C., J.-W., J., J.-H., H., 2018. PI3K-Akt-Wnt pathway is implicated in exercise-induced improvement of short-term memory in cerebral palsy rats. *Int. Neurourol. J.* 22, S156–S164. <https://doi.org/10.5213/inj.1836224.112>
- J.Y., L., Y.T., Q., H., L., Y., C., L., Z., H.Y., G., Y.X., L., L.Z., L., Y.L., Z., 2013. Acute high-altitude hypoxic brain injury: Identification of ten differential proteins. *Neural Regen. Res.* 8, 2932–2941. <https://doi.org/10.3969/j.issn.1673-5374.2013.31.006>
- Jahangiri, Z., Gholamnezhad, Z., Hosseini, M., 2019. Neuroprotective effects of exercise in rodent models of memory deficit and Alzheimer's. *Metab. Brain Dis.* 34, 21–37. <https://doi.org/10.1007/s11011-018-0343-y>
- Jain, A., Kratimenos, P., Koutroulis, I., Jain, A., Buddhavarapu, A., Ara, J., 2017. Effect of intranasally delivered rh-VEGF165 on angiogenesis following cerebral hypoxia-ischemia in the cerebral cortex of newborn piglets. *Int. J. Mol. Sci.* 18. <https://doi.org/10.3390/ijms18112356>
- Jaiswal, S.J., Wollman, L.B., Harrison, C.M., Pilarski, J.Q., Fregosi, R.F., 2016. Developmental Nicotine Exposure Enhances Inhibitory Synaptic Transmission in Motor Neurons and Interneurons Critical for Normal Breathing. *Dev. Neurobiol.* 76, 337–354. <https://doi.org/10.1002/dneu.22318>
- Jakaria, M., Azam, S., Haque, M.E., Jo, S.-H., Uddin, M.S., Kim, I.-S., Choi, D.-K., 2019. Taurine and its analogs in neurological disorders: Focus on therapeutic

potential and molecular mechanisms. *Redox Biol.* 24.
<https://doi.org/10.1016/j.redox.2019.101223>

Janowska, J., Sypecka, J., 2018. Therapeutic Strategies for Leukodystrophic Disorders Resulting from Perinatal Asphyxia: Focus on Myelinating Oligodendrocytes. *Mol. Neurobiol.* 55, 4388–4402. <https://doi.org/10.1007/s12035-017-0647-7>

Jansen, E.M., Low, W.C., 1996. Quantitative analysis of contralateral hemisphere hypertrophy and sensorimotor performance in adult rats following unilateral neonatal ischemic-hypoxic brain injury. *Brain Res.* 708, 93–99.
[https://doi.org/10.1016/0006-8993\(95\)01288-5](https://doi.org/10.1016/0006-8993(95)01288-5)

Jantzie, L.L., Cheung, P.Y., Todd, K.G., 2005. Doxycycline reduces cleaved caspase-3 and microglial activation in an animal model of neonatal hypoxia-ischemia. *J. Cereb. Blood Flow Metab.* 25, 314–324. <https://doi.org/10.1038/sj.jcbfm.9600025>

Jantzie, L.L., Todd, K.G., 2010. Doxycycline inhibits proinflammatory cytokines but not acute cerebral cytogenesis after hypoxia-ischemia in neonatal rats. *J. Psychiatry Neurosci.* 35, 20–32. <https://doi.org/10.1503/jpn.090061>

Jantzie, L.L., Winer, J.L., Maxwell, J.R., Chan, L.A.S., Robinson, S., 2015. Modeling Encephalopathy of Prematurity Using Prenatal Hypoxia-ischemia with Intra-amniotic Lipopolysaccharide in Rats. *Jove-Journal Vis. Exp.*
<https://doi.org/10.3791/53196>

Jantzie, L., El Demerdash, N., Newville, J.C., Robinson, S., 2019. Time to reconsider extended erythropoietin treatment for infantile traumatic brain injury? *Exp. Neurol.* 318, 205–215. <https://doi.org/10.1016/j.expneurol.2019.05.004>

Jantzie, L.L., Miller, R.H., Robinson, S., 2013. Erythropoietin signaling promotes oligodendrocyte development following prenatal systemic hypoxic-ischemic brain injury. *Pediatr. Res.* 74, 658–667. <https://doi.org/10.1038/pr.2013.155>

Jantzie, L.L., Scafidi, J., Robinson, S., 2018. Stem cells and cell-based therapies for cerebral palsy: a call for rigor. *Pediatr. Res.* 83, 345–355.
<https://doi.org/10.1038/pr.2017.233>

Janz, B.A., Thomas, P.R., Fanua, S.P., Dunn, R.E., Wilgis, E.F.S., Means, K.R., 2011. Prevention of Anastomotic Thrombosis by Botulinum Toxin B After Acute Injury in a Rat Model. *J. Hand Surgery-American Vol.* 36A, 1585–1591.
<https://doi.org/10.1016/j.jhsa.2011.07.008>

Jarlestedt, K., Rousset, C.I., Faiz, M., Wilhelmsson, U., Stahlberg, A., Sourkova, H., Pekna, M., Mallard, C., Hagberg, H., Pekny, M., 2010. Attenuation of Reactive Gliosis Does Not Affect Infarct Volume in Neonatal Hypoxic-Ischemic Brain Injury in Mice. *PLoS One* 5. <https://doi.org/10.1371/journal.pone.0010397>

Javed, F., Manzoor, K.N., Ali, M., Haq, I.U., Khan, A.A., Zaib, A., Manzoor, S., 2018. Zika virus: what we need to know? *J. Basic Microbiol.* 58, 3–16.
<https://doi.org/10.1002/jobm.201700398>

Jaworska, J., Zalewska, T., Sypecka, J., Ziemka-Nalecz, M., J., J., T., Z., J., S., M., Z.-N., 2019. Effect of the HDAC Inhibitor, Sodium Butyrate, on Neurogenesis in a Rat Model of Neonatal Hypoxia-Ischemia: Potential Mechanism of Action. *Mol. Neurobiol.* 56, 6341–6370. <https://doi.org/10.1007/s12035-019-1518-1>

Jellema, R.K., Lima Passos, V., Ophelders, D.R.M.G., Wolfs, T.G.A.M., Zwanenburg, A., De Munter, S., Nikiforou, M., Collins, J.J.P., Kuypers, E., Bos, G.M.J., Steinbusch, H.W., Vanderlocht, J., Andriessen, P., Germeraad, W.T. V., Kramer, B.W., R.K., J., V., L.P., D.R.M.G., O., T.G.A.M., W., A., Z., S., D.M., M., N., J.J.P., C., E., K., G.M.J., B., H.W., S., J., V., P., A., W.T.V., G., B.W., K., 2013. Systemic G-CSF attenuates cerebral inflammation and hypomyelination but does not reduce seizure burden in preterm sheep exposed to global hypoxia-ischemia. *Exp. Neurol.* 250, 293–303. <https://doi.org/10.1016/j.expneurol.2013.09.026>

Jellinger, K.A., 2010. Basic mechanisms of neurodegeneration: A critical update. *J. Cell. Mol. Med.* 14, 457–487. <https://doi.org/10.1111/j.1582-4934.2010.01010.x>

Jensen, F.E., 2002. The role of glutamate receptor maturation in perinatal seizures and brain injury. *Int. J. Dev. Neurosci.* 20, 339–347. [https://doi.org/10.1016/s0736-5748\(02\)00012-6](https://doi.org/10.1016/s0736-5748(02)00012-6)

Jensen, F.E., Baram, T.Z., 2000. Developmental seizures induced by common early-life insults: Short- and long-term effects on seizure susceptibility. *Ment. Retard. Dev. Disabil. Res. Rev.* 6, 253–257. [https://doi.org/10.1002/1098-2779\(2000\)6:4<253::aid-mrdd4>3.0.co;2-p](https://doi.org/10.1002/1098-2779(2000)6:4<253::aid-mrdd4>3.0.co;2-p)

Ji, L., Liu, Y.X., Yang, C., Yue, W., Shi, S.S., Bai, C.X., Xi, J.F., Nan, X., Pei, X.T., 2009. Self-Renewal and Pluripotency is Maintained in Human Embryonic Stem Cells by Co-Culture With Human Fetal Liver Stromal Cells Expressing Hypoxia Inducible Factor 1 alpha. *J. Cell. Physiol.* 221, 54–66. <https://doi.org/10.1002/jcp.21826>

Jia, F., Du, L., Hao, Y., Liu, S., Li, N., Jiang, H., F.Y., J., L., D., Y.P., H., S.C., L., N., L., H.Y., J., Jia, F., Du, L., Hao, Y., Liu, S., Li, N., Jiang, H., 2013. Thioperamide treats neonatal hypoxic-ischemic encephalopathy by postsynaptic H1 receptors. *Neural Regen. Res.* 8, 1814–1822. <https://doi.org/10.3969/j.issn.1673-5374.2013.19.009>

Jiang, N.M., Cowan, M., Moonah, S.N., Petri, W.A., 2018. The Impact of Systemic Inflammation on Neurodevelopment. *Trends Mol. Med.* 24, 794–804. <https://doi.org/10.1016/j.molmed.2018.06.008>

Jiang, P.F., Sun, Y., Zhu, T., Zhan, C.Y., Gu, W.Z., Yuan, T.M., Yu, H.M., 2012. Endogenous neurogenesis in the hippocampus of developing rat after intrauterine infection. *Brain Res.* 1459, 1–14. <https://doi.org/10.1016/j.brainres.2012.03.058>

Jiang, P.F., Zhu, T., Gao, J.D., Gao, F., Mao, S.S., Zhao, W.T., Gu, W.Z., Yu, H.M., P.F., J., T., Z., J.D., G., F., G., S.S., M., W.T., Z., W.Z., G., H.M., Y., 2013. The effect of maternal infection on cognitive development and hippocampus neuronal

apoptosis, proliferation and differentiation in the neonatal rats. *Neuroscience* 246, 422–434. <https://doi.org/10.1016/j.neuroscience.2013.04.021>

Jiang, W., Guo, M., Gong, M., Chen, L., Bi, Y., Zhang, Y., Shi, Y., Qu, P., Liu, Y., Chen, J., Li, T., 2018. Vitamin A bio-modulates apoptosis via the mitochondrial pathway after hypoxic-ischemic brain damage. *Mol. Brain* 11. <https://doi.org/10.1186/s13041-018-0360-0>

Jiang, X., Nardelli, J., 2016. Cellular and molecular introduction to brain development. *Neurobiol. Dis.* 92, 3–17. <https://doi.org/10.1016/j.nbd.2015.07.007>

Jiao, Y., Li, X.-Y., Liu, J., Y., J., X.-Y., L., J., L., 2019. A New Approach to Cerebral Palsy Treatment: Discussion of the Effective Components of Umbilical Cord Blood and its Mechanisms of Action. *Cell Transplant.* 28, 497–509. <https://doi.org/10.1177/0963689718809658>

Jin, C., Londono, I., Mallard, C., Lodygensky, G.A., 2015. New means to assess neonatal inflammatory brain injury. *J. Neuroinflammation* 12. <https://doi.org/10.1186/s12974-015-0397-2>

Jin, Y.X., Silverman, A.J., Vannucci, S.J., 2009. Mast Cells Are Early Responders After Hypoxia-Ischemia in Immature Rat Brain. *Stroke* 40, 3107–3112. <https://doi.org/10.1161/strokeaha.109.549691>

Joerger-Messerli, M.S., Marx, C., Oppliger, B., Mueller, M., Surbek, D. V., Schoeberlein, A., 2016. Mesenchymal Stem Cells from Wharton's Jelly and Amniotic Fluid. *Best Pract. Res. Clin. Obstet. Gynaecol.* 31, 30–44. <https://doi.org/10.1016/j.bpobgyn.2015.07.006>

Johansson, B.B., Dahlin, L., Lundborg, G., Forssberg, H., 2001. [Both a healthy and an injured brain is shaped and reshaped during the whole life. New therapeutic strategies in pediatric neurology, neurology and hand surgery]. *Lakartidningen* 98, 3420–3423.

Johnson, M., Hanson, G.R., Gibb, J.W., Adair, J., Filloux, F., 1994. EFFECT OF NEONATAL HYPOXIA-ISCHEMIA ON NIGRO-STRIATAL DOPAMINE-RECEPTORS AND ON STRIATAL NEUROPEPTIDE-Y, DYNORPHIN-A AND SUBSTANCE-P CONCENTRATIONS IN RATS. *Dev. Brain Res.* 83, 109–118. [https://doi.org/10.1016/0165-3806\(94\)90184-8](https://doi.org/10.1016/0165-3806(94)90184-8)

Johnson, T.B., Stanton, M.E., Goodlett, C.R., Cudd, T.A., 2008. Eyeblink Classical Conditioning in the Preweanling Lamb. *Behav. Neurosci.* 122, 722–729. <https://doi.org/10.1037/0735-7044.122.3.722>

Johnston, M.C., Bronsky, P.T., 1995. PRENATAL CRANIOFACIAL DEVELOPMENT - NEW INSIGHTS ON NORMAL AND ABNORMAL MECHANISMS (VOL 6, PG 25, 1995). *Crit. Rev. Oral Biol. Med.* 6, 368–422. <https://doi.org/10.1177/10454411950060040601>

- Johnston, M. V, 2009. Plasticity in the developing brain: implications for rehabilitation. *Dev. Disabil. Res. Rev.* 15, 94–101. <https://doi.org/10.1002/ddrr.64>
- Johnston, M. V, 2004. Clinical disorders of brain plasticity. *Brain Dev.* 26, 73–80. [https://doi.org/10.1016/S0387-7604\(03\)00102-5](https://doi.org/10.1016/S0387-7604(03)00102-5)
- Johnston, M. V, Hagberg, H., 2007. Sex and the pathogenesis of cerebral palsy. *Dev. Med. Child Neurol.* 49, 74–78. <https://doi.org/10.1017/s0012162207000199.x>
- Jonakait, G.M., 2007. The effects of maternal inflammation on neuronal development: possible mechanisms. *Int. J. Dev. Neurosci.* 25, 415–425. <https://doi.org/10.1016/j.ijdevneu.2007.08.017>
- Jones, N.M., Bergeron, M., 2001. Hypoxic preconditioning induces changes in HIF-1 target genes in neonatal rat brain. *J. Cereb. Blood Flow Metab.* 21, 1105–1114. <https://doi.org/10.1097/00004647-200109000-00008>
- Jovanovic, A.A., Babovic, S.S., Damjanovic, A., Puskas, L., Lazic, D., Cvetic, T., Jasovic-Gasic, M., 2013. The Role of C-Fos Protein, Somatostatin and Neuropeptide Y in the Pathogenesis of Ischemic Brain Injuries Based on Animal Model of Cerebral Ischemia. *Coll. Antropol.* 37, 847–852.
- Jung, S., Boie, G., Doerr, H.-G., Trollmann, R., 2017. Oxygen-sensitive regulation and neuroprotective effects of growth hormone-dependent growth factors during early postnatal development. *Am. J. Physiol. - Regul. Integr. Comp. Physiol.* 312, R539–R548. <https://doi.org/10.1152/ajpregu.00477.2016>
- Jurisicova, A., Detmar, J., Caniggia, I., 2005. Molecular mechanisms of trophoblast survival: From implantation to birth. *Birth Defects Res. Part C - Embryo Today Rev.* 75, 262–280. <https://doi.org/10.1002/bdrc.20053>
- Juul, S.E., Beyer, R.P., Bammler, T.K., McPherson, R.J., Wilkerson, J., Farin, F.M., 2009. Microarray Analysis of High-Dose Recombinant Erythropoietin Treatment of Unilateral Brain Injury in Neonatal Mouse Hippocampus. *Pediatr. Res.* 65, 485–492. <https://doi.org/10.1203/PDR.0b013e31819d90c8>
- K., A., M., B., Y., C., P., E., J., G., M., H.-M., B., B., P., B., R., D., L., J., F., L., U., U., G., A., S.O., O., 1995. Perinatal asphyxia increases bFGF mRNA levels and DA cell body number in the mesencephalon of rats. *Neuroreport* 6, 375–378.
- K., B., H., H., 2013. Injury and Repair in the Immature Brain. *Transl. Stroke Res.* 4, 135–136. <https://doi.org/10.1007/s12975-013-0256-3>
- K., I., M., K., K., S., M., N., S., P., H., I., Y., Y., M., M., Y., I., 2015. Transplanted microvascular endothelial cells promote oligodendrocyte precursor cell survival in ischemic demyelinating lesions. *J. Neurochem.* 135, 539–550. <https://doi.org/10.1111/jnc.13262>
- K., J., C.I., R., A., S., H., S., A.L., A., C., T., S.R., B., R.A., W., M., D., M., P.P.P.P.P., C., M., H., H., M., P.P.P.P.P., Järlestedt, K., Rousset, C.I., Ståhlberg, A.,

Sourkova, H., Atkins, A.L., Thornton, C., Barnum, S.R., Wetsel, R.A., Dragunow, M., Pekny, M., Mallard, C., Hagberg, H., Pekna, M., K., J., C.I., R., A., S., H., S., A.L., A., C., T., S.R., B., R.A., W., M., D., M., P.P.P.P.P., C., M., H., H., M., P.P.P.P.P., 2013. Receptor for complement peptide C3a: A therapeutic target for neonatal hypoxic-ischemic brain injury. *FASEB J.* 27, 3797–3804.
<https://doi.org/10.1096/fj.13-230011>

K., Minato, T., T., K., Mimura, O., J., A., K., T., Kanayama, S., F., Y., T., T., Kanagawa, M., E., T., Kimura, 2013. Hypoxic preconditioning increases triiodothyronine (T3) level in the developing rat brain. *Brain Res.* 1501, 89–97.
<https://doi.org/10.1016/j.brainres.2013.01.036>

K., M., H., H., T., M., H., N., H., T., Mizuno, K., Hida, H., Masuda, T., Nishino, H., Togari, H., K., M., H., H., T., M., H., N., H., T., 2008. Pretreatment with low doses of erythropoietin ameliorates brain damage in periventricular leukomalacia by targeting late oligodendrocyte progenitors: A rat model. *Neonatology* 94, 255–266.
<https://doi.org/10.1159/000151644>

K., O., A.V., F., S., Y., L., C., S., M., 2014. Reprint of “Quantitative evaluation of brain development using anatomical MRI and diffusion tensor imaging.” *Int. J. Dev. Neurosci.* 32, 28–40. <https://doi.org/10.1016/j.ijdevneu.2013.11.006>

K., S., D.-J., W., 2011. Role of Magnetic Resonance Spectroscopy in Evaluation of Congenital/Developmental Brain Abnormalities. *Semin. Ultrasound, CT MRI* 32, 510–538. <https://doi.org/10.1053/j.sult.2011.08.001>

K., Z., R., L., S., B., Y., L., L., Y.-L., J., P., H., C.-C., G., X.-Z., G., W.-P., Z., C., W., C.-Y., P., L.-L., T., L.-X., L., 2018. Combination of mild therapeutic hypothermia and adipose-derived stem cells for ischemic brain injury. *Neural Regen. Res.* 13, 1759–1770. <https://doi.org/10.4103/1673-5374.238617>

K.B., M., J., O., 2015. Connexins in neurons and glia: Targets for intervention in disease and injury. *Neural Regen. Res.* 10, 1013–1017.
<https://doi.org/10.4103/1673-5374.160092>

K.D., T., A., H., R., J., 2010. Stem cell transplantation methods. *Adv. Exp. Med. Biol.*
https://doi.org/10.1007/978-1-4419-5819-8_4

K.H.T., C., B., X., C., B., M., F., Cho, K.H.T., Xu, B., Blenkiron, C., Fraser, M., K.H.T., C., B., X., C., B., M., F., 2019. Emerging roles of miRNAs in brain development and perinatal brain injury. *Front. Physiol.* 10.
<https://doi.org/10.3389/fphys.2019.00227>

K.I., P., B.T., H., P.E., S., A., T., I., F., E.Y., S., Park, K.I., Himes, B.T., Stieg, P.E., Tessler, A., Fischer, I., Snyder, E.Y., K.I., P., B.T., H., P.E., S., A., T., I., F., E.Y., S., 2006. Neural stem cells may be uniquely suited for combined gene therapy and cell replacement: Evidence from engraftment of Neurotrophin-3-expressing stem cells in hypoxic-ischemic brain injury. *Exp. Neurol.* 199, 179–190.
<https://doi.org/10.1016/j.expneurol.2006.03.016>

- K.R., K.-C., J.D., F., R.E., H., Y., L., L., Z., 2019. Repression of the glucocorticoid receptor increases hypoxic-ischemic brain injury in the male neonatal rat. *Int. J. Mol. Sci.* 20. <https://doi.org/10.3390/ijms20143493>
- K.W., M., 2011. Stem cells in stroke management. *Rev. Clin. Gerontol.* 21, 125–140. <https://doi.org/10.1017/S0959259810000390>
- Kabba, J.A., Xu, Y., Christian, H., Ruan, W., Chenai, K., Xiang, Y., Zhang, L., Saavedra, J.M., Pang, T., 2018. Microglia: Housekeeper of the Central Nervous System. *Cell. Mol. Neurobiol.* 38, 53–71. <https://doi.org/10.1007/s10571-017-0504-2>
- Kadam, S.D., Chen, H., Markowitz, G.J., Raja, S., George, S., Shotwell, E., Loechelt, B., Johnston, M. V., Kamani, N., Fatemi, A., Comi, A.M., 2015. Systemic injection of CD34+-enriched human cord blood cells modulates poststroke neural and glial response in a sex-dependent manner in CD1 mice. *Stem Cells Dev.* 24, 51–66. <https://doi.org/10.1089/scd.2014.0135>
- Kadam, S.D., Dudek, F.E., 2007. Neuropathological features of a rat model for perinatal hypoxic-ischemic encephalopathy with associated epilepsy. *J. Comp. Neurol.* 505, 716–737. <https://doi.org/10.1002/cne.21533>
- Kádár, E., Lim, L.W., Carreras, G., Genís, D., Temel, Y., Huguet, G., 2011. High-frequency stimulation of the ventrolateral thalamus regulates gene expression in hippocampus, motor cortex and caudate-putamen. *Brain Res.* 1391, 1–13. <https://doi.org/10.1016/j.brainres.2011.03.059>
- Kadhim, H., Tabarki, B., De Prez, C., Sebire, G., 2003. Cytokine immunoreactivity in cortical and subcortical neurons in periventricular leukomalacia: are cytokines implicated in neuronal dysfunction in cerebral palsy? *Acta Neuropathol.* 105, 209–216. <https://doi.org/10.1007/s00401-002-0633-6>
- Kahanovitch, U., Patterson, K.C., Hernandez, R., Olsen, M.L., 2019. Glial dysfunction in meCP2 deficiency models: Implications for rett syndrome. *Int. J. Mol. Sci.* 20. <https://doi.org/10.3390/ijms20153813>
- Kaidanovich-Beilin, O., Lipina, T. V., Takao, K., Van Eede, M., Hattori, S., Laliberté, C., Khan, M., Okamoto, K., Chambers, J.W., Fletcher, P.J., MacAulay, K., Doble, B.W., Henkelman, M., Miyakawa, T., Roder, J., Woodgett, J.R., 2009. Abnormalities in brain structure and behavior in GSK-3alpha mutant mice. *Mol. Brain* 2. <https://doi.org/10.1186/1756-6606-2-35>
- Kaidanovich-Beilin, O., Woodgett, J.R., 2012. Glycogen synthase kinase-3 in neurological diseases. *Neuromethods*. https://doi.org/10.1007/978-1-61779-824-5_9
- Kako, E., Kaneko, N., Aoyama, M., Hida, H., Takebayashi, H., Ikenaka, K., Asai, K., Togari, H., Sobue, K., Sawamoto, K., 2012. Subventricular Zone-Derived Oligodendrogenesis in Injured Neonatal White Matter in Mice Enhanced by a

Nonerythropoietic Erythropoietin Derivative. *Stem Cells* 30, 2234–2247.
<https://doi.org/10.1002/stem.1202>

Kalia, M., 2008. Brain development: anatomy, connectivity, adaptive plasticity, and toxicity. *Metabolism*. 57 Suppl 2, S2-5.
<https://doi.org/10.1016/j.metabol.2008.07.009>

Kanagawa, T., Tomimatsu, T., Hayashi, S., Shioji, M., Fukuda, H., Shimoya, K., Murata, Y., 2006. The effects of repeated corticosteroid administration on the neurogenesis in the neonatal rat. *Am. J. Obstet. Gynecol.* 194, 231–238.
<https://doi.org/10.1016/j.ajog.2005.06.015>

Kanemura, Y., 2011. Cell therapy for central nervous system disorders. *Neurol. Surg.* 39, 5–23.

Kang, S.K., Markowitz, G.J., Kim, S.T., Johnston, M. V., Kadam, S.D., 2015. Age- and sex-dependent susceptibility to phenobarbital-resistant neonatal seizures: Role of chloride co-transporters. *Front. Cell. Neurosci.* 9.
<https://doi.org/10.3389/fncel.2015.00173>

Kannan, S., Saadani-Makki, F., Balakrishnan, B., Dai, H., Chakraborty, P.K., Janisse, J., Muzik, O., Romero, R., Chugani, D.C., S., K., F., S.-M., B., B., H., D., P.K., C., J., J., O., M., R., R., D.C., C., 2011. Decreased cortical serotonin in neonatal rabbits exposed to endotoxin in utero. *J. Cereb. Blood Flow Metab.* 31, 738–749.
<https://doi.org/10.1038/jcbfm.2010.156>

Kapellou, O., 2011. Effect of caesarean section on brain maturation. *Acta Paediatr. Int. J. Paediatr.* 100, 1416–1422. <https://doi.org/10.1111/j.1651-2227.2011.02427.x>

Karlupia, N., Manley, N.C., Prasad, K., Schäfer, R., Steinberg, G.K., 2014. Intraarterial transplantation of human umbilical cord blood mononuclear cells is more efficacious and safer compared with umbilical cord mesenchymal stromal cells in a rodent stroke model. *Stem Cell Res. Ther.* 5. <https://doi.org/10.1186/scrt434>

Kartal, O., Aydmoz, S., Kartal, A.T., Kelestemur, T., Caglayan, A.B., Beker, M.C., Karademir, F., Suleymanoglu, S., Kul, M., Yulug, B., Kilic, E., 2016. Time dependent impact of perinatal hypoxia on growth hormone, insulin-like growth factor 1 and insulin-like growth factor binding protein-3. *Metab. Brain Dis.* 31, 827–835. <https://doi.org/10.1007/s11011-016-9816-z>

Kassiri, J., del Bigio, M., 2015. Perinatal intracerebral hemorrhage model and developmental disability. *Neuromethods.* https://doi.org/10.1007/978-1-4939-2709-8_3

Kauffman, K.S., Seidler, F.J., Slotkin, T.A., 1994. PRENATAL DEXAMETHASONE EXPOSURE CAUSES LOSS OF NEONATAL HYPOXIA TOLERANCE - CELLULAR MECHANISMS. *Pediatr. Res.* 35, 515–522.
<https://doi.org/10.1203/00006450-199405000-00001>

- Kaur, C., Rathnasamy, G., Ling, E.-A., 2017. Biology of microglia in the developing brain. *J. Neuropathol. Exp. Neurol.* 76, 736–753.
<https://doi.org/10.1093/jnen/nlx056>
- Kaur, C., Ling, E.-A., 2017. The circumventricular organs. *Histol. Histopathol.* 32, 879–892. <https://doi.org/10.14670/HH-11-881>
- Kaur, C., Sivakumar, V., Lu, J., Tang, F.R., Ling, E.A., 2008. Melatonin attenuates hypoxia-induced ultrastructural changes and increased vascular permeability in the developing hippocampus. *Brain Pathol.* 18, 533–547.
<https://doi.org/10.1111/j.1750-3639.2008.00156.x>
- Kaya-Sezginer, E., Yilmaz-Oral, D., Gur, S., 2019. Administration of human umbilical cord blood mononuclear cells restores bladder dysfunction in streptozotocin-induced diabetic rats. *LUTS Low. Urin. Tract Symptoms* 11, 232–240.
<https://doi.org/10.1111/luts.12268>
- Keene, C.D., Chang, R.C., Lopez-Yglesias, A.H., Shalloway, B.R., Sokal, I., Li, X., Reed, P.J., Keene, L.M., Montine, K.S., Breyer, R.M., Rockhill, J.K., Montine, T.J., 2010. Suppressed accumulation of cerebral amyloid β peptides in aged transgenic Alzheimer's disease mice by transplantation with wild-type or prostaglandin E $<\inf>2</\inf>$ receptor subtype 2-null bone marrow. *Am. J. Pathol.* 177, 346–354. <https://doi.org/10.2353/ajpath.2010.090840>
- Kemp, S.W.P., Alant, J., Walsh, S.K., Webb, A.A., Midha, R., 2010. Behavioural and anatomical analysis of selective tibial nerve branch transfer to the deep peroneal nerve in the rat. *Eur. J. Neurosci.* 31, 1074–1090. <https://doi.org/10.1111/j.1460-9568.2010.07130.x>
- Kemp, S.W.P., Webb, A.A., Dhaliwal, S., Syed, S., Walsh, S.K., Midha, R., 2011. Dose and duration of nerve growth factor (NGF) administration determine the extent of behavioral recovery following peripheral nerve injury in the rat. *Exp. Neurol.* 229, 460–470. <https://doi.org/10.1016/j.expneurol.2011.03.017>
- Kempermann, G., 2019. Environmental enrichment, new neurons and the neurobiology of individuality. *Nat. Rev. Neurosci.* 20, 235–245. <https://doi.org/10.1038/s41583-019-0120-x>
- Kentner, A.C., 2015. Neuroprotection and recovery from early-life adversity: Considerations for environmental enrichment. *Neural Regen. Res.* 10, 1545–1547. <https://doi.org/10.4103/1673-5374.165315>
- Kentner, A.C., Khouri, A., Lima Queiroz, E., MacRae, M., 2016. Environmental enrichment rescues the effects of early life inflammation on markers of synaptic transmission and plasticity. *Brain. Behav. Immun.* 57, 151–160.
<https://doi.org/10.1016/j.bbi.2016.03.013>
- Kerkovich, D.M., 2009. Transformational technologies in single-event neurological conditions: Applying lessons learned in stroke to cerebral palsy (August 14-15,

2008). *Neurorehabil. Neural Repair* 23, 747–765.
<https://doi.org/10.1177/1545968309338028>

Kerrigan, J.F., Chugani, H.T., Phelps, M.E., 1991. Regional cerebral glucose metabolism in clinical subtypes of cerebral palsy. *Pediatr. Neurol.* 7, 415–425.
[https://doi.org/10.1016/0887-8994\(91\)90024-f](https://doi.org/10.1016/0887-8994(91)90024-f)

Keyoung, H.M., Goldman, S.A., 2007. Glial Progenitor-Based Repair of Demyelinating Neurological Diseases. *Neurosurg. Clin. N. Am.* 18, 93–104.
<https://doi.org/10.1016/j.nec.2006.10.009>

Khan, B., Tian, F., Behbehani, K., Romero, M.I., Delgado, M.R., Clegg, N.J., Smith, L., Reid, D., Liu, H., Alexandrakis, G., 2010. Identification of abnormal motor cortex activation patterns in children with cerebral palsy by functional near-infrared spectroscopy. *J. Biomed. Opt.* 15, 036008. <https://doi.org/10.1117/1.3432746>

Kharchenko, E. V, 2001. Transcranial microelectrostimulation activates fast mechanisms of brain plasticity. *Dokl. Biol. Sci. Proc. Acad. Sci. USSR, Biol. Sci. Sect.* 378, 217–219. <https://doi.org/10.1023/a:1019250321232>

Khaw, C.W., Tidemann, A.J., Stern, L.M., 1994. Study of hemiplegic cerebral palsy with a review of the literature. *J. Paediatr. Child Health* 30, 224–229.
<https://doi.org/10.1111/j.1440-1754.1994.tb00623.x>

Khokhlova, V.A., Kazakova, P.B., 1979. [Effect of maternal hypoxia on the neurogenesis of the cerebral cortex of rat progeny (autoradiographic study)]. *Biull. Eksp. Biol. Med.* 87, 485–487.

Kiasatdolatabadi, A., Lotfibakhshaiesh, N., Yazdankhah, M., Ebrahimi-Barough, S., Jafarabadi, M., Ai, A., Sadroddiny, E., Ai, J., 2017. The Role of Stem Cells in the Treatment of Cerebral Palsy: a Review. *Mol. Neurobiol.* 54, 4963–4972.
<https://doi.org/10.1007/s12035-016-0030-0>

Kichev, A., Rousset, C.I., Baburamani, A.A., Levison, S.W., Wood, T.L., Gressens, P., Thornton, C., Hagberg, H., 2014. Tumor Necrosis Factor-related Apoptosis-inducing Ligand (TRAIL) Signaling and Cell Death in the Immature Central Nervous System after Hypoxia-Ischemia and Inflammation. *J. Biol. Chem.* 289, 9430–9439. <https://doi.org/10.1074/jbc.M113.512350>

Kim, C.S., McNamara, M.C., Lauder, J.M., Lawson, E.E., 1994. IMMUNOCYTOCHEMICAL DETECTION OF SEROTONIN CONTENT IN RAPHE NEURONS OF NEWBORN AND YOUNG-ADULT RABBITS BEFORE AND AFTER ACUTE-HYPOXIA. *Int. J. Dev. Neurosci.* 12, 499–505.
[https://doi.org/10.1016/0736-5748\(94\)90034-5](https://doi.org/10.1016/0736-5748(94)90034-5)

Kim, G.S., Cho, S., Nelson, J.W., Zipfel, G.J., Han, B.H., 2014. TrkB Agonist Antibody Pretreatment Enhances Neuronal Survival and Long-Term Sensory Motor Function Following Hypoxic Ischemic Injury in Neonatal Rats. *PLoS One* 9.
<https://doi.org/10.1371/journal.pone.0088962>

- Kim, H.N., Pak, M.E., Shin, M.J., Kim, S.Y., Shin, Y.B., Yun, Y.J., Shin, H.K., Choi, B.T., H.N., K., M.E., P., M.J., S., S.Y., K., Y.B., S., Y.J., Y., H.K., S., B.T., C., 2017. Beneficial effects of Jiawei Shenqi-wan and treadmill training on deficits associated with neonatal hypoxic-ischemia in rats. *Exp. Ther. Med.* 13, 2134–2142. <https://doi.org/10.3892/etm.2017.4286>
- Kim, H., Koo, Y.S., Shin, M.J., Kim, S.-Y., Shin, Y.B., Choi, B.T., Yun, Y.J., Lee, S.-Y., Shin, H.K., 2018. Combination of Constraint-Induced Movement Therapy with Electroacupuncture Improves Functional Recovery following Neonatal Hypoxic-Ischemic Brain Injury in Rats. *Biomed Res. Int.* 2018. <https://doi.org/10.1155/2018/8638294>
- Kim, H.N., Pak, M.E., Shin, M.J., Kim, S.Y., Shin, Y.B., Yun, Y.J., Shin, H.K., Choi, B.T., H.N., K., M.E., P., M.J., S., S.Y., K., Y.B., S., Y.J., Y., H.K., S., B.T., C., Kim, H.N., Pak, M.E., Shin, M.J., Kim, S.Y., Shin, Y.B., Yun, Y.J., Shin, H.K., Choi, B.T., 2017. Comparative analysis of the beneficial effects of treadmill training and electroacupuncture in a rat model of neonatal hypoxia-ischemia. *Int. J. Mol. Med.* 39, 1393–1402. <https://doi.org/10.3892/ijmm.2017.2970>
- Kim, H., Kim, M.J., Koo, Y.S., Lee, H.I., Lee, S.W., Shin, M.J., Kim, S.Y., Shin, Y.B., Shin, Y. Il, Choi, B.T., Yun, Y.J., Shin, H.K., 2017. Histological and functional assessment of the efficacy of constraint-induced movement therapy in rats following neonatal hypoxic-ischemic brain injury. *Exp. Ther. Med.* 13, 2775–2782. <https://doi.org/10.3892/etm.2017.4371>
- Kim, J.-W., Kim, Y.J., Chang, Y.P., 2013. Administration of dexamethasone to neonatal rats induces hypomyelination and changes in the morphology of oligodendrocyte precursors. *Comp. Med.* 63, 48–54.
- Kim, J.-W., Lee, K.S., Chang, Y.P., 2019. Disturbed maturation of oligodendrocyte progenitors in lipopolysaccharide-induced hypomyelination in cultured forebrain slices of neonatal rats. *Folia Neuropathol.* 57, 24–35. <https://doi.org/10.5114/fn.2019.83828>
- Kim, J.H., Kwon, Y.M., Son, S.M., 2015. Motor function outcomes of pediatric patients with hemiplegic cerebral palsy after rehabilitation treatment: a diffusion tensor imaging study. *Neural Regen. Res.* 10, 624–630. <https://doi.org/10.4103/1673-5374.155438>
- Kim, M., Shin, M.S., Lee, J.M., Cho, H.S., Kim, C.J., Kim, Y.J., Choi, H.R., Jeon, J.W., 2014. Inhibitory effects of isoquinoline alkaloid berberine on ischemia-induced apoptosis via activation of phosphoinositide 3-kinase/protein kinase B signaling pathway. *Int. Neurotol. J.* 18, 115–125. <https://doi.org/10.5213/inj.2014.18.3.115>
- Kim, M., Yu, J.H., Seo, J.H., Shin, Y.-K., Wi, S., Baek, A., Song, S.-Y., Cho, S.-R., 2017. Neurobehavioral assessments in a mouse model of neonatal hypoxic-ischemic brain injury. *J. Vis. Exp.* 2017. <https://doi.org/10.3791/55838>
- Kim, S.S., Lee, K.H., Sung, D.K., Shim, J.W., Kim, M.J., Jeon, G.W., Chang, Y.S., Park, W.S., 2008. Erythropoietin attenuates brain injury, subventricular zone

expansion, and sensorimotor deficits in hypoxic-ischemic neonatal rats. *J. Korean Med. Sci.* 23, 484–491. <https://doi.org/10.3346/jkms.2008.23.3.484>

Kim, S.-H.S.-E., Ko, I.-G., Ji, E.-S., Jin, J.-J., Hwang, L., Kim, S.-H.S.-E., Cho, S., Kim, C.-J., Kim, K.H., Kim, K.H., 2019. Treadmill exercise alleviates circadian rhythm disruption-induced memory deficits by activation of glucocorticoid receptor and brain-derived neurotrophic factor-dependent pathway. *Int. Neurotol.* J. 23, S40–S49. <https://doi.org/10.5213/inj.1938048.024>

Kim, T.-K., Park, D., Ban, Y.-H., Cha, Y., An, E.S., Choi, J., Choi, E.-K., Kim, Y.-B., 2018. Improvement by Human Oligodendrocyte Progenitor Cells of Neurobehavioral Disorders in an Experimental Model of Neonatal Periventricular Leukomalacia. *Cell Transplant.* 27, 1168–1177.
<https://doi.org/10.1177/0963689718781330>

Kinder, H.A., Baker, E.W., Howerth, E.W., Duberstein, K.J., West, F.D., 2019. Controlled cortical impact leads to cognitive and motor function deficits that correspond to cellular pathology in a piglet traumatic brain injury model. *J. Neurotrauma* 36, 2810–2826. <https://doi.org/10.1089/neu.2019.6405>

Kirschner, P.B., Henshaw, R., Weise, J., Trubetskoy, V., Finklestein, S., Schulz, J.B., Beal, M.F., 1995. BASIC FIBROBLAST GROWTH-FACTOR PROTECTS AGAINST EXCITOTOXICITY AND CHEMICAL HYPOXIA IN BOTH NEONATAL AND ADULT-RATS. *J. Cereb. Blood Flow Metab.* 15, 619–623.
<https://doi.org/10.1038/jcbfm.1995.76>

Kirschner, P.B., Jenkins, B.G., Schulz, J.B., Finkelstein, S.P., Matthews, R.T., Rosen, B.R., Beal, M.F., 1996. NGF, BDNF and NT-5, but not NT-3 protect against MPP(+) toxicity and oxidative stress in neonatal animals. *Brain Res.* 713, 178–185.
[https://doi.org/10.1016/0006-8993\(95\)01513-2](https://doi.org/10.1016/0006-8993(95)01513-2)

Kirton, A., 2013. Modeling Developmental Plasticity After Perinatal Stroke: Defining Central Therapeutic Targets in Cerebral Palsy. *Pediatr. Neurol.* 48, 81–94.
<https://doi.org/10.1016/j.pediatrneurol.2012.08.001>

Kirton, A., 2017. Advancing non-invasive neuromodulation clinical trials in children: Lessons from perinatal stroke. *Eur. J. Paediatr. Neurol.* 21, 75–103.
<https://doi.org/10.1016/j.ejpn.2016.07.002>

Kirzinger, A., Jürgens, U., 1991. Vocalization-correlated single-unit activity in the brain stem of the squirrel monkey. *Exp. Brain Res.* 84, 545–560.
<https://doi.org/10.1007/BF00230967>

Kiss, P., Vadasz, G., Kiss-Illes, B., Horvath, G., Tamas, A., Reglodi, D., Koppan, M., 2013. Environmental enrichment decreases asphyxia-induced neurobehavioral developmental delay in neonatal rats. *Int. J. Mol. Sci.* 14, 22258–22273.
<https://doi.org/10.3390/ijms141122258>

Klein, M.D., Lessin, M.S., Whittlesey, G.C., Chang, C.H., Becker, C.J., Meyer, S.L., Smith, A.M., 1997. Carotid artery and jugular vein ligation with and without

hypoxia in the rat. *J. Pediatr. Surg.* 32, 565–570. [https://doi.org/10.1016/s0022-3468\(97\)90708-9](https://doi.org/10.1016/s0022-3468(97)90708-9)

Kletkiewicz, H., Maliszewska, J., Jaworski, K., Jermacz, Ł., Smoliński, D.J., Rogalska, J., 2019. Thermal conditions during neonatal anoxia affect the endogenous level of brain-derived neurotrophic factor. *J. Neurosci. Res.* 97, 1266–1277. <https://doi.org/10.1002/jnr.24486>

Kletkiewicz, H., Rogalska, J., 2019. Decreased body temperature during anoxia affects the endogenous BDNF level in tertiary phase of injury. *Neurosci. Lett.* 711. <https://doi.org/10.1016/j.neulet.2019.134413>

Kleven, G.A., Bellinger, S.A., 2015. Developmental pathways of motor dysfunction. *Dev. Psychobiol.* 57, 435–446. <https://doi.org/10.1002/dev.21304>

Knox, R., Zhao, C., Miguel-Perez, D., Wang, S., Yuan, J.W., Ferriero, D., Jiang, X.N., 2013. Enhanced NMDA receptor tyrosine phosphorylation and increased brain injury following neonatal hypoxia-ischemia in mice with neuronal Fyn overexpression. *Neurobiol. Dis.* 51, 113–119. <https://doi.org/10.1016/j.nbd.2012.10.024>

Knuesel, I., Chicha, L., Britschgi, M., Schobel, S.A., Bodmer, M., Hellings, J.A., Toovey, S., Prinssen, E.P., 2014. Maternal immune activation and abnormal brain development across CNS disorders. *Nat. Rev. Neurol.* 10, 643–660. <https://doi.org/10.1038/nrneurol.2014.187>

Koch, J.D., Miles, D.K., Gilley, J.A., Yang, C.-P., Kernie, S.G., 2008. Brief exposure to hyperoxia depletes the glial progenitor pool and impairs functional recovery after hypoxic-ischemic brain injury. *J. Cereb. Blood Flow Metab.* 28, 1294–1306. <https://doi.org/10.1038/jcbfm.2008.15>

Kofman, O., 2002. The role of prenatal stress in the etiology of developmental behavioural disorders. *Neurosci. Biobehav. Rev.* 26, 457–470. [https://doi.org/10.1016/S0149-7634\(02\)00015-5](https://doi.org/10.1016/S0149-7634(02)00015-5)

Koh, C.H. V, Qi, R.Z., Qu, D., Melendez, A., Manikandan, J., Bay, B.H., Duan, W., Cheung, N.S., 2006. U18666A-mediated apoptosis in cultured murine cortical neurons: Role of caspases, calpains and kinases. *Cell. Signal.* 18, 1572–1583. <https://doi.org/10.1016/j.cellsig.2005.12.006>

Koh, H., Hwang, K., Lim, H.-Y., Kim, Y.-J., Lee, Y.-H., 2015. Mononuclear cells from the cord blood and granulocyte colony stimulating factor-mobilized peripheral blood: is there a potential for treatment of cerebral palsy? *Neural Regen. Res.* 10, 2018–2024. <https://doi.org/10.4103/1673-5374.172321>

Kokavec, J., Zikmund, T., Savvulidi, F., Kulvait, V., Edelmann, W., Skoultchi, A.I., Stopka, T., 2017. The ISWI ATPase Smarca5 (Snf2h) Is Required for Proliferation and Differentiation of Hematopoietic Stem and Progenitor Cells. *Stem Cells* 35, 1614–1623. <https://doi.org/10.1002/stem.2604>

- Koschnitzky, J.E., Keep, R.F., Limbrick, D.D., McAllister, J.P., Morris, J.A., Strahle, J., Yung, Y.C., 2018. Opportunities in posthemorrhagic hydrocephalus research: Outcomes of the Hydrocephalus Association Posthemorrhagic Hydrocephalus Workshop. *Fluids Barriers CNS* 15. <https://doi.org/10.1186/s12987-018-0096-3>
- Kostic, V.S., Przedborski, S., Jacksonlewis, V., Cadet, J.L., Burke, R.E., 1991. EFFECT OF UNILATERAL PERINATAL HYPOXIC-ISCHEMIC BRAIN INJURY ON STRIATAL DOPAMINE UPTAKE SITES AND D1 AND D2 RECEPTORS IN ADULT-RATS. *Neurosci. Lett.* 129, 197–200. [https://doi.org/10.1016/0304-3940\(91\)90460-b](https://doi.org/10.1016/0304-3940(91)90460-b)
- Kostlin-Gille, N., Dietz, S., Schwarz, J., Spring, B., Pauluschke-Frohlich, J., Poets, C.F., Gille, C., 2019. HIF-1 alpha-Deficiency in Myeloid Cells Leads to a Disturbed Accumulation of Myeloid Derived Suppressor Cells (MDSC) During Pregnancy and to an Increased Abortion Rate in Mice. *Front. Immunol.* 10. <https://doi.org/10.3389/fimmu.2019.00161>
- Kostovic, I., Judas, M., 2006. Prolonged coexistence of transient and permanent circuitry elements in the developing cerebral cortex of fetuses and preterm infants. *Dev. Med. Child Neurol.* 48, 388–393. <https://doi.org/10.1017/S0012162206000831>
- Koussoulakos, S., 2009. Botulinum neurotoxin: the ugly duckling. *Eur. Neurol.* 61, 331–342. <https://doi.org/10.1159/000210545>
- Koyanagi, T., Nabekura, J., Nakano, H., 1995. Brain function in utero unique to the developing fetus. *Fetal Matern. Med. Rev.* 7, 129–141. <https://doi.org/10.1017/S0965539500001273>
- Kraczkowski, J.J., Karwasik-Kajszczarek, K., Robak, J.M., 2014. Influence of chronic hypoxia on optical density of mu-opioid receptors in fetal rat brain. *Ginekol. Pol.* 85, 730–737.
- Krageloh-Mann, I., Cans, C., 2009. Cerebral palsy update. *Brain Dev.* 31, 537–544. <https://doi.org/10.1016/j.braindev.2009.03.009>
- Krageloh-Mann, I., Helber, A., Mader, I., Staudt, M., Wolff, M., Groenendaal, F., DeVries, L., 2002. Bilateral lesions of thalamus and basal ganglia: origin and outcome. *Dev. Med. Child Neurol.* 44, 477–484. <https://doi.org/10.1017/s0012162201002389>
- Kratzer, I., Chip, S., Vexler, Z.S., 2014. Barrier mechanisms in neonatal stroke. *Front. Neurosci.* 8, 359. <https://doi.org/10.3389/fnins.2014.00359>
- Kreider, M.L., Tate, C.A., Cousins, M.M., Oliver, C.A., Seidler, F.J., Slotkin, T.A., 2006. Lasting effects of developmental dexamethasone treatment on neural cell number and size, synaptic activity, and cell signaling: Critical periods of vulnerability, dose-effect relationships, regional targets, and sex selectivity. *Neuropsychopharmacology* 31, 12–35. <https://doi.org/10.1038/sj.npp.1300783>

- Krishnan, R. V, 2005. Botulinum toxin: from spasticity reliever to a neuromotor re-learning tool. *Int. J. Neurosci.* 115, 1451–1467.
<https://doi.org/10.1080/00207450590956576>
- Krishnan, R. V, 2006. Relearning toward motor recovery in stroke, spinal cord injury, and cerebral palsy: a cognitive neural systems perspective. *Int. J. Neurosci.* 116, 127–140. <https://doi.org/10.1080/00207450500341480>
- Kulak, W., Sobaniec, W., 2004. Molecular mechanisms of brain plasticity: neurophysiologic and neuroimaging studies in the developing patients. *Roczn. Akad. Med. Białymst.* 49, 227–236.
- Kulak, W., Sobaniec, W., Kuzia, J.-S., Bockowski, L., 2006. Neurophysiologic and neuroimaging studies of brain plasticity in children with spastic cerebral palsy. *Exp. Neurol.* 198, 4–11. <https://doi.org/10.1016/j.expneurol.2005.11.014>
- Kumar, A.J., Motta-Teixeira, L.C., Takada, S.H., Yonamine-Lee, V., Machado-Nils, A. V, Xavier, G.F., Nogueira, M.I., 2019. Behavioral, cognitive and histological changes following neonatal anoxia: Male and female rats' differences at adolescent age. *Int. J. Dev. Neurosci.* 73, 50–58.
<https://doi.org/10.1016/j.ijdevneu.2018.12.002>
- Kumar, A.J., Takada, S.H., Motta-Teixeira, L.C., Lee, V.Y., Xavier, G.F., Nogueira, M.I., A.J., K., S.H., T., L.C., M.-T., V.Y., L., G.F., X., M.I., N., 2017. Sex differences in somatic and sensory motor development after neonatal anoxia in Wistar rats. *Behav. Brain Res.* 333, 242–250.
<https://doi.org/10.1016/j.bbr.2017.07.009>
- Kumral, A., Ozer, E., Yilmaz, O., Akhisaroglu, M., Gokmen, N., Duman, N., Ulukus, C., Genc, S., Ozkan, H., 2003. Neuroprotective effect of erythropoietin on hypoxic-ischemic brain injury in neonatal rats. *Biol. Neonate* 83, 224–228.
<https://doi.org/10.1159/000068926>
- Kumral, A., Tugyan, K., Gonenc, S., Genc, K., Genc, S., Sonmez, U., Yilmaz, O., Duman, N., Uysal, N., Ozkan, H., 2005. Protective effects of erythropoietin against ethanol-induced apoptotic neurodegeneration and oxidative stress in the developing C57BL/6 mouse brain. *Dev. Brain Res.* 160, 146–156.
<https://doi.org/10.1016/j.devbrainres.2005.08.006>
- Kuo, H.-C., Zewdie, E., Ciechanski, P., Damji, O., Kirton, A., 2018. Intervention-Induced Motor Cortex Plasticity in Hemiparetic Children With Perinatal Stroke. *Neurorehabil. Neural Repair* 32, 941–952.
<https://doi.org/10.1177/1545968318801546>
- Kupnik, D., Grmec, S., 2007. Erythropoietin in post-resuscitation neurological recovery: is there light at the end of the tunnel? *Signa Vitae* 2, 11–14.
<https://doi.org/10.22514/sv21.042007.2>
- Kusakabe, M., Mangiarini, L., Laywell, E.D., Bates, G.P., Yoshiki, A., Hiraiwa, N., Inoue, J., Steindler, D.A., 2001. Loss of cortical and thalamic neuronal tenascin-C

expression in a transgenic mouse expressing exon 1 of the human Huntington disease gene. *J. Comp. Neurol.* 430, 485–500. [https://doi.org/10.1002/1096-9861\(20010219\)430:4<485::AID-CNE1045>3.0.CO;2-6](https://doi.org/10.1002/1096-9861(20010219)430:4<485::AID-CNE1045>3.0.CO;2-6)

Kwon, Y.M., Rose, J., Kim, A.R., Son, S.M., 2017. Corticoreticular tract lesion in children with developmental delay presenting with gait dysfunction and trunk instability. *Neural Regen. Res.* 12, 1465–1471. <https://doi.org/10.4103/1673-5374.215258>

L., B., L.C., B., P.P., D., J.S., Q., A.J., G., 2012. Preterm neonatal cardiovascular instability: Does understanding the fetus help evaluate the newborn? *Clin. Exp. Pharmacol. Physiol.* 39, 965–972. <https://doi.org/10.1111/j.1440-1681.2012.05744.x>

L., B., S., T., L., V.D.H., M., D., F., G., F., V.B., S., J., S.A., B., F., N., N.J., R., C., M., A.J., G., Bennet, L., Tan, S., Van den Heijl, L., Derrick, M., Groenendaal, F., van Bel, F., Juul, S., Back, S.A., Northington, F., Robertson, N.J., Mallard, C., Gunn, A.J., 2012. Cell therapy for neonatal hypoxia-ischemia and cerebral palsy. *Ann. Neurol.* 71, 589–600. <https://doi.org/10.1002/ana.22670>

L., B., S.J., V., Y., A., C.J., H., O., B., R.J., P., C.H., N., P.J., C., 2017. FOXP1 Promotes Embryonic Neural Stem Cell Differentiation by Repressing Jagged1 Expression. *Stem Cell Reports* 9, 1530–1545. <https://doi.org/10.1016/j.stemcr.2017.10.012>

L., I., M.C., G., E., D., 1996. Changes in open field behavior, spatial memory, and hippocampal parvalbumin immunoreactivity following enrichment in rats exposed to neonatal anoxia. *Exp. Neurol.* 139, 25–33. <https://doi.org/10.1006/exnr.1996.0077>

L., J., H., L., Z., F., R., Z., Z., X., 2019. Circular RNA expression profiles in neonatal rats following hypoxic-ischemic brain damage. *Int. J. Mol. Med.* 43, 1699–1708. <https://doi.org/10.3892/ijmm.2019.4111>

L., R., C., V., 2003. Resilience: An account of the 2002 AACPDM meeting. *Dev. Med. Child Neurol.* 45, 70.

L., S., J.-H., Y., C.-D., L., J., M., Y., W., 2007. Survival and migration of transplanted embryonic stem cells in the injured brain and spinal cord of mice. *J. Clin. Rehabil. Tissue Eng. Res.* 11, 4833–4836.

L., T., A., K., J., D., S., M., V., E.G., C., H., O., B., P., G., Titomanlio, L., Kavelaars, A., Dalous, J., Mani, S., El Ghouzzi, V., Heijnen, C., Baud, O., Gressens, P., L., T., A., K., J., D., S., M., V., E.G., C., H., O., B., P., G., Titomanlio, L., Kavelaars, A., Dalous, J., Mani, S., El Ghouzzi, V., Heijnen, C., Baud, O., Gressens, P., 2011. Stem cell therapy for neonatal brain injury: Perspectives and Challenges. *Ann. Neurol.* 70, 698–712. <https://doi.org/10.1002/ana.22518>

L., W., F., J., Q., L., X., H., J., M., Wang, L., Jiang, F., Li, Q., He, X., Ma, J., L., W., F., J., Q., L., X., H., J., M., Wang, L., Jiang, F., Li, Q., He, X., Ma, J., 2014. Mild

hypothermia combined with neural stem cell transplantation for hypoxic-ischemic encephalopathy: Neuroprotective effects of combined therapy. *Neural Regen. Res.* 9, 1745–1752. <https://doi.org/10.4103/1673-5374.143417>

L., W., J., W., Y., C., Q., R., L., Z., X., L., J., W., 2015. Hyperbaric oxygenation promotes neural stem cell proliferation and protects the learning and memory ability in neonatal hypoxic-ischemic brain damage. *Int. J. Clin. Exp. Pathol.* 8, 1752–1759.

L., X.X., H., Z., Q., Z., L., X.X., M., A.-H., J., H., M., W., Y., Z., M., Y., J., D., M., H., T., W., 2020. Overexpression of miR-124 Protects Against Neurological Dysfunction Induced by Neonatal Hypoxic–Ischemic Brain Injury. *Cell. Mol. Neurobiol.* <https://doi.org/10.1007/s10571-019-00769-2>

L., Y., J., V.-V., R., J., K., L., M., D., S., T., 2014. Developmental susceptibility of neurons to transient tetrahydrobiopterin insufficiency and antenatal hypoxia-ischemia in fetal rabbits. *Free Radic. Biol. Med.* 67, 426–436. <https://doi.org/10.1016/j.freeradbiomed.2013.11.026>

L.-J., J., Z.-X., X., M.-F., W., G.-Q., D., L.-L., Z., J.-Y., G., C.-X., F., X., F., Jiang, L.-J., Xu, Z.-X., Wu, M.-F., Dong, G.-Q., Zhang, L.-L., Gao, J.-Y., Feng, C.-X., Feng, X., 2020. Resatorvid protects against hypoxic-ischemic brain damage in neonatal rats. *Neural Regen. Res.* 15, 1316–1325. <https://doi.org/10.4103/1673-5374.272615>

L.J., Y., H., C., T., C., 2014. Negative regulation of miRNA-9 on oligodendrocyte lineage gene 1 during hypoxic-ischemic brain damage. *Neural Regen. Res.* 9, 513–518. <https://doi.org/10.4103/1673-5374.130077>

L.L., J., C.J., C., D.J., F., S., R., 2015. Postnatal erythropoietin mitigates impaired cerebral cortical development following subplate loss from prenatal hypoxia-ischemia. *Cereb. Cortex* 25, 2683–2695. <https://doi.org/10.1093/cercor/bhu066>

L.L., J., C.J., C., J., B., D.J., F., J., F., R., M., S., R., Jantzie, L.L., Corbett, C.J., Berglass, J., Firl, D.J., Flores, J., Mannix, R., Robinson, S., 2014. Complex pattern of interaction between in utero hypoxia-ischemia and intra-amniotic inflammation disrupts brain development and motor function. *J. Neuroinflammation* 11. <https://doi.org/10.1186/1742-2094-11-131>

L.L., J., D.M., T., D.B., S., L., A., M.C., J., R.D., F., W., D., F.E., J., Jantzie, L.L., Talos, D.M., Selip, D.B., An, L., Jackson, M.C., Folkerth, R.D., Deng, W., Jensen, F.E., L.L., J., D.M., T., D.B., S., L., A., M.C., J., R.D., F., W., D., F.E., J., Jantzie, L.L., Talos, D.M., Selip, D.B., An, L., Jackson, M.C., Folkerth, R.D., Deng, W., Jensen, F.E., 2010. Developmental regulation of group i metabotropic glutamate receptors in the premature brain and their protective role in a rodent model of periventricular leukomalacia. *Neuron Glia Biol.* 6, 277–288. <https://doi.org/10.1017/S1740925X11000111>

L.-L., Xiong, L.-L., Xue, M., A.-H., J., H., R.-Z., N., Y.-X., T., Y., X., Y.-Y., S., J., L., T.-H., W., 2020. Single-nucleotide polymorphism screening and RNA sequencing

of key messenger RNAs associated with neonatal hypoxic-ischemia brain damage. *Neural Regen. Res.* 15, 86–95. <https://doi.org/10.4103/1673-5374.264469>

L.-L., Xue, F., W., R.-Z., N., Y.-X., T., J., L., Y., Jin, Z., M., Z.-B., Z., Y., Jiang, L., C., Q.-J., X., J.-J., C., T.-H., W., L.-L., Xiong, 2020. Offspring of rats with cerebral hypoxia-ischemia manifest cognitive dysfunction in learning and memory abilities. *Neural Regen. Res.* 15, 1662–1670. <https://doi.org/10.4103/1673-5374.276359>

L.M., D.B., D.E., B., 2011. Same players, different game: AMPA receptor regulation in oligodendrocyte progenitors. *Nat. Neurosci.* 14, 1358–1360. <https://doi.org/10.1038/nn.2965>

L.M., H., R.M., V.E., C.H., N., M.J.N.L., B., C.G.M., D.T., 2019. Postnatal nutrition to improve brain development in the preterm infant: A systematic review from bench to bedside. *Front. Physiol.* 10. <https://doi.org/10.3389/fphys.2019.00961>

L.N., M., 2011. The role of erythropoietin in ischemic preconditioning, postconditioning, and regeneration of the brain after ischemia. *Neurosci. Behav. Physiol.* 41, 353–363. <https://doi.org/10.1007/s11055-011-9423-8>

L.R., S., G., F., L., S., A.-L., S., S., C., C., A., J.N., W., H., N., B., F., P., G., D.H., R., 2017. Reactive astrocyte COX2-PGE2 production inhibits oligodendrocyte maturation in neonatal white matter injury. *Glia* 65, 2024–2037. <https://doi.org/10.1002/glia.23212>

L.S., C., J.M., M., H.K., L., S.M., G., F., C., Y., K., T., A., C.T., K., C.J., C., C.A., M., B., D., 2016. Temporal profiling of astrocyte precursors reveals parallel roles for Asef during development and after injury. *J. Neurosci.* 36, 11904–11917. <https://doi.org/10.1523/JNEUROSCI.1658-16.2016>

L.-W., W., Y.-C., C., S.-J., C., C.-H., T., Y.-F., T., N.-S., L., C.-C., H., C.-J., H., 2014. TNFR1-JNK signaling is the shared pathway of neuroinflammation and neurovascular damage after LPS-sensitized hypoxic-ischemic injury in the immature brain. *J. Neuroinflammation* 11. <https://doi.org/10.1186/s12974-014-0215-2>

L.-X., C., S.-M., M., P., Z., Z.-C., F., M., X., G.-Q., C., Y., Y., Z.-L., Q., W.-H., Z., J., L., Chen, L.X., Ma, S.M., Zhang, P., Fan, Z.C., Xiong, M., Cheng, G.Q., Yang, Y., Qiu, Z.L., Zhou, W.H., Li, J., 2015. Neuroprotective Effects of Oligodendrocyte Progenitor Cell Transplantation in Premature Rat Brain following Hypoxic-Ischemic Injury. *PLoS One* 10. <https://doi.org/10.1371/journal.pone.0115997>

L.-X., X., X.-J., T., Y.-Y., Y., M., L., M.-F., J., P., M., X., D., Y., W., Y.-H., L., B., S., X., F., 2017. Neuroprotective effects of autophagy inhibition on hippocampal glutamate receptor subunits after hypoxia-ischemia-induced brain damage in newborn rats. *Neural Regen. Res.* 12, 417–424. <https://doi.org/10.4103/1673-5374.202945>

Labrousse, V.F., Leyrolle, Q., Amadieu, C., Aubert, A., Sere, A., Coutureau, E., Grégoire, S., Bretillon, L., Pallet, V., Gressens, P., Joffre, C., Nadjar, A., Layé, S.,

2018. Dietary omega-3 deficiency exacerbates inflammation and reveals spatial memory deficits in mice exposed to lipopolysaccharide during gestation. *Brain. Behav. Immun.* 73, 427–440. <https://doi.org/10.1016/j.bbi.2018.06.004>

Lacerda, D.C., Manhães-de-Castro, R., Ferraz-Pereira, K.N., Toscano, A.E., 2019. Does L-Tryptophan supplementation reduce chewing deficits in an experimental model of cerebral palsy? *Nutr. Neurosci.* 22, 373–374. <https://doi.org/10.1080/1028415X.2017.1391934>

Lafemina, M.J., Sheldon, R.A., Ferriero, D.M., 2006. Acute hypoxia-ischemia results in hydrogen peroxide accumulation in neonatal but not adult mouse brain. *Pediatr. Res.* 59, 680–683. <https://doi.org/10.1203/01.pdr.0000214891.35363.6a>

Lafuente, H., Pazos, M.R., Alvarez, A., Mohammed, N., Santos, M., Arizti, M., Alvarez, F.J., Martinez-Orgado, J.A., 2016. Effects of Cannabidiol and Hypothermia on Short-Term Brain Damage in New-Born Piglets after Acute Hypoxia-Ischemia. *Front. Neurosci.* 10. <https://doi.org/10.3389/fnins.2016.00323>

Lahiani-Cohen, I., Lourbopoulos, A., Haber, E., Rozenstein-Tsalkovich, L., Abramsky, O., Grigoriadis, N., Rosenmann, H., 2011. Moderate environmental enrichment mitigates tauopathy in a neurofibrillary tangle mouse model. *J. Neuropathol. Exp. Neurol.* 70, 610–621. <https://doi.org/10.1097/NEN.0b013e318221bfab>

Lahiani-Cohen, I., Touloumi, O., Lagoudaki, R., Grigoriadis, N., Rosenmann, H., 2020. Exposure to 3-Nitropropionic Acid Mitochondrial Toxin Induces Tau Pathology in Tangle-Mouse Model and in Wild Type-Mice. *Front. Cell Dev. Biol.* 7. <https://doi.org/10.3389/fcell.2019.00321>

Lai, Z.M., Zhang, L.C., Su, J.S., Cai, D.M., Xu, Q.X., 2016. Sevoflurane postconditioning improves long-term learning and memory of neonatal hypoxia-ischemia brain damage rats via the PI3K/Akt-mPTP pathway. *Brain Res.* 1630, 25–37. <https://doi.org/10.1016/j.brainres.2015.10.050>

Lajic, S., Nordenström, A., Hirvikoski, T., 2008. Long-term outcome of prenatal treatment of congenital adrenal hyperplasia. *Endocr. Dev.* <https://doi.org/10.1159/000134827>

Lalancette-Hébert, M., Faustino, J., Thammisetty, S.S., Chip, S., Vexler, Z.S., Kriz, J., 2017. Live imaging of the innate immune response in neonates reveals differential TLR2 dependent activation patterns in sterile inflammation and infection. *Brain. Behav. Immun.* 65, 312–327. <https://doi.org/10.1016/j.bbi.2017.05.020>

Lamhot, V.B., Khatib, N., Ginsberg, Y., Anunu, R., Richter-Levin, G., Weiner, Z., Ross, M.G., Divon, M.Y., Hallak, M., Beloosesky, R., 2015. Magnesium sulfate prevents maternal inflammation-induced impairment of learning ability and memory in rat offspring Presented in poster format at the 34th annual meeting of the Society for Maternal-Fetal Medicine, New Orleans, LA, Feb. 3-8, 2014. *Am. J. Obstet. Gynecol.* 213, 851.e1-851.e8. <https://doi.org/10.1016/j.ajog.2015.07.042>

Lampl, M., 2005. Cellular life histories and bow tie biology. *Am. J. Hum. Biol.* 17, 66–80. <https://doi.org/10.1002/ajhb.20094>

Lan, K.M., Tien, L.T., Cai, Z.W., Lin, S.Y., Pang, Y., Tanaka, S., Rhodes, P.G., Bhatt, A.J., Savich, R.D., Fan, L.W., 2016. Erythropoietin Ameliorates Neonatal Hypoxia-Ischemia-Induced Neurobehavioral Deficits, Neuroinflammation, and Hippocampal Injury in the Juvenile Rat. *Int. J. Mol. Sci.* 17. <https://doi.org/10.3390/ijms17030289>

Larsen, P.A., Hunnicutt, K.E., Larsen, R.J., Yoder, A.D., Saunders, A.M., 2018. Warning SINEs: Alu elements, evolution of the human brain, and the spectrum of neurological disease. *Chromosom. Res.* 26, 93–111. <https://doi.org/10.1007/s10577-018-9573-4>

Laurini, R.N., Arbeille, B., Gemberg, C., Akoka, S., Locatelli, A., Lansac, J., Arbeille, P., 1999. Brain damage and hypoxia in an ovine fetal chronic cocaine model. *Eur. J. Obstet. Gynecol. Reprod. Biol.* 86, 15–22. [https://doi.org/10.1016/s0301-2115\(99\)00036-6](https://doi.org/10.1016/s0301-2115(99)00036-6)

Lavrenova, S.M., Nalivaeva, N.N., Zhuravin, I.A., 2003. Activity of acetylcholinesterase in the motor-sensory cortex in early ontogenesis of rats exposed to prenatal hypoxia. *J. Evol. Biochem. Physiol.* 39, 203–210. <https://doi.org/10.1023/a:1025526500952>

Lawrence, K.M., McGovern, P.E., Mejaddam, A., Rossidis, A.C., Baumgarten, H., Kim, A., Grinspan, J.B., Licht, D.J., Didier, R.A., Vossough, A., Radaelli, E., Rychik, J., Song, L.M., Peranteau, W.H., Davey, M.G., Flake, A.W., Gaynor, J.W., 2019. Chronic intrauterine hypoxia alters neurodevelopment in fetal sheep. *J. Thorac. Cardiovasc. Surg.* 157, 1982–1991. <https://doi.org/10.1016/j.jtcvs.2018.12.093>

Le Duc, D., Spataru, A., Ceanga, M., Zagrean, L., Schoneberg, T., Toescu, E.C., Zagrean, A.M., 2015. Developmental exposure to ethanol increases the neuronal vulnerability to oxygen-glucose deprivation in cerebellar granule cell cultures. *Brain Res.* 1614, 1–13. <https://doi.org/10.1016/j.brainres.2015.04.009>

Lebedev, S. V, Karasev, A. V, Rogatkin, S.O., Volodin, N.N., Chehonin, V.P., 2009. Problems and prospects of experimental modeling of hypoxic-ischemic lesions in the central nervous system. *Vestn. Ross. Akad. Meditsinskikh Nauk* 21–26.

Lebeer, J., Rijke, R., 2003. Ecology of development in children with brain impairment. *Child. Care. Health Dev.* 29, 131–140. <https://doi.org/10.1046/j.1365-2214.2003.00323.x>

Lebovitz, Y., Kowalski, E.A., Wang, X., Kelly, C., Lee, M., McDonald, V., Ward, R., Creasey, M., Mills, W., Gudenschwager Basso, E.K., Hazy, A., Hrubec, T., Theus, M.H., 2019. Lactobacillus rescues postnatal neurobehavioral and microglial dysfunction in a model of maternal microbiome dysbiosis. *Brain. Behav. Immun.* 81, 617–629. <https://doi.org/10.1016/j.bbi.2019.07.025>

- Lee, A.Y., Jang, S.H., Yeo, S.S., Lee, E., Cho, Y.W., Son, S.M., 2013. Changes in a cerebellar peduncle lesion in a patient with Dandy-Walker malformation: A diffusion tensor imaging study. *Neural Regen. Res.*
<https://doi.org/10.3969/j.issn.1673-5374.2013.05.012>
- Lee, D.R., Kim, Y.H., Kim, D.A., Lee, J.A., Hwang, P.W., Lee, M.J., You, S.H., 2014. Innovative strength training-induced neuroplasticity and increased muscle size and strength in children with spastic cerebral palsy: an experimenter-blind case study--three-month follow-up. *NeuroRehabilitation* 35, 131–136.
<https://doi.org/10.3233/NRE-131036>
- Lee, G.A., Lin, T.N., Chen, C.Y., Mau, S.Y., Huang, W.Z., Kao, Y.C., Ma, R.Y., Liao, N.S., 2018. Interleukin 15 blockade protects the brain from cerebral ischemia-reperfusion injury. *Brain Behav. Immun.* 73, 562–570.
<https://doi.org/10.1016/j.bbi.2018.06.021>
- Lee, I.-S., Koo, K.Y., Jung, K., Kim, M., Kim, I.-S., Hwang, K., Yun, S., Lee, H., Shin, J.E., Park, K.I., I.-S., L., K.Y., K., K., J., M., K., I.-S., K., K., H., S., Y., H., L., J.E., S., K.I., P., 2017. Neurogenin-2-transduced human neural progenitor cells attenuate neonatal hypoxic-ischemic brain injury. *Transl. Res.* 183, 121-136.e9.
<https://doi.org/10.1016/j.trsl.2016.12.010>
- Lee, J.C., Tae, H.J., Kim, I.H., Cho, J.H., Lee, T.K., Park, J.H., Ahn, J.H., Choi, S.Y., Bai, H.C., Shin, B.N., Cho, G.S., Kim, D.W., Kang, I.J., Kwon, Y.G., Kim, Y.M., Won, M.H., Bae, E.J., 2017. Roles of HIF-1 alpha, VEGF, and NF-kappa B in Ischemic Preconditioning-Mediated Neuroprotection of Hippocampal CA1 Pyramidal Neurons Against a Subsequent Transient Cerebral Ischemia. *Mol. Neurobiol.* 54, 6984–6998. <https://doi.org/10.1007/s12035-016-0219-2>
- Lee, J.-M., Kim, T.-W., Park, S.-S., Han, J.-H., Shin, M.-S., Lim, B.-V., Kim, S.-H., Baek, S.-S., Cho, Y.S., Kim, K.H., 2018. Treadmill exercise improves motor function by suppressing purkinje cell loss in Parkinson disease rats. *Int. Neurourol. J.* 22, S147–S155. <https://doi.org/10.5213/inj.1836226.113>
- Lee, J.-Y., Tuazon, J.P., Corey, S., Bonsack, B., Acosta, S., Ehrhart, J., Sanberg, P.R., Borlongan, C. V, 2019. A Gutsy Move for Cell-Based Regenerative Medicine in Parkinson's Disease: Targeting the Gut Microbiome to Sequester Inflammation and Neurotoxicity. *Stem Cell Rev. Reports* 15, 690–702.
<https://doi.org/10.1007/s12015-019-09906-2>
- Lei, J., Firdaus, W., Rosenzweig, J.M., Alrebh, S., Bakhshwin, A., Borbiev, T., Fatemi, A., Blakemore, K., Johnston, M. V, Burd, I., 2015. Murine model: Maternal administration of stem cells for prevention of prematurity. *Am. J. Obstet. Gynecol.* 212, 639.e1-639.e10. <https://doi.org/10.1016/j.ajog.2014.12.032>
- Lei, J., Rosenzweig, J.M., Mishra, M.K., Alshehri, W., Brancusi, F., McLane, M., Almalki, A., Bahabry, R., Arif, H., Rozzah, R., Alyousif, G., Shabi, Y., Alhehaily, N., Zhong, W., Facciabene, A., Kannan, S., Kannan, R.M., Burd, I., 2017. Maternal dendrimer-based therapy for inflammation-induced preterm birth and perinatal brain injury. *Sci. Rep.* 7. <https://doi.org/10.1038/s41598-017-06113-2>

Lekic, T., Klebe, D., Poblete, R., Krafft, P.R., Rolland, W.B., Tang, J., Zhang, J.H., T., L., D., K., R., P., P.R., K., W.B., R., J., T., J.H., Z., Lekic, T., Klebe, D., Poblete, R., Krafft, P.R., Rolland, W.B., Tang, J., Zhang, J.H., 2015. Neonatal brain hemorrhage (NBH) of prematurity: Translational mechanisms of the vascular-neural network. *Curr. Med. Chem.* 22, 1214–1238.
<https://doi.org/10.2174/092986732266150114152421>

Lekic, T., Klebe, D., Pichon, P., Brankov, K., Sultan, S., McBride, D., Casel, D., Al-Bayati, A., Ding, Y., Tang, J., Zhang, J.H., 2017. Aligning animal models of clinical germinal matrix hemorrhage, from basic correlation to therapeutic approach. *Curr. Drug Targets* 18.
<https://doi.org/10.2174/1389450117666160615100538>

Lemon, R.N., Griffiths, J., 2005. Comparing the function of the corticospinal system in different species: Organizational differences for motor specialization? *Muscle Nerve* 32, 261–279. <https://doi.org/10.1002/mus.20333>

Lenz, K.M., McCarthy, M.M., 2015. A starring role for microglia in brain sex differences. *Neuroscientist* 21, 306–321.
<https://doi.org/10.1177/1073858414536468>

León-Espinosa, G., Regalado-Reyes, M., DeFelipe, J., Muñoz, A., 2018. Changes in neocortical and hippocampal microglial cells during hibernation. *Brain Struct. Funct.* 223, 1881–1895. <https://doi.org/10.1007/s00429-017-1596-7>

Leong, S., Ashwell, K.W.S., 1997. Is there a zone of vascular vulnerability in the fetal brain stem? *Neurotoxicol. Teratol.* 19, 265–275. [https://doi.org/10.1016/s0892-0362\(97\)00020-2](https://doi.org/10.1016/s0892-0362(97)00020-2)

Lespay-Rebolledo, C., Tapia-Bustos, A., Bustamante, D., Morales, P., Herrera-Marschitz, M., 2019. The Long-Term Impairment in Redox Homeostasis Observed in the Hippocampus of Rats Subjected to Global Perinatal Asphyxia (PA) Implies Changes in Glutathione-Dependent Antioxidant Enzymes and TIGAR-Dependent Shift Towards the Pentose Phosphate Pathways: *Ef. Neurotox. Res.* 36, 472–490.
<https://doi.org/10.1007/s12640-019-00064-4>

Levison, S.W., Rothstein, R.P., Romanko, M.J., Snyder, M.J., Meyers, R.L., Vannucci, S.J., S.W., L., R.P., R., M.J., R., M.J., S., R.L., M., S.J., V., 2001. Hypoxia/ischemia depletes the rat perinatal subventricular zone of oligodendrocyte progenitors and neural stem cells. *Dev. Neurosci.* 23, 234–247.
<https://doi.org/10.1159/000046149>

Leviton, A., Gressens, P., 2007. Neuronal damage accompanies perinatal white-matter damage. *Trends Neurosci.* 30, 473–478. <https://doi.org/10.1016/j.tins.2007.05.009>

Leviton, A., Gressens, P., Wolkenhauer, O., Dammann, O., 2015. Systems approach to the study of brain damage in the very preterm newborn. *Front. Syst. Neurosci.* 9.
<https://doi.org/10.3389/fnsys.2015.00058>

- Li, A., Ceballos-Diaz, C., DiNunno, N., Levites, Y., Cruz, P.E., Lewis, J., Golde, T.E., Chakrabarty, P., 2015. IFN- γ promotes τ phosphorylation without affecting mature tangles. *FASEB J.* 29, 4384–4398. <https://doi.org/10.1096/fj.15-275834>
- Li, B., Concepcion, K., Meng, X., Zhang, L., 2017. Brain-immune interactions in perinatal hypoxic-ischemic brain injury. *Prog. Neurobiol.* 159, 50–68. <https://doi.org/10.1016/j.pneurobio.2017.10.006>
- Li, C., Zhao, R., Gao, K., Wei, Z., Yin, M.Y., Lau, L.T., Chui, D., Yu, A.C.H., 2011. Astrocytes: Implications for neuroinflammatory pathogenesis of Alzheimer's disease. *Curr. Alzheimer Res.* 8, 67–80. <https://doi.org/10.2174/156720511794604543>
- Li, D., Chen, Q.X., Zou, W., Sun, X.W., Yu, X.P., Dai, X.H., Teng, W., 2020. Acupuncture promotes functional recovery after cerebral hemorrhage by upregulating neurotrophic factor expression. *Neural Regen. Res.* 15, 1510–1517. <https://doi.org/10.4103/1673-5374.257532>
- Li, H.F., Li, Q., Du, X.N., Sun, Y.Y., Wang, X.Y., Kroemer, G., Blomgren, K., Zhu, C.L., H., L., Q., L., X., D., Y., S., X., W., G., K., K., B., C., Z., 2011. Lithium-mediated long-term neuroprotection in neonatal rat hypoxia-ischemia is associated with antiinflammatory effects and enhanced proliferation and survival of neural stem/progenitor cells. *J. Cereb. Blood Flow Metab.* 31, 2106–2115. <https://doi.org/10.1038/jcbfm.2011.75>
- Li, H.-X., Feng, X., Wang, Q., Dong, X., Yu, M., Tu, W.-J., 2017. Diffusion tensor imaging assesses white matter injury in neonates with hypoxic-ischemic encephalopathy. *Neural Regen. Res.* 12, 603–609. <https://doi.org/10.4103/1673-5374.205102>
- Li, H.-X., Yu, M., Zheng, A.-B., Zhang, Q.-F., Hua, G.-W., Tu, W.-J., Zhang, L.-C., 2019. Resting-state network complexity and magnitude changes in neonates with severe hypoxic ischemic encephalopathy. *Neural Regen. Res.* 14, 642–648. <https://doi.org/10.4103/1673-5374.247468>
- Li, J., Yawno, T., Sutherland, A., Loose, J., Nitsos, I., Bischof, R., Castillo-Melendez, M., McDonald, C.A., Wong, F.Y., Jenkin, G., Jenkin, G., Miller, S.L., 2016. Preterm white matter brain injury is prevented by early administration of umbilical cord blood cells. *Exp. Neurol.* 283, 179–187. <https://doi.org/10.1016/j.expneurol.2016.06.017>
- Li, J., Chen, S., Zhao, Z., Luo, Y., Hou, Y., Li, H., He, L., Zhou, L., Wu, W., 2017. Effect of VEGF on inflammatory regulation, neural survival, and functional improvement in rats following a complete spinal cord transection. *Front. Cell. Neurosci.* 11. <https://doi.org/10.3389/fncel.2017.00381>
- Li, J., Yawno, T., Sutherland, A.E., Gurung, S., Paton, M., McDonald, C., Tiwari, A., Pham, Y., Castillo-Melendez, M., Jenkin, G., Miller, S.L., J., L., T., Y., A.E., S., S., G., M., P., C., M., A., T., Y., P., M., C.-M., G., J., S.L., M., 2018. Preterm umbilical cord blood derived mesenchymal stem/stromal cells protect preterm

white matter brain development against hypoxia-ischemia. *Exp. Neurol.* 308, 120–131. <https://doi.org/10.1016/j.expneurol.2018.07.006>

Li, J., Yu, S., Lu, Z., Mohamad, O., Wei, L., 2012. N-methyl-D-aspartate receptor subtype 3A promotes apoptosis in developing mouse brain exposed to hyperoxia. *Neural Regen. Res.* 7, 273–277. <https://doi.org/10.3969/j.issn.1673-5374.2012.04.006>

Li, L.H., Qu, Y., Zhang, L., Li, X.H., Li, J.H., Mao, M., Jin, X.D., Mu, D.Z., 2009. Influence of hypoxia-inducible factor 1-alpha on neuronal apoptosis in a rat model of hypoxia- or hypoxia-ischemia-induced brain injury. *Neural Regen. Res.* 4, 1019–1023. <https://doi.org/10.3969/j.issn.1673-5374.2009.12.009>

Li, L., Klebe, D., Doycheva, D., McBride, D.W., Krafft, P.R., Flores, J., Zhou, C.M., Zhang, J.H., Tang, J.P., 2015. G-CSF ameliorates neuronal apoptosis through GSK-3 beta inhibition in neonatal hypoxia-ischemia in rats. *Exp. Neurol.* 263, 141–149. <https://doi.org/10.1016/j.expneurol.2014.10.004>

Li, L.-X., Zhang, M.-M., Zhang, Y., He, J., 2018. Acupuncture for cerebral palsy: A meta-analysis of randomized controlled trials. *Neural Regen. Res.* 13, 1107–1117. <https://doi.org/10.4103/1673-5374.233455>

Li, M.Q., Nie, L.H., Hu, Y.J., Yan, X., Xue, L., Chen, L., Zhou, H., Zheng, Y., 2013. Chronic intermittent hypoxia promotes expression of 3-mercaptopyruvate sulfurtransferase in adult rat medulla oblongata. *Auton. Neurosci. Clin.* 179, 84–89. <https://doi.org/10.1016/j.autneu.2013.08.066>

Li, W.-J., Mao, F.-X., Chen, H.-J., Qian, L.-H., 2012. [Effect of single or combined application of UDP-glucose, GDNF and memantine on improvement of white matter injury in neonatal rats assessed with light and electron microscopy pathologically]. *Zhongguo Dang Dai Er Ke Za Zhi* 14, 964–970.

Li, W.-X., Tang, J., Zou, R., Zeng, Y., Yue, Y., Qiu, X., Qu, Y., Mu, D.-Z., 2018. [A visualization analysis of current research on stem cell transplantation in the treatment of neonatal hypoxic-ischemic encephalopathy]. *Zhongguo Dang Dai Er Ke Za Zhi* 20, 1002–1007.

Li, W.-J., Mao, F.-X., Chen, H.-J., Qian, L.-H., Buzby, J.S., 2015. Treatment with UDP-glucose, GDNF, and memantine promotes SVZ and white matter self-repair by endogenous glial progenitor cells in neonatal rats with ischemic PVL. *Neuroscience* 284, 444–458. <https://doi.org/10.1016/j.neuroscience.2014.10.012>

Li, X.J., Bai, R.Y., Zhang, J.H., Wang, X.Y., 2015. Effect of progesterone intervention on the dynamic changes of AQP-4 in hypoxic-ischaemic brain damage. *Int. J. Clin. Exp. Med.* 8, 18831–18836.

Li, X.J., Zhang, J.H., Chai, S.J., Wang, X.Y., 2014. Progesterone alleviates hypoxic-ischemic brain injury via the Akt/GSK-3 beta signaling pathway. *Exp. Ther. Med.* 8, 1241–1246. <https://doi.org/10.3892/etm.2014.1858>

- Li, X., Zhang, J., Zhu, X., Hou, R., Li, X., Dong, X., Wang, X., Lu, C., 2014. Effects of progesterone on hippocampal ultrastructure and expression of inflammatory mediators in neonatal rats with hypoxic-ischemic brain injury. *Exp. Ther. Med.* 7, 1311–1316. <https://doi.org/10.3892/etm.2014.1589>
- Li, Y., Gonzalez, P., Zhang, L., 2012. Fetal stress and programming of hypoxic/ischemic-sensitive phenotype in the neonatal brain: Mechanisms and possible interventions. *Prog. Neurobiol.* 98, 145–165. <https://doi.org/10.1016/j.pneurobio.2012.05.010>
- Liao, Y., Cotten, M., Tan, S., Kurtzberg, J., Cairo, M.S., 2013. Rescuing the neonatal brain from hypoxic injury with autologous cord blood. *Bone Marrow Transplant.* <https://doi.org/10.1038/bmt.2012.169>
- Licht, T., Dor-Wollman, T., Ben-Zvi, A., Rothe, G., Keshet, E., 2015. Vessel maturation schedule determines vulnerability to neuronal injuries of prematurity. *J. Clin. Invest.* 125, 1319–1328. <https://doi.org/10.1172/JCI79401>
- Lidzba, K., Staudt, M., Wilke, M., Krageloh-Mann, I., 2006. Visuospatial deficits in patients with early left-hemispheric lesions and functional reorganization of language: consequence of lesion or reorganization? *Neuropsychologia* 44, 1088–1094. <https://doi.org/10.1016/j.neuropsychologia.2005.10.022>
- Ligon, K.L., Fancy, S.P.J., Franklin, R.J.M., Rowitch, D.H., 2006. Olig gene function in CNS development and disease. *Glia* 54, 1–10. <https://doi.org/10.1002/glia.20273>
- Limperopoulos, C., 2010. Pediatrics: Neuroprotective effects of erythropoietin in preterm infants. *Nat. Rev. Neurol.* 6, 301–302. <https://doi.org/10.1038/nrneurol.2010.66>
- Lin, B., Zhao, W., Fernandez, G., Ji, X., Li, L., Bustos, R., B., L., W., Z., G., F., X., J., L., L., R., B., 2007. Integrating comprehensive and alternative medicine into stroke: Combination of Chinese herbs attenuated damage and accelerated self-repair following focal cerebral ischemia. *J. Cereb. Blood Flow Metab.* 27, BO09-04.
- Lin, Y.-L., Wang, S., 2014. Prenatal lipopolysaccharide exposure increases depression-like behaviors and reduces hippocampal neurogenesis in adult rats. *Behav. Brain Res.* 259, 24–34. <https://doi.org/10.1016/j.bbr.2013.10.034>
- Lisboa, S.F., Gomes, F. V., Silva, A.L., Uliana, D.L., Camargo, L.H.A., Guimars, F.S., Cunha, F.Q., Joca, S.R.L., Resstel, L.B.M., 2015. Increased contextual fear conditioning in inos knockout mice: Additional evidence for the involvement of nitric oxide in stress-related disorders and contribution of the endocannabinoid system. *Int. J. Neuropsychopharmacol.* 18, 1–12. <https://doi.org/10.1093/ijnp/pyv005>
- Liu, F., Liu, Y., Liu, J., Ma, L.-Y., 2015. Antenatal Taurine Improves Intrauterine Growth-Restricted Fetal Rat Brain Development Which Is Associated with

Increasing the Activity of PKA-CaMKII/c-fos Signal Pathway. *Neuropediatrics* 46, 299–306. <https://doi.org/10.1055/s-0035-1558434>

Liu, H.-T., Mu, D.-Z., 2014. Inducible nitric oxide synthase and brain hypoxic-ischemic brain damage. *Chinese J. Contemp. Pediatr.* 16, 962–967. <https://doi.org/10.7499/j.issn.1008-8830.2014.09.022>

Liu, J., Liu, L., Chen, H., 2011. Antenatal taurine supplementation for improving brain ultrastructure in fetal rats with intrauterine growth restriction. *Neuroscience* 181, 265–270. <https://doi.org/10.1016/j.neuroscience.2011.02.056>

Liu, J., Liu, Y., Wang, X.-F., Chen, H., Yang, N., 2013. Antenatal taurine supplementation improves cerebral neurogenesis in fetal rats with intrauterine growth restriction through the PKA-CREB signal pathway. *Nutr. Neurosci.* 16, 282–287. <https://doi.org/10.1179/1476830513Y.0000000057>

Liu, J., Wang, X., Liu, Y., Yang, N., Xu, J., Ren, X., 2013. Antenatal taurine reduces cerebral cell apoptosis in fetal rats with intrauterine growth restriction. *Neural Regen. Res.* 8, 2190–2197. <https://doi.org/10.3969/j.issn.1673-5374.2013.23.009>

Liu, S., Zhou, J.L., Zhang, X., Liu, Y., Chen, J., Hu, B., Song, J.L., Zhang, Y.Y., 2016. Strategies to Optimize Adult Stem Cell Therapy for Tissue Regeneration. *Int. J. Mol. Sci.* 17. <https://doi.org/10.3390/ijms17060982>

Liu, W., Shen, Y., Plane, J.M., Pleasure, D.E., Deng, W., 2011. Neuroprotective potential of erythropoietin and its derivative carbamylated erythropoietin in periventricular leukomalacia. *Exp. Neurol.* 230, 227–239. <https://doi.org/10.1016/j.expneurol.2011.04.021>

Liu, W.-P., Qu, S.-Q., Luan, Z., Gong, X.-J., Wang, Z.-Y., 2012. [Treatment of cerebral palsy with transplantation of human neural progenitor cells]. *Zhongguo Dang Dai Er Ke Za Zhi* 14, 759–762.

Liu, X.B., Wang, J.A., Yu, S.P., Keogh, C.L., Wei, L., 2008. Therapeutic Strategy of Erythropoietin in Neurological Disorders. *Cns Neurol. Disord. Targets* 7, 227–234. <https://doi.org/10.2174/187152708784936617>

Liu, X.H., Yan, H., Xu, M., Zhao, Y.L., Li, L.M., Zhou, X.H., Wang, M.X., Ma, L., 2013. Hyperbaric oxygenation reduces long-term brain injury and ameliorates behavioral function by suppression of apoptosis in a rat model of neonatal hypoxia-ischemia. *Neurochem. Int.* 62, 922–930. <https://doi.org/10.1016/j.neuint.2013.03.004>

Liu, X.M., Feng, Y., Li, A.M., X.-M., L., Y., F., A.-M., L., 2015. Effect of G-CSF and TPO on HIBD in neonatal rats. *Asian Pac. J. Trop. Med.* 8, 132–136. [https://doi.org/10.1016/S1995-7645\(14\)60303-5](https://doi.org/10.1016/S1995-7645(14)60303-5)

Liu, X.-Y., Dai, X.-H., Zou, W., Yu, X.-P., Teng, W., Wang, Y., Yu, W.-W., Ma, H.-H., Chen, Q.-X., Liu, P., Guan, R.-Q., Dong, S.-S., 2018. Acupuncture through Baihui (DU20) to Qubin (GB7) mitigates neurological impairment after

intracerebral hemorrhage. *Neural Regen. Res.* 13, 1425–1432.
<https://doi.org/10.4103/1673-5374.235298>

Liu, Y.-H., Lai, W.-S., Tsay, H.-J., Wang, T.-W., Yu, J.-Y., 2013. Effects of maternal immune activation on adult neurogenesis in the subventricular zone-olfactory bulb pathway and olfactory discrimination. *Schizophr. Res.* 151, 1–11.
<https://doi.org/10.1016/j.schres.2013.09.007>

Liu, Y., Geng, L., Zhang, J., Wang, J., Zhang, Q., Duan, D., Zhang, Q., 2018. Oligo-porphyrin ameliorates neurobehavioral deficits in parkinsonian mice by regulating the PI3K/Akt/Bcl-2 pathway. *Mar. Drugs* 16. <https://doi.org/10.3390/md16030082>

Liu, Y., Zou, L.-P., Du, J.-B., 2011. Nitric oxide-mediated neuronal functional recovery in hypoxic-ischemic brain damaged rats subjected to electrical stimulation. *Brain Res.* 1383, 324–328. <https://doi.org/10.1016/j.brainres.2011.01.088>

Livingston-Thomas, J., Nelson, P., Karthikeyan, S., Antonescu, S., Jeffers, M.S., Marzolini, S., Corbett, D., 2016. Exercise and Environmental Enrichment as Enablers of Task-Specific Neuroplasticity and Stroke Recovery. *Neurotherapeutics* 13, 395–402. <https://doi.org/10.1007/s13311-016-0423-9>

Loeliger, M.M., Mackintosh, A., de Matteo, R., Harding, R., Rees, S.M., 2011. Erythropoietin protects the developing retina in an ovine model of endotoxin-induced retinal injury. *Investig. Ophthalmol. Vis. Sci.* 52, 2656–2661.
<https://doi.org/10.1167/iovs.10-6455>

Loidl, C.F., Capani, F., LopezCosta, J.J., SelvinTesta, A., Lopez, E.M., Goldstein, J., PecciSaavedra, J., 1997. Short-term changes in NADPH-diaphorase reactivity in rat brain following perinatal asphyxia - Neuroprotective effects of cold treatment. *Mol. Chem. Neuropathol.* 31, 301–316.

Lok, J., Martin, L.J., 2002. Rapid subcellular redistribution of Bax precedes caspase-3 and endonuclease activation during excitotoxic neuronal apoptosis in rat brain. *J. Neurotrauma* 19, 815–828. <https://doi.org/10.1089/08977150260190410>

Lombroso, C.T., 1996. Neonatal seizures: A clinician's overview. *Brain Dev.* 18, 1–28.
[https://doi.org/10.1016/s0387-7604\(96\)90001-7](https://doi.org/10.1016/s0387-7604(96)90001-7)

Longo, L.D., Goyal, R., 2013. Cerebral artery signal transduction mechanisms: Developmental changes in dynamics and Ca²⁺ sensitivity. *Curr. Vasc. Pharmacol.* 11, 655–711. <https://doi.org/10.2174/1570161111311050008>

Lopez-Aguilera, F., Plateo-Pignatari, M.G., Biaggio, V., Ayala, C., Seltzer, A.M., 2012. HYPOXIC PRECONDITIONING INDUCES AN AT2-R/VEGFR-2(FLK-1) INTERACTION IN THE NEONATAL BRAIN MICROVASCULATURE FOR NEUROPROTECTION. *Neuroscience* 216, 1–9.
<https://doi.org/10.1016/j.neuroscience.2012.04.070>

Lopez-Perez, S.J., Morales-Villagran, A., Ventura-Valenzuela, J., Medina-Ceja, L., 2012. Short- and long-term changes in extracellular glutamate and acetylcholine

concentrations in the rat hippocampus following hypoxia. *Neurochem. Int.* 61, 258–265. <https://doi.org/10.1016/j.neuint.2012.03.009>

López-Tello, J., Arias-Álvarez, M., Jiménez-Martínez, M.-A., Barbero-Fernández, A., García-García, R.M., Rodríguez, M., Lorenzo, P.L., Torres-Rovira, L., Astiz, S., González-Bulnes, A., Rebollar, P.G., 2017. The effects of sildenafil citrate on feto-placental development and haemodynamics in a rabbit model of intrauterine growth restriction. *Reprod. Fertil. Dev.* 29, 1239–1248. <https://doi.org/10.1071/RD15330>

Lopez-Verrilli, M.A., Caviedes, A., Cabrera, A., Sandoval, S., Wyneken, U., Khouri, M., 2016. Mesenchymal stem cell-derived exosomes from different sources selectively promote neuritic outgrowth. *Neuroscience* 320, 129–139. <https://doi.org/10.1016/j.neuroscience.2016.01.061>

Lou, Y.-J., Liu, Y., Shan, H.-J., Cao, C.-H., Jie, X.-S., Y.-J., L., Y., L., H.-J., S., C.-H., C., X.-S., J., Lou, Y.-J., Liu, Y., Shan, H.-J., Cao, C.-H., Jie, X.-S., Y.-J., L., Y., L., H.-J., S., C.-H., C., X.-S., J., 2016. Neural stem cell transplantation for treatment of cerebral palsy. *Chinese J. Tissue Eng. Res.* 20, 2092–2097. <https://doi.org/10.3969/j.issn.2095-4344.2016.14.017>

Lowe, G.C., Luheshi, G.N., Williams, S., 2008. Maternal infection and fever during late gestation are associated with altered synaptic transmission in the hippocampus of juvenile offspring rats. *Am. J. Physiol. - Regul. Integr. Comp. Physiol.* 295, R1563–R1571. <https://doi.org/10.1152/ajpregu.90350.2008>

Lü, B.-J., Wang, R.-F., Dong, X.-Y., Ji, X.-X., 2012. Effect of vascular endothelium growth factor on the retinal ganglion cells of rats with chronic intraocular hypertension. *Int. Eye Sci.* 12, 1459–1462. <https://doi.org/10.3969/j.issn.1672-5123.2012.08.09>

Luan, Z., Liu, W., Qu, S., Du, K., He, S., Wang, Z., Yang, Y., Wang, C., Gong, X., 2012. Effects of neural progenitor cell transplantation in children with severe cerebral palsy. *Cell Transplant.* 21 Suppl 1, S91–8. <https://doi.org/10.3727/096368912X633806>

Luan, Z., Liu, W., Qu, S., Qu, S., Hu, X., Wang, Z., He, S., Liu, C., Xiao, M., 2011. [Treatment of newborns with severe injured brain with transplantation of human neural precursor cells]. *Zhonghua er ke za zhi = Chinese J. Pediatr.* 49, 445–449.

Luft, F.C., 2014. GABA the Hutt. *J. Mol. Med.* 92, 551–553. <https://doi.org/10.1007/s00109-014-1153-2>

Luo, J., 2009. GSK3 β in ethanol neurotoxicity. *Mol. Neurobiol.* 40, 108–121. <https://doi.org/10.1007/s12035-009-8075-y>

Luo, J., 2009. GSK3beta in ethanol neurotoxicity. *Mol. Neurobiol.* 40, 108–121. <https://doi.org/10.1007/s12035-009-8075-y>

- Luo, W., Yu, H., Yang, Z., Pi, M., Diao, L., Rao, X., 2010. Influence of Ren and Du meridian electro-acupuncture on neural stem cell proliferation and extracellular signal-regulated kinase pathway in a rat model of focal cerebral ischemia injury. *Neural Regen. Res.* 5, 433–438. <https://doi.org/10.3969/j.issn.1673-5374.2010.06.005>
- Luo, Z., Costy-Bennett, S., Fregosi, R.E., 2004. Prenatal nicotine exposure increases the strength of GABA(A) receptor-mediated inhibition of respiratory rhythm in neonatal rats. *J. Physiol.* 561, 387–393. <https://doi.org/10.1113/jphysiol.2004.062927>
- Luo, Z., Zhang, M., Niu, X., Wu, D., Tang, J., 2019. Inhibition of the PI3K/Akt signaling pathway impedes the restoration of neurological function following hypoxic-ischemic brain damage in a neonatal rabbit model. *J. Cell. Biochem.* 120, 10175–10185. <https://doi.org/10.1002/jcb.28302>
- Lv, B., Wang, R., Gao, X., Dong, X., Ji, X., 2014. Effect of vascular endothelial growth factor on retinal ganglion cells of rats with chronic intraocular hypertension. *Int. J. Clin. Exp. Pathol.* 7, 5717–5724.
- Lv, G.R., He, S.Z., Wang, Z.H., Li, B.Y., Chen, Q.Y., Jin, P., Su, R.Y., 2007. Tei index for prenatal diagnosis of acute fetal hypoxia due to intermittent umbilical cord occlusion in an animal model. *Prenat. Diagn.* 27, 817–823. <https://doi.org/10.1002/pd.1781>
- Lv, H.-Y., Wu, S.-J., Wang, Q.-L., Yang, L.-H., Ren, P.-S., Qiao, B.-J., Wang, Z.-Y., Li, J.-H., Gu, X.-L., Li, L.-X., 2017. Effect of erythropoietin combined with hypothermia on serum tau protein levels and neurodevelopmental outcome in neonates with hypoxic-ischemic encephalopathy. *Neural Regen. Res.* 12, 1655–1663. <https://doi.org/10.4103/1673-5374.217338>
- M., A., N., H., U., D., A., Z., N., O., 2014. Comment on the paper entitled “erythropoietin ameliorates oxidative stress and tissue injury following renal ischemia/reperfusion in rat kidney and lung.” *Med. Princ. Pract.* 23, 485. <https://doi.org/10.1159/000362338>
- M., C.-M., A.A., B., C., C., T., Y., A., W., S.L., M., D.W., W., 2013. Experimental modelling of the consequences of brief late gestation asphyxia on newborn lamb behaviour and brain structure. *PLoS One* 8. <https://doi.org/10.1371/journal.pone.0077377>
- M., D.-P., O.P., M., 2000. Mechanisms of perinatal cerebral injury in fetus and newborn. *Ann. N. Y. Acad. Sci.*
- M., D., N.L., L., J.C., B., T., J., X., J., K., F., C.L., G., D.J., B., G., M., S.A., B., S., T., Derrick, M., Luo, N.L., Bregman, J.C., Jilling, T., Ji, X., Fisher, K., Gladson, C.L., Beardsley, D.J., Murdoch, G., Back, S.A., Tan, S., M., D., N.L., L., J.C., B., T., J., X., J., K., F., C.L., G., D.J., B., G., M., S.A., B., S., T., 2004. Preterm Fetal Hypoxia-Ischemia Causes Hypertonia and Motor Deficits in the Neonatal Rabbit:

A Model for Human Cerebral Palsy? *J. Neurosci.* 24, 24–34.
<https://doi.org/10.1523/JNEUROSCI.2816-03.2004>

- M., D., A., K., E., O., S., O., K., T., F., T., A.H., S., O., Y., N., D., H., O., 2013. Protective effects of pentoxifylline on lipopolysaccharide-induced white matter injury in a rat model of periventricular leukomalacia. *J. Matern. Neonatal Med.* 26, 1865–1871. <https://doi.org/10.3109/14767058.2013.798290>
- M., D.-E., C., R., D., S., T., Z., M.D., W., 2012. Neurotrophin-Induced Migration and Neuronal Differentiation of Multipotent Astrocytic Stem Cells In Vitro. *PLoS One* 7. <https://doi.org/10.1371/journal.pone.0051706>
- M., G., Y., B., W., J., Y., Z., L., C., N., H., Y., L., X., W., J., C., T., L., 2011. Immortalized mesenchymal stem cells: An alternative to primary mesenchymal stem cells in neuronal differentiation and neuroregeneration associated studies. *J. Biomed. Sci.* 18. <https://doi.org/10.1186/1423-0127-18-87>
- M., G.C., P.M., P., A.T., C., L.A., P., J.M., P., 2012. Intranasal administration of atf protects and repairs the neonatal white matter after a cerebral hypoxic-ischemic event. *Glia* 60, 1540–1554. <https://doi.org/10.1002/glia.22374>
- M., G., H., F., J., Y., N., J., Y., S., L., L., B., X., C., M., 2011. Triptolide protects astrocytes from hypoxia/ reoxygenation injury. *Neural Regen. Res.* 6, 1623–1627.
- M., H.-A., 2014. Early diagnosis and early intervention in cerebral palsy. *Front. Neurol.* 5. <https://doi.org/10.3389/fneur.2014.00185>
- M., H.-A., 2011. Impact of intervention: can we affect typical and atypical development of the human brain? *Dev. Med. Child Neurol.* 53, 1. <https://doi.org/10.1111/j.1469-8749.2011.04052.x>
- M., H.-A., A., G., 2007. Lesions in the developing nervous system: What do we know and where are we heading? *Neurosci. Biobehav. Rev.* 31, 1071–1072. <https://doi.org/10.1016/j.neubiorev.2007.04.011>
- M., H., 2010. Is developmental neuropathology of the motor neurons the key to resolving the mystery in motor neuron diseases? *Brain Dev.* 32, 265–267. <https://doi.org/10.1016/j.braindev.2009.12.001>
- M., H.-I., B., C., P., Z., O., A., E., E., L., V., C., C., A., E.-J., Hirose-Ikeda, M., Chu, B., Zhao, P., Akil, O., Escalante, E., Vergnes, L., Cepeda, C., Espinosa-Jeffrey, A., 2020. Trophic factors are essential for the survival of grafted oligodendrocyte progenitors and for neuroprotection after perinatal excitotoxicity. *Neural Regen. Res.* 15, 557–568. <https://doi.org/10.4103/1673-5374.266066>
- M., I., H., T., S., M., H., M., F., E., 2012. Assessment of neurogenesis and white matter regeneration. Springer Protoc. Handbooks. https://doi.org/10.1007/978-1-61779-782-8_24

- M., I., J., C., 2012. Neurobehavioral assessments of neonatal hypoxia-ischemia. Springer Protoc. Handbooks. https://doi.org/10.1007/978-1-61779-782-8_23
- M., I., T., Ikeda, T., H., K., S., T., N., I., N., M., S., T., Ikenoue, K., A., 2006. Temporal profile of neural stem cell proliferation in the subventricular zone after ischemia/hypoxia in the neonatal rat brain. *Neurol. Res.* 28, 461–468. <https://doi.org/10.1179/016164105X49283>
- M., K., S., L., E., K., O., F., H., S., Y.K., R., C.D., M., 2015. Effects of Neonatal Hypoxic-Ischemic Injury and Hypothermic Neuroprotection on Neural Progenitor Cells in the Mouse Hippocampus. *Dev. Neurosci.* 37, 428–439. <https://doi.org/10.1159/000430862>
- M., L., M.-M., C., N., K., Y.-W., G., Y.-L., C., S.-J., Z., Y.-T., G., X.-Y., C., L., W., F.-M., L., X.-R., W., Li, M., Cui, M.M., Kenechukwu, N.A., Gu, Y.W., Chen, Y.L., Zhong, S.J., Gao, Y.T., Cao, X.Y., Wang, L., Liu, F.M., Wen, X.R., 2020. Rosmarinic acid ameliorates hypoxia/ischemia induced cognitive deficits and promotes remyelination. *Neural Regen. Res.* 15, 894–902. <https://doi.org/10.4103/1673-5374.268927>
- M., L., Z., L., 2012. Effects of androgen on expression of OMgp of the HIBD neonatal rat brain. *Turkish J. Med. Sci.* 42, 1319–1327. <https://doi.org/10.3906/sag-1201-28>
- M., N., A., B., V., F., 2017. Brain Injury due to Mechanical Trauma and Ischemic-Hypoxic Insult: Biomarkers of Brain Injury and Oxidative Stress. *Oxid. Med. Cell. Longev.* 2017. <https://doi.org/10.1155/2017/8923472>
- M., O., H., A., M., S., 1995. Glial responses to hypoxic/ischemic encephalopathy in neonatal rat cerebrum. *Dev. Brain Res.* 84, 294–298. [https://doi.org/10.1016/0165-3806\(94\)00194-5](https://doi.org/10.1016/0165-3806(94)00194-5)
- M., S.S.S., M., I., H., K., K., Y., K., Y., M., S., N., M., S.S.S., Shinoyama, M., Ideguchi, M., Kida, H., Kajiwara, K., Kagawa, Y., Maeda, Y., Nomura, S., Suzuki, M., M., S.S.S., M., I., H., K., K., Y., K., Y., M., S., N., M., S.S.S., 2013. Cortical region-specific engraftment of embryonic stem cell-derived neural progenitor cells restores axonal sprouting to a subcortical target and achieves motor functional recovery in a mouse model of neonatal hypoxic-ischemic brain injury. *Front. Cell. Neurosci.* 7. <https://doi.org/10.3389/fncel.2013.00128>
- M., S., J.W., M., 2016. Cardiac arrest-induced global brain hypoxia-ischemia during development affects spontaneous activity organization in rat sensory and motor thalamocortical circuits during adulthood. *Front. Neural Circuits* 10. <https://doi.org/10.3389/fncir.2016.00068>
- M., T., A., T., M., O., Y., K., Y., S., H., T., K., O., K., Y., M., I., M., H.-S., T., I., T., M., Tsuji, M., Taguchi, A., Ohshima, M., Kasahara, Y., Sato, Y., Tsuda, H., Otani, K., Yamahara, K., Ihara, M., Harada-Shiba, M., Ikeda, T., Matsuyama, T., 2014. Effects of intravenous administration of umbilical cord blood CD34+ cells in a mouse model of neonatal stroke. *Neuroscience* 263, 148–158. <https://doi.org/10.1016/j.neuroscience.2014.01.018>

M., T., M., O., A., T., Y., K., T., I., T., M., Tsuji, M., Ohshima, M., Taguchi, A., Kasahara, Y., Ikeda, T., Matsuyama, T., M., T., M., O., A., T., Y., K., T., I., T., M., 2013. A novel reproducible model of neonatal stroke in mice: Comparison with a hypoxia-ischemia model. *Exp. Neurol.* 247, 218–225.
<https://doi.org/10.1016/j.expneurol.2013.04.015>

M., Z., R., C., H., C., Y., Z., J., C., P., L., Q., L., Q., Y., Y., L., X., J., X., P., N., L., 2018. Netrin-1 promotes synaptic formation and axonal regeneration via JNK1/c-jun pathway after the middle cerebral artery occlusion. *Front. Cell. Neurosci.* 12.
<https://doi.org/10.3389/fncel.2018.00013>

M., Z., J., L., Y., B., M., L., Zhuang, M.H., Luo, J.M., Bai, Y., Liu, M.F., 2010. Neural stem cell proliferation and differentiation in a neonatal rat model of hypoxia/ischemia injury: Acupuncture at Ren, Du, and urinary bladder meridians. *Neural Regen. Res.* 5, 267–272. <https://doi.org/10.3969/j.issn.1673-5374.2010.04.005>

M., Z.-N., J., Janowska, L., S., J., Jaworska, T., Z., M., F.-B., J., S., 2018. Impact of neonatal hypoxia-ischaemia on oligodendrocyte survival, maturation and myelinating potential. *J. Cell. Mol. Med.* 22, 207–222.
<https://doi.org/10.1111/jcmm.13309>

M., Z.-N., J., J., J., S., R., P., R.K., F., T., Z., 2017. Sodium Butyrate, a Histone Deacetylase Inhibitor, Exhibits Neuroprotective/Neurogenic Effects in a Rat Model of Neonatal Hypoxia-Ischemia. *Mol. Neurobiol.* 54, 5300–5318.
<https://doi.org/10.1007/s12035-016-0049-2>

M.A., E., A.G., B., K., B., L., A., M., M., I., B., 2011. Intrauterine inflammation, insufficient to induce parturition, still evokes fetal and neonatal brain injury. *Int. J. Dev. Neurosci.* 29, 663–671. <https://doi.org/10.1016/j.ijdevneu.2011.02.011>

M.A., K., M., S., 2014. Therapeutic hypothermia and acute brain injury. *Anaesth. Intensive Care Med.* 15, 171–175. <https://doi.org/10.1016/j.mpaim.2014.01.021>

M.-E., B., S., G., K., L., G., S., Brochu, M.-E., Girard, S., Lavoie, K., Sébire, G., M.-E., B., S., G., K., L., G., S., 2011. Developmental regulation of the neuroinflammatory responses to LPS and/or hypoxia-ischemia between preterm and term neonates: An experimental study. *J. Neuroinflammation* 8. <https://doi.org/10.1186/1742-2094-8-55>

M.J., B., J.M., H., 2002. Effects of intrauterine inflammation on developing rat brain. *J. Neurosci. Res.* 70, 570–579. <https://doi.org/10.1002/jnr.10423>

M.J., R., R.P., R., S.W., L., 2004. Neural stem cells in the subventricular zone are resilient to hypoxia/ischemia whereas progenitors are vulnerable. *J. Cereb. Blood Flow Metab.* 24, 814–825. <https://doi.org/10.1097/01.WCB.0000123906.17746.00>

M.K., P., A.S., P., E., B., I., S., A.K., S., 2004. N-acetylcysteine prevents endotoxin-induced degeneration of oligodendrocyte progenitors and hypomyelination in

developing rat brain. *J. Neurosci. Res.* 78, 347–361.
<https://doi.org/10.1002/jnr.20261>

M.L.V., D., T., M., J.A., K., Dizon, M.L. V, Maa, T., Kessler, J.A., M.L.V., D., T., M., J.A., K., 2011. The bone morphogenetic protein antagonist noggin protects white matter after perinatal hypoxia-ischemia. *Neurobiol. Dis.* 42, 318–326.
<https://doi.org/10.1016/j.nbd.2011.01.023>

M.M.A., R., J., D., P., G., 2015. Neonatal disorders of germinal matrix. *J. Matern. Neonatal Med.* 28, 2286–2290. <https://doi.org/10.3109/14767058.2013.796169>

M.S., W., M.K., M., J., B., D.A., S., 2003. L-Carnitine Reduces Brain Injury after Hypoxia-Ischemia in Newborn Rats. *Pediatr. Res.* 54, 688–695.
<https://doi.org/10.1203/01.PDR.0000085036.07561.9C>

M.-Y., X., Y.-F., W., P.-J., W., Y.-Q., G., W.-T., Z., 2019. Hypoxic preconditioning improves long-term functional outcomes after neonatal hypoxia-ischemic injury by restoring white matter integrity and brain development. *CNS Neurosci. Ther.* 25, 734–747. <https://doi.org/10.1111/cns.13102>

Ma, J.Y., Zhang, S.P., Guo, L.B., Li, Y.M., Li, Q., Wang, S.Q., Liu, H.M., Wang, C., 2014. KCC2 expression changes in Diazepam-treated neonatal rats with hypoxia-ischaemia brain damage. *Brain Res.* 1563, 22–30.
<https://doi.org/10.1016/j.brainres.2014.03.034>

Ma, Q., Dasgupta, C., Li, Y., Huang, L., Zhang, L., 2019. MicroRNA-210 Downregulates ISCU and Induces Mitochondrial Dysfunction and Neuronal Death in Neonatal Hypoxic-Ischemic Brain Injury. *Mol. Neurobiol.* 56, 5608–5625.
<https://doi.org/10.1007/s12035-019-1491-8>

Ma, S., Santhosh, D., Kumar T, P., Huang, Z., S., M., D., S., P., K.T., Z., H., Ma, S., Santhosh, D., Kumar T, P., Huang, Z., 2017. A Brain-Region-Specific Neural Pathway Regulating Germinal Matrix Angiogenesis. *Dev. Cell* 41, 366-381.e4.
<https://doi.org/10.1016/j.devcel.2017.04.014>

Ma, S.-M., Chen, L.-X., Lin, Y.-F., Yan, H., Lv, J.-W., Xiong, M., Li, J., Cheng, G.-Q., Yang, Y., Qiu, Z.-L., Zhou, W.-H., S.-M., M., L.-X., C., Y.-F., L., H., Y., J.-W., L., M., X., J., L., G.-Q., C., Y., Y., Z.-L., Q., W.-H., Z., 2015. Periostin Promotes Neural Stem Cell Proliferation and Differentiation following Hypoxic-Ischemic Injury. *PLoS One* 10, e0123585. <https://doi.org/10.1371/journal.pone.0123585>

Macaya, A., Munell, F., Ferrer, I., de Torres, C., Reventos, J., 1998. Cell death and associated c-jun induction in perinatal hypoxia-ischemia. Effect of the neuroprotective drug dexamethasone. *Mol. Brain Res.* 56, 29–37.
[https://doi.org/10.1016/s0169-328x\(98\)00024-2](https://doi.org/10.1016/s0169-328x(98)00024-2)

Macey, P.M., Woo, M.A., Macey, K.E., Keens, T.G., Saeed, M.M., Alger, J.R., Harper, R.M., 2005. Hypoxia reveals posterior thalamic, cerebellar, midbrain, and limbic deficits in congenital central hypoventilation syndrome. *J. Appl. Physiol.* 98, 958–969. <https://doi.org/10.1152/japplphysiol.00969.2004>

- MacPherson, R.E.K., Baumeister, P., Peppler, W.T., Wright, D.C., Little, J.P., 2015. Reduced cortical BACE1 content with one bout of exercise is accompanied by declines in AMPK, Akt, and MAPK signaling in obese, glucose-intolerant mice. *J. Appl. Physiol.* 119, 1097–1104. <https://doi.org/10.1152/japplphysiol.00299.2015>
- MacRae, M., Macrina, T., Khoury, A., Migliore, M.M., Kentner, A.C., 2015. Tracing the trajectory of behavioral impairments and oxidative stress in an animal model of neonatal inflammation. *Neuroscience* 298, 455–466. <https://doi.org/10.1016/j.neuroscience.2015.04.048>
- Maezawa, I., Swanberg, S., Harvey, D., LaSalle, J.M., Jin, L.-W., 2009. Rett syndrome astrocytes are abnormal and spread MeCP2 deficiency through gap junctions. *J. Neurosci.* 29, 5051–5061. <https://doi.org/10.1523/JNEUROSCI.0324-09.2009>
- Mainigi, M., Rosenzweig, J.M., Lei, J., Mensah, V., Thomaier, L., Talbot, C.C., Olalere, D., Ord, T., Rozzah, R., Johnston, M. V., Burd, I., 2016. Peri-Implantation Hormonal Milieu: Elucidating Mechanisms of Adverse Neurodevelopmental Outcomes. *Reprod. Sci.* 23, 785–794. <https://doi.org/10.1177/1933719115618280>
- Makarewicz, D., Stomka, M., Danysz, W., Tazarewicz, J.W., 2015. Effects of mGluR5 positive and negative allosteric modulators on brain damage evoked by hypoxia-ischemia in neonatal rats. *Folia Neuropathol.* 53, 301–308. <https://doi.org/10.5114/fn.2015.56544>
- Malaeb, S.N., Stonestreet, B.S., 2016. Postnatal glucocorticoid-induced hypomyelination, gliosis, and neurologic deficits are dose-dependent, preparation-specific, and reversible. *Exp. Neurol.* 278, 1–3. <https://doi.org/10.1016/j.expneurol.2016.01.012>
- Malaeb, S., Dammann, O., 2009. Fetal inflammatory response and brain injury in the preterm newborn. *J. Child Neurol.* 24, 1119–1126. <https://doi.org/10.1177/0883073809338066>
- Malishkevich, A., Leyk, J., Goldbaum, O., Richter-Landsberg, C., Gozes, I., 2015. ADNP/ADNP2 expression in oligodendrocytes: implication for myelin-related neurodevelopment. *J. Mol. Neurosci.* 57, 304–313. <https://doi.org/10.1007/s12031-015-0640-4>
- Mallard, C., Loeliger, M., Copolov, D., Rees, S., 2000. Reduced number of neurons in the hippocampus and the cerebellum in the postnatal guinea-pig following intrauterine growth-restriction. *Neuroscience* 100, 327–333. [https://doi.org/10.1016/s0306-4522\(00\)00271-2](https://doi.org/10.1016/s0306-4522(00)00271-2)
- Mallard, C., Tremblay, M.-E., Vexler, Z.S., 2019. Microglia and Neonatal Brain Injury. *Neuroscience* 405, 68–76. <https://doi.org/10.1016/j.neuroscience.2018.01.023>
- Mallard, C., Welin, A.-K., Peebles, D., Hagberg, H., Kjellmer, I., 2003. White matter injury following systemic endotoxemia or asphyxia in the fetal sheep. *Neurochem. Res.* 28, 215–223. <https://doi.org/10.1023/A:1022368915400>

- Mály, J., Stone, T.W., 2007. New advances in the rehabilitation of CNS diseases applying rTMS. *Expert Rev. Neurother.* 7, 165–177.
<https://doi.org/10.1586/14737175.7.2.165>
- Malm, T.M., Iivonen, H., Goldsteins, G., Keksa-Goldsteine, V., Ahtoniemi, T., Kanninen, K., Salminen, A., Auriola, S., Van Groen, T., Tanila, H., Koistinaho, J., 2007. Pyrrolidine dithiocarbamate activates Akt and improves spatial learning in APP/PS1 mice without affecting beta-amyloid burden. *J. Neurosci.* 27, 3712–3721.
<https://doi.org/10.1523/jneurosci.0059-07.2007>
- Manet, S., Gressens, P., Gadisseux, J.-F., Evrard, P., 1995. PREVENTION BY MAGNESIUM OF EXOTOTOXIC NEURONAL DEATH IN THE DEVELOPING BRAIN: AN ANIMAL MODEL FOR CLINICAL INTERVENTION STUDIES. *Dev. Med. & Child Neurol.* 37, 473–484.
<https://doi.org/10.1111/j.1469-8749.1995.tb12035.x>
- Manning, K.Y., Menon, R.S., Gorter, J.W., Mesterman, R., Campbell, C., Switzer, L., Fehlings, D., 2016. Neuroplastic Sensorimotor Resting State Network Reorganization in Children With Hemiplegic Cerebral Palsy Treated With Constraint-Induced Movement Therapy. *J. Child Neurol.* 31, 220–226.
<https://doi.org/10.1177/0883073815588995>
- Mao, F., Li, W., Chen, H., Qian, L., Buzby, J.S., 2013. White matter and SVZ serve as endogenous sources of glial progenitor cells for self-repair in neonatal rats with ischemic PVL. *Brain Res.* 1535, 38–51.
<https://doi.org/10.1016/j.brainres.2013.08.006>
- Mao, L., Wang, J.Q., 2003. Adult neural stem/progenitor cells in neurodegenerative repair. *Acta Physiol. Sin.* 55, 233–244.
- Mao, Y., Mathews, K., Gorrie, C.A., 2016. Temporal response of endogenous neural progenitor cells following injury to the adult rat spinal cord. *Front. Cell. Neurosci.* 10. <https://doi.org/10.3389/fncel.2016.00058>
- Marco, E.M., Macri, S., Laviola, G., 2011. Critical Age Windows for Neurodevelopmental Psychiatric Disorders: Evidence from Animal Models. *Neurotox. Res.* 19, 286–307. <https://doi.org/10.1007/s12640-010-9205-z>
- Marques, M.R., Stigger, F., Segabinazi, E., Augustin, O.A., Barbosa, S., Piazza, F.V., Achaval, M., Marcuzzo, S., 2014. Beneficial effects of early environmental enrichment on motor development and spinal cord plasticity in a rat model of cerebral palsy. *Behav. Brain Res.* 263, 149–157.
<https://doi.org/10.1016/j.bbr.2014.01.007>
- Marret, S., Foix-l'Hélias, L., Ancel, P.-Y., Kaminski, M., Larroque, B., Marcou-Labarre, A., Laudenbach, V., 2008. Is it possible to protect the preterm infant brain and to decrease later neurodevelopmental disabilities? . *Arch. Pediatr.* 15, S31–S41. [https://doi.org/10.1016/S0929-693X\(08\)73945-9](https://doi.org/10.1016/S0929-693X(08)73945-9)

- Marret, S., Mukendi, R., Gadisseux, J.-F., Gressens, P., Evrard, P., 1995. Effect of ibotenate on brain development: An excitotoxic mouse model of microgyria and posthypoxic-like lesions. *J. Neuropathol. Exp. Neurol.* 54, 358–370.
<https://doi.org/10.1097/00005072-199505000-00009>
- Marriott, A.L., Rojas-Mancilla, E., Morales, P., Herrera-Marschitz, M., Tasker, R.A., 2017. Models of progressive neurological dysfunction originating early in life. *Prog. Neurobiol.* 155, 2–20. <https://doi.org/10.1016/j.pneurobio.2015.10.001>
- Martin, J.H., 2012. Systems neurobiology of restorative neurology and future directions for repair of the damaged motor systems. *Clin. Neurol. Neurosurg.* 114, 515–523.
<https://doi.org/10.1016/j.clineuro.2012.01.011>
- Martin, J.H., Chakrabarty, S., Friel, K.M., 2011. Harnessing activity-dependent plasticity to repair the damaged corticospinal tract in an animal model of cerebral palsy. *Dev. Med. Child Neurol.* 53 Suppl 4, 9–13. <https://doi.org/10.1111/j.1469-8749.2011.04055.x>
- Martin, J.H., Friel, K.M., Salimi, I., Chakrabarty, S., 2007. Activity- and use-dependent plasticity of the developing corticospinal system. *Neurosci. Biobehav. Rev.* 31, 1125–1135. <https://doi.org/10.1016/j.neubiorev.2007.04.017>
- Martin, L.J., Katzenelson, A., Koehler, R.C., Chang, Q., 2013. The Olfactory Bulb in Newborn Piglet Is a Reservoir of Neural Stem and Progenitor Cells. *PLoS One* 8. <https://doi.org/10.1371/journal.pone.0081105>
- Martin, N., Bossenmeyer-Pourie, C., Koziel, V., Jazi, R., Audonnet, S., Vert, P., Gueant, J.L., Daval, J.L., Pourie, G., 2012. Non-Injurious Neonatal Hypoxia Confers Resistance to Brain Senescence in Aged Male Rats. *PLoS One* 7. <https://doi.org/10.1371/journal.pone.0048828>
- Martín-Estal, I., De La Garza, R.G., Castilla-Cortázar, I., 2016. Intrauterine growth retardation (IUGR) as a novel condition of insulin-like growth factor-1 (IGF-1) deficiency. *Rev. Physiol. Biochem. Pharmacol.*
https://doi.org/10.1007/112_2015_5001
- Martinez-Biarge, M., Jowett, V.C., Cowan, F.M., Wusthoff, C.J., 2013. Neurodevelopmental outcome in children with congenital heart disease. *Semin. Fetal Neonatal Med.* 18, 279–285. <https://doi.org/10.1016/j.siny.2013.04.006>
- Martinez-Biarge, M., Ferriero, D.M., Cowan, F.M., 2019. Perinatal arterial ischemic stroke. *Handb. Clin. Neurol.* <https://doi.org/10.1016/B978-0-444-64029-1.00011-4>
- Martínez-Moreno, C.G., Calderón-Vallejo, D., Harvey, S., Arámburo, C., Quintanar, J.L., 2018. Growth hormone (GH) and gonadotropin-releasing hormone (GnRH) in the central nervous system: A potential neurological combinatory therapy? *Int. J. Mol. Sci.* 19. <https://doi.org/10.3390/ijms19020375>
- Martín-Flores, N., Romaní-Aumedes, J., Rué, L., Canal, M., Sanders, P., Straccia, M., Allen, N.D., Alberch, J., Canals, J.M., Pérez-Navarro, E., Malagelada, C., 2016.

RTP801 Is Involved in Mutant Huntingtin-Induced Cell Death. Mol. Neurobiol. 53, 2857–2868. <https://doi.org/10.1007/s12035-015-9166-6>

Mason, D.M., Wang, Y., Bhatia, T.N., Miner, K.M., Trbojevic, S.A., Stoltz, J.F., Luk, K.C., Leak, R.K., 2019. The center of olfactory bulb-seeded α -synucleinopathy is the limbic system and the ensuing pathology is higher in male than in female mice. Brain Pathol. 29, 741–770. <https://doi.org/10.1111/bpa.12718>

Matchett, G.A., Martin, R.D., Zhang, J.H., 2009. Hyperbaric oxygen therapy and cerebral ischemia: neuroprotective mechanisms. Neurol. Res. 31, 114–121. <https://doi.org/10.1179/174313209x389857>

Mathews, E.S., Appel, B., 2016. Oligodendrocyte differentiation. Methods Cell Biol. <https://doi.org/10.1016/bs.mcb.2015.12.004>

Matusz, P.J., Key, A.P., Gogliotti, S., Pearson, J., Auld, M.L., Murray, M.M., Maitre, N.L., 2018. Somatosensory Plasticity in Pediatric Cerebral Palsy following Constraint-Induced Movement Therapy. Neural Plast. 2018, 1891978. <https://doi.org/10.1155/2018/1891978>

May, V.E.L., Ettle, B., Poehler, A.-M., Nuber, S., Ubhi, K., Rockenstein, E., Winner, B., Wegner, M., Masliah, E., Winkler, J., 2014. α -Synuclein impairs oligodendrocyte progenitor maturation in multiple system atrophy. Neurobiol. Aging 35, 2357–2368. <https://doi.org/10.1016/j.neurobiolaging.2014.02.028>

Mayston, M.J., 2001. People with cerebral palsy: Effects of and perspectives for therapy. Neural Plast. 8, 51–69. <https://doi.org/10.1155/np.2001.51>

Mazur, M., Miller, R.H., Robinson, S., M., M., R.H., M., S., R., 2010. Postnatal erythropoietin treatment mitigates neural cell loss after systemic prenatal hypoxic-ischemic injury: Laboratory investigation. J. Neurosurg. Pediatr. 6, 206–221. <https://doi.org/10.3171/2010.5.PEDS1032>

McAdams, R.M., Fleiss, B., Traudt, C., Schwendimann, L., Snyder, J.M., Haynes, R.L., Natarajan, N., Gressens, P., Juul, S.E., 2017. Long-Term Neuropathological Changes Associated with Cerebral Palsy in a Nonhuman Primate Model of Hypoxic-Ischemic Encephalopathy. Dev. Neurosci. 39, 124–140. <https://doi.org/10.1159/000470903>

McArthur, S., Pienaar, I.S., Siddiqi, S.M., Gillies, G.E., 2016. Sex-specific disruption of murine midbrain astrocytic and dopaminergic developmental trajectories following antenatal GC treatment. Brain Struct. Funct. 221, 2459–2475. <https://doi.org/10.1007/s00429-015-1049-0>

Mccann, M.E., 2017. Perioperative factors influencing neurocognitive outcomes in infants. Minerva Pediatr. 69, 314–325. <https://doi.org/10.23736/S0026-4946.17.04899-X>

McCarron, R.M., Bertrand, N., Chen, Y., Siren, A.L., Spatz, M., 2001. Distinct ischemic effects on HSC70, HSP72, and C-fos expression in young and adult

gerbils, Maturation Phenomenon in Cerebral Ischemia Iv: Apoptosis and/or Necrosis, Neuronal Recovery Vs. Death, and Protection against Infarction.

McClelland, S., Teng, Q.S., Benson, L.S., Boulis, N.M., 2007. Motor neuron inhibition - Based gene therapy for spasticity. *Am. J. Phys. Med. Rehabil.* 86, 412–421.
<https://doi.org/10.1097/PHM.0b013e31804a83cf>

McClelland, V.M., 2017. The neurophysiology of paediatric movement disorders. *Curr. Opin. Pediatr.* 29, 683–690. <https://doi.org/10.1097/MOP.0000000000000547>

McDonald, C.A., Djuliannisa, Z., Petraki, M., Paton, M.C.B., Penny, T.R., Sutherland, A.E., Castillo-Melendez, M., Novak, I., Jenkin, G., Fahey, M.C., Miller, S.L., C.A., M., Z., D., M., P., M.C.B., P., T.R., P., A.E., S., M., C.-M., I., N., G., J., M.C., F., S.L., M., 2019. Intranasal delivery of mesenchymal stromal cells protects against neonatal hypoxic–ischemic brain injury. *Int. J. Mol. Sci.* 20.
<https://doi.org/10.3390/ijms20102449>

McDonald, M.W., Hayward, K.S., Rosbergen, I.C.M., Jeffers, M.S., Corbett, D., 2018. Is Environmental Enrichment Ready for Clinical Application in Human Post-stroke Rehabilitation? *Front. Behav. Neurosci.* 12.
<https://doi.org/10.3389/fnbeh.2018.00135>

McDougall, A.R.A., Hale, N., Rees, S., Harding, R., De Matteo, R., Hooper, S.B., Tolcos, M., 2017. Erythropoietin protects against lipopolysaccharide-induced microgliosis and abnormal granule cell development in the ovine fetal cerebellum. *Front. Cell. Neurosci.* 11. <https://doi.org/10.3389/fncel.2017.00224>

McGowan, J.E., Perlman, J.M., 2006. Glucose management during and after intensive delivery room resuscitation. *Clin. Perinatol.* 33, 183–+.
<https://doi.org/10.1016/j.clp.2005.11.007>

McGowan, P.O., Matthews, S.G., 2018. Prenatal stress, glucocorticoids, and developmental programming of the stress response. *Endocrinology* 159, 69–82.
<https://doi.org/10.1210/en.2017-00896>

McKenzie, J.A., Spielman, L.J., Pointer, C.B., Lowry, J.R., Bajwa, E., Lee, C.W., Klegeris, A., 2017. Neuroinflammation as a common mechanism associated with the modifiable risk factors for alzheimer’s and parkinson’s diseases. *Curr. Aging Sci.* 10, 158–176. <https://doi.org/10.2174/1874609810666170315113244>

McPherson, R.J., Demers, E.J., Juul, S.E., 2007. Safety of high-dose recombinant erythropoietin in a neonatal rat model. *Neonatology* 91, 36–43.
<https://doi.org/10.1159/000096969>

Mehler, M.F., 2008. Epigenetic principles and mechanisms underlying nervous system functions in health and disease. *Prog. Neurobiol.* 86, 305–341.
<https://doi.org/10.1016/j.pneurobio.2008.10.001>

Meijer, D.H., Kane, M.F., Mehta, S., Liu, H., Harrington, E., Taylor, C.M., Stiles, C.D., Rowitch, D.H., 2012. Separated at birth? the functional and molecular divergence

of OLIG1 and OLIG2. *Nat. Rev. Neurosci.* 13, 819–831.
<https://doi.org/10.1038/nrn3386>

Meireles, A.L.F., Marques, M.R., Segabinazi, E., Spindler, C., Piazza, F. V., Salvalaggio, G.S., Augustin, O.A., Achaval, M., Marcuzzo, S., 2017. Association of environmental enrichment and locomotor stimulation in a rodent model of cerebral palsy: Insights of biological mechanisms. *Brain Res. Bull.* 128, 58–67.
<https://doi.org/10.1016/j.brainresbull.2016.12.001>

Ment, L.R., Ådén, U., Lin, A., Kwon, S.H., Choi, M., Hallman, M., Lifton, R.P., Zhang, H., Bauer, C.R., 2014. Gene-environment interactions in severe intraventricular hemorrhage of preterm neonates. *Pediatr. Res.* 75, 241–250.
<https://doi.org/10.1038/pr.2013.195>

Merenlender-Wagner, A., Shemer, Z., Touloumi, O., Lagoudaki, R., Giladi, E., Andrieux, A., Grigoriadis, N.C., Gozes, I., 2014. New horizons in schizophrenia treatment: Autophagy protection is coupled with behavioral improvements in a mouse model of schizophrenia. *Autophagy* 10, 2324–2332.
<https://doi.org/10.4161/15548627.2014.984274>

Meyer, U., 2013. Developmental neuroinflammation and schizophrenia. *Prog. Neuro-Psychopharmacology Biol. Psychiatry* 42, 20–34.
<https://doi.org/10.1016/j.pnpbp.2011.11.003>

Meyer, U., Feldon, J., 2010. Epidemiology-driven neurodevelopmental animal models of schizophrenia. *Prog. Neurobiol.* 90, 285–326.
<https://doi.org/10.1016/j.pneurobio.2009.10.018>

Meyer, U., Nyffeler, M., Engler, A., Urwyler, A., Schedlowski, M., Knuesel, I., Yee, B.K., Feldon, J., 2006. The time of prenatal immune challenge determines the specificity of inflammation-mediated brain and behavioral pathology. *J. Neurosci.* 26, 4752–4762. <https://doi.org/10.1523/JNEUROSCI.0099-06.2006>

Michell-Robinson, M.A., Touil, H., Healy, L.M., Owen, D.R., Durafourt, B.A., Bar-Or, A., Antel, J.P., Moore, C.S., 2015. Roles of microglia in brain development, tissue maintenance and repair. *Brain* 138, 1138–1159.
<https://doi.org/10.1093/brain/awv066>

Mikhailova, A., Sunkara, N., McQuillen, P.S., 2017. Unbiased Quantification of Subplate Neuron Loss following Neonatal Hypoxia-Ischemia in a Rat Model. *Dev. Neurosci.* 39, 171–181. <https://doi.org/10.1159/000460815>

Mikrogeorgiou, A., Sato, Y., Kondo, T., Hattori, T., Sugiyama, Y., Ito, M., Saito, A., Nakanishi, K., Tsuji, M., Kazama, T., Kano, K., Matsumoto, T., Hayakawa, M., 2017. Dedifferentiated Fat Cells as a Novel Source for Cell Therapy to Target Neonatal Hypoxic-Ischemic Encephalopathy. *Dev. Neurosci.* 39, 273–286.
<https://doi.org/10.1159/000455836>

Miller, B.A., Perez, R.S., Shah, A.R., Gonzales, E.R., Park, T.S., Gidday, J.M., 2001. Cerebral protection by hypoxic preconditioning in a murine model of focal

ischemia-reperfusion. *Neuroreport* 12, 1663–1669.
<https://doi.org/10.1097/00001756-200106130-00030>

Miller, B., Nagy, D., Finlay, B.L., Chance, B., Kobayashi, A., Nioka, S., 1993. Consequences of reduced cerebral blood flow in brain development. I. Gross morphology, histology, and callosal connectivity. *Exp. Neurol.* 124, 326–342.
<https://doi.org/10.1006/exnr.1993.1203>

Millward, J.M., Guo, J., Berndt, D., Braun, J., Sack, I., Infante-Duarte, C., 2015. Tissue structure and inflammatory processes shape viscoelastic properties of the mouse brain. *NMR Biomed.* 28, 831–839. <https://doi.org/10.1002/nbm.3319>

Minakova, E., Warner, B.B., 2018. Maternal immune activation, central nervous system development and behavioral phenotypes. *Birth Defects Res.* 110, 1539–1550.
<https://doi.org/10.1002/bdr2.1416>

Mirabelli-Badenier, M., Braunersreuther, V., Lenglet, S., Galan, K., Veneselli, E., Viviani, G.L., Mach, F., Montecucco, F., 2012. Pathophysiological role of inflammatory molecules in paediatric ischaemic brain injury. *Eur. J. Clin. Invest.* 42, 784–794. <https://doi.org/10.1111/j.1365-2362.2012.02640.x>

Mishra, O.P., Delivoriapapadopoulos, M., 1992. NMDA RECEPTOR MODIFICATION IN THE FETAL GUINEA-PIG BRAIN DURING HYPOXIA. *Neurochem. Res.* 17, 1211–1216. <https://doi.org/10.1007/bf00968402>

Mishra, V., Kesharwani, P., 2016. Dendrimer technologies for brain tumor. *Drug Discov. Today* 21, 766–778. <https://doi.org/10.1016/j.drudis.2016.02.006>

Miterko, L.N., Baker, K.B., Beckinghausen, J., Bradnam, L. V, Cheng, M.Y., Cooperrider, J., DeLong, M.R., Gornati, S. V, Hallett, M., Heck, D.H., Hoebeek, F.E., Kouzani, A.Z., Kuo, S.-H., Louis, E.D., Machado, A., Manto, M., McCambridge, A.B., Nitsche, M.A., Taib, N.O.B., Popa, T., Tanaka, M., Timmann, D., Steinberg, G.K., Wang, E.H., Wichmann, T., Xie, T., Sillitoe, R. V, 2019. Consensus Paper: Experimental Neurostimulation of the Cerebellum. *Cerebellum* 18, 1064–1097. <https://doi.org/10.1007/s12311-019-01041-5>

Mitsunaga, F., Umezawa, M., Takeda, K., Nakamura, S., 2016. Maternal administration of nanomaterials elicits hemoglobin upregulation in the neonatal brain of non-human primates. *J. Toxicol. Sci.* 41, 265–271. <https://doi.org/10.2131/jts.41.265>

Mochida, G.H., 2009. Genetics and Biology of Microcephaly and Lissencephaly. *Semin. Pediatr. Neurol.* 16, 120–126. <https://doi.org/10.1016/j.spen.2009.07.001>

Mohseni, S., 2014. Neurologic damage in hypoglycemia. *Handb. Clin. Neurol.* <https://doi.org/10.1016/B978-0-444-53480-4.00036-9>

Moisiadis, V.G., Matthews, S.G., 2014. Glucocorticoids and fetal programming part 1: Outcomes. *Nat. Rev. Endocrinol.* 10, 391–402.
<https://doi.org/10.1038/nrendo.2014.73>

- Monin, P., Aranda, J., Bansal, R., Trippenbach, T., 1999. Effect of increased brain GABA concentrations on breathing in unanesthetized newborn rabbits. *Biol. Neonate* 76, 168–180. <https://doi.org/10.1159/000014156>
- Mons, F., Kwetieu de Lendeu, P., Marret, S., Laudenbach, V., 2010. Effects of general anaesthetics on the developing brain. *Ann. Fr. Anesth. Reanim.* 29, 478–487. <https://doi.org/10.1016/j.annfar.2010.02.031>
- Morales, P., Fiedler, J.L., Andres, S., Berrios, C., Huaiquin, P., Bustamante, D., Cardenas, S., Parra, E., Herrera-Marschitz, M., P., M., J.L., F., S., A., C., B., P., H., D., B., S., C., E., P., M., H.-M., 2008. Plasticity of hippocampus following perinatal asphyxia: Effects on postnatal apoptosis and neurogenesis. *J. Neurosci. Res.* 86, 2650–2662. <https://doi.org/10.1002/jnr.21715>
- Morán, J., Stokowska, A., Walker, F.R., Mallard, C., Hagberg, H., Pekna, M., 2017. Intranasal C3a treatment ameliorates cognitive impairment in a mouse model of neonatal hypoxic–ischemic brain injury. *Exp. Neurol.* 290, 74–84. <https://doi.org/10.1016/j.expneurol.2017.01.001>
- Morgan, C., Novak, I., Badawi, N., 2013. Enriched Environments and Motor Outcomes in Cerebral Palsy: Systematic Review and Meta-analysis. *Pediatrics* 132, E735–E746. <https://doi.org/10.1542/peds.2012-3985>
- Morgan, C., Novak, I., Dale, R.C., Guzzetta, A., Badawi, N., 2016. Single blind randomised controlled trial of GAME (Goals - Activity - Motor Enrichment) in infants at high risk of cerebral palsy. *Res. Dev. Disabil.* 55, 256–267. <https://doi.org/10.1016/j.ridd.2016.04.005>
- Mori, F., Rossi, S., Piccinin, S., Motta, C., Mango, D., Kusayanagi, H., Bergami, A., Studer, V., Nicoletti, C.G., Buttari, F., Barbieri, F., Mercuri, N.B., Martino, G., Furlan, R., Nisticò, R., Centonze, D., 2013. Synaptic plasticity and PDGF signaling defects underlie clinical progression in multiple sclerosis. *J. Neurosci.* 33, 19112–19119. <https://doi.org/10.1523/JNEUROSCI.2536-13.2013>
- Morimatsu, Y., Murofushi, K., Handa, T., Shinohara, T., Shiraki, H., 1971. [Autopsy cases of children with severe physical and mental handicaps--with special reference to 2 cases of athetosis with atrophy of the Ammon's horn]. *Shinkei Kenkyu No Shimpou*. 15, 745–761.
- Morris, G., Berk, M., 2015. The many roads to mitochondrial dysfunction in neuroimmune and neuropsychiatric disorders. *BMC Med.* 13. <https://doi.org/10.1186/s12916-015-0310-y>
- Mouradian, G.C., Alvarez-Argote, S., Gorzek, R., Thuku, G., Michkalkiewicz, T., Wong-Riley, M.T.T., Konduri, G.G., Hodges, M.R., 2019. Acute and chronic changes in the control of breathing in a rat model of bronchopulmonary dysplasia. *Am. J. Physiol. Cell. Mol. Physiol.* 316, L506–L518. <https://doi.org/10.1152/ajplung.00086.2018>

Mu, Y., Li, N., Guan, L., Wang, C., Shang, S., Wang, Y., 2012. Therapies for children with cerebral palsy: A Web of Science-based literature analysis. *Neural Regen. Res.* 7, 2632–2639. <https://doi.org/10.3969/j.issn.1673-5374.2012.33.009>

Mukai, T., Tojo, A., Nagamura-Inoue, T., 2018. Umbilical cord-derived mesenchymal stromal cells contribute to neuroprotection in neonatal cortical neurons damaged by oxygen-glucose deprivation. *Front. Neurol.* 9. <https://doi.org/10.3389/fneur.2018.00466>

Munder, T., Pfeffer, A., Schreyer, S., Guo, J., Braun, J., Sack, I., Steiner, B., Klein, C., 2018. MR elastography detection of early viscoelastic response of the murine hippocampus to amyloid β accumulation and neuronal cell loss due to Alzheimer's disease. *J. Magn. Reson. Imaging* 47, 105–114. <https://doi.org/10.1002/jmri.25741>

Muramatsu, K., Fukuda, A., Togari, H., Wada, Y., Nishino, H., 1997. Vulnerability to cerebral hypoxic-ischemic insult in neonatal but not in adult rats is in parallel with disruption of the blood-brain barrier. *Stroke* 28, 2281–2288. <https://doi.org/10.1161/01.str.28.11.2281>

Mutnal, M.B., Cheeran, M.C.-J., Hu, S., Lokensgard, J.R., M.B., M., M.C.-J., C., S., H., J.R., L., 2011. Murine cytomegalovirus infection of neural stem cells alters neurogenesis in the developing brain. *PLoS One* 6, e16211. <https://doi.org/10.1371/journal.pone.0016211>

Mythri, R.B., Raghunath, N.R., Narwade, S.C., Pandareesh, M.D.R., Sabitha, K.R., Aiyaz, M., Chand, B., Sule, M., Ghosh, K., Kumar, S., Shankarappa, B., Soundararajan, S., Alladi, P.A., Purushottam, M., Gayathri, N., Deobagkar, D.D., Laxmi, T.R., Srinivas Bharath, M.M., 2017. Manganese- and 1-methyl-4-phenylpyridinium-induced neurotoxicity display differences in morphological, electrophysiological and genome-wide alterations: implications for idiopathic Parkinson's disease. *J. Neurochem.* 143, 334–358. <https://doi.org/10.1111/jnc.14147>

N., B., F., W., M., I., Y., Shen, T., Y., K., T., E., T., S., M., M., M., M., F., M., T., Y., Sagara, N., M., 2019. Induction of regional chemokine expression in response to human umbilical cord blood cell infusion in the neonatal mouse ischemia-reperfusion brain injury model. *PLoS One* 14. <https://doi.org/10.1371/journal.pone.0221111>

N., K., T., Y., N., H., M., S., 2018. Identification of a candidate enhancer for DMRT3 involved in spastic cerebral palsy pathogenesis. *Biochem. Biophys. Res. Commun.* 496, 133–139. <https://doi.org/10.1016/j.bbrc.2018.01.011>

N., S., M., K., R., K., E., U., I., B., M., M., 2014. Subchronic perinatal asphyxia increased anxiety-and depression-like behaviors in the rat offspring. *Neuroendocrinol. Lett.* 35, 214–220.

N., U., 2003. The functional organization of the developing human brain in relation to motor deficits, cognitive impairment and psychotic states. *Neuroembryology* 2, 81–93. <https://doi.org/10.1159/000071024>

- N., W., D., W., Z., L., X., C., L., L., Z., H., 2011. Xuefuzhuyu decoction and astragalus prevent hypoxic-ischemic brain injury. *Neural Regen. Res.* 6, 1635–1639.
- N.J., R., S., T., E.B., C., G., R., 2014. Magnetic Resonance Spectroscopy Biomarkers in Term Perinatal Asphyxial Encephalopathy: From Neuropathological Correlates to Future Clinical Applications. *Curr. Pediatr. Rev.* 10, 37–47.
- N.-K., D., S., G., V., D.F., J., S., M.D., B., I.L., H.-O., 2015. Neonatal hypoxia-ischemia impairs juvenile recognition memory by disrupting the maturation of prefrontal-hippocampal networks. *Exp. Neurol.* 273, 202–214.
<https://doi.org/10.1016/j.expneurol.2015.08.017>
- N.K., R., G., Q., H., S., Ragge, N.K., Quaghebeur, G., Stewart, H., 2013. SOX2 anophthalmia syndrome in adulthood - a neurodegenerative picture? *Clin. Genet.* 83, 482–484. <https://doi.org/10.1111/j.1399-0004.2012.01922.x>
- Nabetani, M., Shintaku, H., Hamazaki, T., 2018. Future perspectives of cell therapy for neonatal hypoxic-ischemic encephalopathy. *Pediatr. Res.* 83, 356–363.
<https://doi.org/10.1038/pr.2017.260>
- Nada, S.E., Williams, F.E., Shah, Z.A., 2016. Development of a novel and robust pharmacological model of okadaic acid-induced Alzheimer's disease in zebrafish. *CNS Neurol. Disord. - Drug Targets* 15, 86–94.
- Nadim, W.D., Simion, V., Bénédetti, H., Pichon, C., Baril, P., Morisset-Lopez, S., 2017. MicroRNAs in neurocognitive dysfunctions: New molecular targets for pharmacological treatments? *Curr. Neuropharmacol.* 15, 260–275.
<https://doi.org/10.2174/1570159X14666160709001441>
- Nagamura-Inoue, T., Mukai, T., 2016. Umbilical cord is a rich source of mesenchymal stromal cells for cell therapy. *Curr. Stem Cell Res. Ther.* 11, 634–642.
<https://doi.org/10.2174/1574888X10666151026115017>
- Nakaguchi, K., Jinnou, H., Kaneko, N., Sawada, M., Hikita, T., Saitoh, S., Tabata, Y., Sawamoto, K., 2012. Growth factors released from gelatin hydrogel microspheres increase new neurons in the adult mouse brain. *Stem Cells Int.*
<https://doi.org/10.1155/2012/915160>
- Nakajima, W., Ishida, A., Takada, G., 1997. Magnesium attenuates a striatal dopamine increase induced by anoxia in the neonatal rat brain: An in vivo microdialysis study. *Pediatr. Res.* 41, 809–814. <https://doi.org/10.1203/00006450-199706000-00003>
- Nakamura, K., Won, L., Heller, A., Kang, U.J., 2000. Preferential resistance of dopaminergic neurons to glutathione depletion in a reconstituted nigrostriatal system. *Brain Res.* 873, 203–211. [https://doi.org/10.1016/S0006-8993\(00\)02425-2](https://doi.org/10.1016/S0006-8993(00)02425-2)
- Napoli, E., Song, G., Panoutsopoulos, A., Riyadh, M.A., Kaushik, G., Halmai, J., Levenson, R., Zarbalis, K.S., Giulivi, C., 2018. Beyond autophagy: a novel role for

autism-linked Wdfy3 in brain mitophagy. *Sci. Rep.* 8.
<https://doi.org/10.1038/s41598-018-29421-7>

Narayan, S., Nakajima, K., Sawa, A., 2013. DISC1: A key lead in studying cortical development and associated brain disorders. *Neuroscientist* 19, 451–464.
<https://doi.org/10.1177/1073858412470168>

Nasr, I.W., Chun, Y., Kannan, S., 2019. Neuroimmune responses in the developing brain following traumatic brain injury. *Exp. Neurol.* 320.
<https://doi.org/10.1016/j.expneurol.2019.112957>

Navarro, H., Sugihara, C., Soliz, A., Hehre, D., Huang, J., Bancalari, E., 1998. Effect of L-aspartate on the ventilatory response to hypoxia in sedated newborn piglets. *Biol. Neonate* 73, 387–394. <https://doi.org/10.1159/000014001>

Nawa, H., Takei, N., 2006. Recent progress in animal modeling of immune inflammatory processes in schizophrenia: Implication of specific cytokines. *Neurosci. Res.* 56, 2–13. <https://doi.org/10.1016/j.neures.2006.06.002>

Neal Jr., C.R., VanderBeek, B.L., Vázquez, D.M., Watson Jr., S.J., Neal, C.R.,
VanderBeek, B.L., Vazquez, D.M., Watson, S.J., 2003. Dexamethasone exposure during the neonatal period alters ORL1 mRNA expression in the hypothalamic paraventricular nucleus and hippocampus of the adult rat. *Dev. Brain Res.* 146, 15–24. <https://doi.org/10.1016/j.devbrainres.2003.09.002>

Nemati, F., Kolb, B., 2011. FGF-2 induces behavioral recovery after early adolescent injury to the motor cortex of rats. *Behav. Brain Res.* 225, 184–191.
<https://doi.org/10.1016/j.bbr.2011.07.023>

Nemeth, C.L., Drummond, G.T., Mishra, M.K., Zhang, F., Carr, P., Garcia, M.S.,
Doman, S., Fatemi, A., Johnston, M. V., Kannan, R.M., Kannan, S., Wilson, M.A., 2017. Uptake of dendrimer-drug by different cell types in the hippocampus after hypoxic-ischemic insult in neonatal mice: Effects of injury, microglial activation and hypothermia. *Nanomedicine* 13, 2359–2369.
<https://doi.org/10.1016/j.nano.2017.06.014>

Nemeth, J., Toth-Szuki, V., Varga, V., Kovacs, V., Remzso, G., Domoki, F., 2016. MOLECULAR HYDROGEN AFFORDS NEUROPROTECTION IN A TRANSLATIONAL PIGLET MODEL OF HYPDXIC-ISCHEMIC ENCEPHALOPATHY. *J. Physiol. Pharmacol.* 67, 677–689.

Neri, C., Edlow, A.G., 2016. Effects of maternal obesity on fetal programming: Molecular approaches. *Cold Spring Harb. Perspect. Med.* 6.
<https://doi.org/10.1101/cshperspect.a026591>

Ness, J.M., Harvey, C.A., Strasser, A., Bouillet, P., Klocke, B.J., Roth, K.A., 2006. Selective involvement of BH3-only Bcl-2 family members Bim and Bad in neonatal hypoxia-ischemia. *Brain Res.* 1099, 150–159.
<https://doi.org/10.1016/j.brainres.2006.04.132>

- Netto, C.A., Sanches, E.F., Odorcyk, F., Duran-Carabali, L.E., Sizonenko, S. V., 2018. Pregnancy as a valuable period for preventing hypoxia-ischemia brain damage. *Int. J. Dev. Neurosci.* 70, 12–24. <https://doi.org/10.1016/j.ijdevneu.2018.06.004>
- Neumann, M., Liu, W., Sun, C., Yang, S.Y., Noble-Haeusslein, L.J., Liu, J., 2018. Training of the impaired forelimb after traumatic brain injury enhances hippocampal neurogenesis in the Emx1 null mice lacking a corpus callosum. *Behav. Brain Res.* 340, 165–171. <https://doi.org/10.1016/j.bbr.2016.09.013>
- Nguyen, A.T., Bahry, A.M.A., Shen, K.Q., Armstrong, E.A., Yager, J.Y., 2016. Consumption of broccoli sprouts during late gestation and lactation confers protection against developmental delay induced by maternal inflammation. *Behav. Brain Res.* 307, 239–249. <https://doi.org/10.1016/j.bbr.2016.03.017>
- Nguyen, A., Armstrong, E.A., Yager, J.Y., 2013. Evidence for therapeutic intervention in the prevention of cerebral palsy: hope from animal model research. *Semin. Pediatr. Neurol.* 20, 75–83. <https://doi.org/10.1016/j.spen.2013.06.010>
- Nguyen, V., Sabeur, K., Maltepe, E., Ameri, K., Bayraktar, O., Rowitch, D.H., V., N., K., S., E., M., K., A., O., B., D.H., R., 2018. Sonic Hedgehog Agonist Protects Against Complex Neonatal Cerebellar Injury. *Cerebellum* 17, 213–227. <https://doi.org/10.1007/s12311-017-0895-0>
- Ni, X.L., Yang, Z.J., Carter, E.L., Martin, L.J., Koehler, R.C., 2011. Striatal Neuroprotection from Neonatal Hypoxia-Ischemia in Piglets by Antioxidant Treatment with EUK-134 or Edaravone. *Dev. Neurosci.* 33, 299–311. <https://doi.org/10.1159/000327243>
- Nie, J., An, L., Miao, K., Hou, Z., Yu, Y., Tan, K., Sui, L., He, S., Liu, Q., Lei, X., Wu, Z., Tian, J., 2013. Comparative analysis of dynamic proteomic profiles between in vivo and in vitro produced mouse embryos during postimplantation period. *J. Proteome Res.* 12, 3843–3856. <https://doi.org/10.1021/pr301044b>
- Niimi, Y., Levison, S.W., 2018. Pediatric brain repair from endogenous neural stem cells of the subventricular zone. *Pediatr. Res.* 83, 385–396. <https://doi.org/10.1038/pr.2017.261>
- Nijboer, C.H.A., Kavelaars, A., Vroon, A., Groenendaal, F., van Bel, F., Heijnen, C.J., 2008. Low endogenous G-protein-coupled receptor kinase 2 sensitizes the immature brain to hypoxia-ischemia-induced gray and white matter damage. *J. Neurosci.* 28, 3324–3332. <https://doi.org/10.1523/jneurosci.4769-07.2008>
- Ninkovic, J., Pinto, L., Petricca, S., Lepier, A., Sun, J., Rieger, M.A., Schroeder, T., Cvekl, A., Favor, J., Götz, M., 2010. The transcription factor Pax6 regulates survival of dopaminergic olfactory bulb neurons via crystallin α A. *Neuron* 68, 682–694. <https://doi.org/10.1016/j.neuron.2010.09.030>
- Niranjan, R., 2018. Recent advances in the mechanisms of neuroinflammation and their roles in neurodegeneration. *Neurochem. Int.* 120, 13–20. <https://doi.org/10.1016/j.neuint.2018.07.003>

Nishigori, H., Mazzuca, D.M., Nygard, K.L., Han, V.K., Richardson, B.S., 2008. BDNF and TrkB in the Preterm and Near-term Ovine Fetal Brain and the Effect of Intermittent Umbilical Cord Occlusion. *Reprod. Sci.* 15, 895–905.
<https://doi.org/10.1177/1933719108324135>

Nishiguchi, A., Gilmore, C., Sood, A., Matsusaki, M., Collett, G., Tannetta, D., Sargent, I.L., McGarvey, J., Halemani, N.D., Hanley, J., Day, F., Grant, S., Murdoch-Davis, C., Kemp, H., Verkade, P., Aplin, J.D., Akashi, M., Case, C.P., 2019. In vitro placenta barrier model using primary human trophoblasts, underlying connective tissue and vascular endothelium. *Biomaterials* 192, 140–148.
<https://doi.org/10.1016/j.biomaterials.2018.08.025>

Nisimov, H., Orenbuch, A., Pleasure, S.J., Golan, H.M., 2018. Impaired Organization of GABAergic Neurons Following Prenatal Hypoxia. *Neuroscience* 384, 300–313.
<https://doi.org/10.1016/j.neuroscience.2018.05.021>

Niu, Y.J., Jin, Z.Y., Y.J., N., Z.Y., J., 2008. Gastrodin protects neonatal rat brain against hypoxic-ischemic encephalopathy: Acute therapeutic drug effects. *Neural Regen. Res.* 3, 196–199.

Noam, Y., Raol, Y.H., Holmes, G.L., 2013. Searching for new targets for treatment of pediatric epilepsy. *Epilepsy Behav.* 26, 253–260.
<https://doi.org/10.1016/j.yebeh.2012.09.022>

Noble, W., Hanger, D.P., Gallo, J.-M., 2010. Transgenic mouse models of Tauopathy in drug discovery. *CNS Neurol. Disord. - Drug Targets* 9, 403–428.
<https://doi.org/10.2174/187152710791556131>

Nobuta, H., Ghiani, C.A., Paez, P.M., Spreuer, V., Dong, H., Korsak, R.A., Manukyan, A., Li, J., Vinters, H. V, Huang, E.J., Rowitch, D.H., Sofroniew, M. V, Campagnoni, A.T., De Vellis, J., Waschek, J.A., 2012. STAT3-Mediated astrogliosis protects myelin development in neonatal brain injury. *Ann. Neurol.* 72, 750–765. <https://doi.org/10.1002/ana.23670>

Noguchi, C.T., Asavaritikrai, P., Teng, R., Jia, Y., 2007. Role of erythropoietin in the brain. *Crit. Rev. Oncol. Hematol.* 64, 159–171.
<https://doi.org/10.1016/j.critrevonc.2007.03.001>

Nolan, P.C., Waldrop, T.G., 1996. Ventrolateral medullary neurons show age-dependent depolarizations to hypoxia in vitro. *Dev. Brain Res.* 91, 111–120.
[https://doi.org/10.1016/0165-3806\(95\)00166-2](https://doi.org/10.1016/0165-3806(95)00166-2)

Noorlander, C.W., Tijsseling, D., Hessel, E.V.S., De Vries, W.B., Derkx, J.B., Visser, G.H.A., De Graan, P.N.E., 2014. Antenatal glucocorticoid treatment affects hippocampal development in mice. *PLoS One* 9.
<https://doi.org/10.1371/journal.pone.0085671>

Northington, F.J., Graham, E.M., Martin, L.J., 2005. Apoptosis in perinatal hypoxic-ischemic brain injury: How important is it and should it be inhibited? *Brain Res. Rev.* 50, 244–257. <https://doi.org/10.1016/j.brainresrev.2005.07.003>

Novak, I., Walker, K., Hunt, R.W., Wallace, E.M., Fahey, M., Badawi, N., 2016. Concise Review: Stem Cell Interventions for People With Cerebral Palsy: Systematic Review With Meta-Analysis. *Stem Cells Transl. Med.* 5, 1014–1025. <https://doi.org/10.5966/sctm.2015-0372>

Novara, F., Beri, S., Giorda, R., Ortibus, E., Nageshappa, S., Darra, F., Dalla Bernardina, B., Zuffardi, O., Van Esch, H., 2010. Refining the phenotype associated with MEF2C haploinsufficiency. *Clin. Genet.* 78, 471–477. <https://doi.org/10.1111/j.1399-0004.2010.01413.x>

Núñez Estevez, K.J., Rondón-Ortiz, A.N., Nguyen, J.Q.T., Kentner, A.C., 2020. Environmental influences on placental programming and offspring outcomes following maternal immune activation. *Brain. Behav. Immun.* 83, 44–55. <https://doi.org/10.1016/j.bbi.2019.08.192>

Nunez, J.L., McCarthy, M.M., 2003. Estradiol exacerbates hippocampal damage in a model of preterm infant brain injury. *Endocrinology* 144, 2350–2359. <https://doi.org/10.1210/en.2002-220840>

Nunez, J.L., McCarthy, M.M., 2008. Androgens predispose males to GABA(A)-mediated excitotoxicity in the developing hippocampus. *Exp. Neurol.* 210, 699–708. <https://doi.org/10.1016/j.expneurol.2008.01.001>

Nunez, J., Nuñez, J., 2012. Sex and steroid hormones in early brain injury. *Rev. Endocr. Metab. Disord.* 13, 173–186. <https://doi.org/10.1007/s11154-012-9219-3>

Nuryyev, R.L., Uhlendorf, T.L., Tierney, W., Zatikyan, S., Kopyov, O., Kopyov, A., Ochoa, J., Trigt, W. V, Malone, C.S., Cohen, R.W., 2017. Transplantation of Human Neural Progenitor Cells Reveals Structural and Functional Improvements in the Spastic Han-Wistar Rat Model of Ataxia. *Cell Transplant.* 26, 1811–1821. <https://doi.org/10.1177/0963689717723637>

Nye, H.E., Seidler, F.J., Slotkin, T.A., 1991. DEVELOPMENTAL SHIFT FROM LOCAL TO CENTRAL CONTROL OF NOREPINEPHRINE RELEASE IN THE CARDIAC-SYMPATHETIC AXIS - EFFECTS OF COCAINE AND RELATED DRUGS. *J. Pharmacol. Exp. Ther.* 259, 976–981.

O., T., V., K., E., S., O., R., G., B., T., P., G., S., 2014. Long-term fate of grafted hippocampal neural progenitor cells following ischemic injury. *J. Neurosci. Res.* 92, 964–974. <https://doi.org/10.1002/jnr.23386>

Obenaus, A., Ashwal, S., 2008. Magnetic resonance imaging in cerebral ischemia: Focus on neonates. *Neuropharmacology* 55, 271–280. <https://doi.org/10.1016/j.neuropharm.2008.06.010>

Obuchowicz, E., Bielecka-Wajdman, A., Zieliński, M., MacHnik, G., Gołyszny, M., Ludyga, T., 2020. Imipramine and venlafaxine differentially affect primary glial cultures of prenatally stressed rats. *Front. Pharmacol.* 10. <https://doi.org/10.3389/fphar.2019.01687>

- Ohia-Nwoko, O., Montazari, S., Lau, Y.-S., Eriksen, J.L., 2014. Long-term treadmill exercise attenuates tau pathology in P301S tau transgenic mice. *Mol. Neurodegener.* 9. <https://doi.org/10.1186/1750-1326-9-54>
- Ohline, S.M., Abraham, W.C., 2019. Environmental enrichment effects on synaptic and cellular physiology of hippocampal neurons. *Neuropharmacology* 145, 3–12. <https://doi.org/10.1016/j.neuropharm.2018.04.007>
- Ohno, M., Ono, K., Shimada, M., 1996. [Neonatal hypoxic/ischemic encephalopathy: neuropathology and plasticity]. *No to hattatsu = Brain Dev.* 28, 118–124.
- Ohshima, M., Taguchi, A., Sato, Y., Ogawa, Y., Saito, S., Yamahara, K., Ihara, M., Harada-Shiba, M., Ikeda, T., Matsuyama, T., Tsuji, M., M., O., A., T., Y., S., Y., O., S., S., K., Y., M., I., M., H.-S., T., I., T., M., M., T., 2017. Evaluations of Intravenous Administration of CD34+ Human Umbilical Cord Blood Cells in a Mouse Model of Neonatal Hypoxic-Ischemic Encephalopathy. *Dev. Neurosci.* 38, 331–341. <https://doi.org/10.1159/000454830>
- Ohshima, M., Tsuji, M., Taguchi, A., Kasahara, Y., Ikeda, T., 2012. Cerebral blood flow during reperfusion predicts later brain damage in a mouse and a rat model of neonatal hypoxic-ischemic encephalopathy. *Exp. Neurol.* 233, 481–489. <https://doi.org/10.1016/j.expneurol.2011.11.025>
- Ohshima, T., Ward, J.M., Huh, C.-G., Longenecker, G., Veeranna, Pant, H.C., Brady, R.O., Martin, L.J., Kulkarni, A.B., 1996. Targeted disruption of the cyclin-dependent kinase 5 gene results in abnormal corticogenesis, neuronal pathology and perinatal death. *Proc. Natl. Acad. Sci. U. S. A.* 93, 11173–11178. <https://doi.org/10.1073/pnas.93.20.11173>
- Ohyu, J., Endo, A., Itoh, M., Takashima, S., 2000. Hypocapnia under hypotension induces apoptotic neuronal cell death in the hippocampus of newborn rabbits. *Pediatr. Res.* 48, 24–29. <https://doi.org/10.1203/00006450-200007000-00007>
- Oka, A., 2000. [Periventricular leukomalacia: etiology, pathology and plasticity]. *No To Shinkei* 52, 589–598.
- Okabayashi, S., Uchida, K., Nakayama, H., Ohno, C., Hanari, K., Goto, I., Yasutomi, Y., 2011. Periventricular Leucomalacia (PVL)-like Lesions in Two Neonatal Cynomolgus Monkeys (*Macaca fascicularis*). *J. Comp. Pathol.* 144, 204–211. <https://doi.org/10.1016/j.jcpa.2010.06.006>
- Okoshi, Y., Itoh, M., Takashima, S., 2001. Characteristic neuropathology and plasticity in periventricular leukomalacia. *Pediatr. Neurol.* 25, 221–226. [https://doi.org/10.1016/s0887-8994\(01\)00309-5](https://doi.org/10.1016/s0887-8994(01)00309-5)
- Okoshi, Y., Mizuguchi, M., Itoh, M., Oka, A., Takashima, S., 2007. Altered nestin expression in the cerebrum with periventricular leukomalacia. *Pediatr. Neurol.* 36, 170–174. <https://doi.org/10.1016/j.pediatrneurol.2006.12.007>

- Olah, O., Nemeth, I., Toth-Szuki, V., Bari, F., Domoki, F., 2012. Regional Differences in the Neuronal Expression of Cyclooxygenase-2 (COX-2) in the Newborn Pig Brain. *Acta Histochem. Cytochem.* 45, 187–192. <https://doi.org/10.1267/ahc.11056>
- Olfati, N., Shoeibi, A., Litvan, I., 2019. Progress in the treatment of Parkinson-Plus syndromes. *Park. Relat. Disord.* 59, 101–110. <https://doi.org/10.1016/j.parkreldis.2018.10.006>
- Olive, E.L., Xiao, E., Natale, D.R., Fisher, S.A., 2018. Oxygen and lack of oxygen in fetal and placental development, feto-placental coupling, and congenital heart defects. *Birth Defects Res.* 110, 1517–1530. <https://doi.org/10.1002/bdr2.1430>
- Olivier, P., Baud, O., Bouslama, M., Evrard, P., Gressens, P., Verney, C., 2007. Moderate growth restriction: Deleterious and protective effects on white matter damage. *Neurobiol. Dis.* 26, 253–263. <https://doi.org/10.1016/j.nbd.2007.01.001>
- Olson, E.E., McKeon, R.J., 2004. Characterization of cellular and neurological damage following unilateral hypoxia/ischemia. *J. Neurol. Sci.* 227, 7–19. <https://doi.org/10.1016/j.jns.2004.07.021>
- Oorschot, D.E., 2000. Cerebral palsy and experimental hypoxia-induced perinatal brain injury: is magnesium protective? *Magnes. Res.* 13, 265–273.
- Oorschot, D.E., Voss, L., Covey, M. V., Goddard, L., Huang, W., Birchall, P., Bilkey, D.K., Kohe, S.E., 2013. Spectrum of Short- and Long-Term Brain Pathology and Long-Term Behavioral Deficits in Male Repeated Hypoxic Rats Closely Resembling Human Extreme Prematurity. *J. Neurosci.* 33, 11863–11877. <https://doi.org/10.1523/jneurosci.0342-12.2013>
- Opeskin, K., Burke, M.P., 2000. Hypotensive hemorrhagic necrosis in basal ganglia and brainstem. *Am. J. Forensic Med. Pathol.* 21, 406–410. <https://doi.org/10.1097/00000433-200012000-00022>
- Oppenheimer, B., Joerger-Messerli, M., Mueller, M., Reinhart, U., Schneider, P., Surbek, D. V., Schoeberlein, A., 2016. Intranasal Delivery of Umbilical Cord-Derived Mesenchymal Stem Cells Preserves Myelination in Perinatal Brain Damage. *Stem Cells Dev.* 25, 1234–1242. <https://doi.org/10.1089/scd.2016.0027>
- Osorio, M.J., Goldman, S.A., 2016. Glial progenitor cell-based treatment of the childhood leukodystrophies. *Exp. Neurol.* 283, 476–488. <https://doi.org/10.1016/j.expneurol.2016.05.010>
- Osredkar, D., Sabir, H., Falck, M., Wood, T., Maes, E., Flateboe, T., Puchades, M., Thoresen, M., 2015. Hypothermia Does Not Reverse Cellular Responses Caused by Lipopolysaccharide in Neonatal Hypoxic-Ischaemic Brain Injury. *Dev. Neurosci.* 37, 390–397. <https://doi.org/10.1159/000430860>
- Osredkar, D., Thoresen, M., Maes, E., Flateboe, T., Elstad, M., Sabir, H., 2014. Hypothermia is not neuroprotective after infection-sensitized neonatal hypoxic-

ischemic brain injury. *Resuscitation* 85, 567–572.
<https://doi.org/10.1016/j.resuscitation.2013.12.006>

Ostrowski, R.P., Stępień, K., Pucko, E., Matyja, E., 2017. The efficacy of hyperbaric oxygen in hemorrhagic stroke: Experimental and clinical implications. *Arch. Med. Sci.* 13, 1217–1223. <https://doi.org/10.5114/aoms.2017.65081>

Otellin, V.A., Khozhai, L.I., Vataeva, L.A., 2012. Effect of hypoxia in early perinatal ontogenesis on behavior and structural characteristics of the rat brain. *J. Evol. Biochem. Physiol.* 48, 540–547. <https://doi.org/10.1134/s0022093012050088>

Owen, D., Andrews, M.H., Matthews, S.G., 2005. Maternal adversity, glucocorticoids and programming of neuroendocrine function and behaviour. *Neurosci. Biobehav. Rev.* 29, 209–226. <https://doi.org/10.1016/j.neubiorev.2004.10.004>

Ozdegirmenci, O., Kucukozkan, T., Akdag, E., Topal, T., Haberal, A., Kayir, H., Oter, S., Akyol, M., Uzbay, T., 2011. Effects of sildenafil and tadalafil on ischemia/reperfusion injury in fetal rat brain. *J. Matern. Neonatal Med.* 24, 317–323. <https://doi.org/10.3109/14767058.2010.492061>

Ozkizilcik, A., Sharma, A., Lafuente, J. V., Muresanu, D.F., Castellani, R.J., Nozari, A., Tian, Z.R., Mössler, H., Sharma, H.S., 2019. Nanodelivery of cerebrolysin reduces pathophysiology of Parkinson's disease. *Prog. Brain Res.* <https://doi.org/10.1016/bs.pbr.2019.03.014>

P., B., R., Bauer, B., W., R., Bergmann, F., F., G., V., J., S., B., J., U., Z., 1998. Simultaneous measurement of [F]FDOPA metabolism and cerebral blood flow in newborn piglets. *Int. J. Dev. Neurosci.* 16, 353–364.
[https://doi.org/10.1016/S0736-5748\(98\)00017-3](https://doi.org/10.1016/S0736-5748(98)00017-3)

P., C., D., Z., J.H., C., V., C., J., B., A., W., B., N., D.B., K., P.A., F., 2019. Developmental differences in microglia morphology and gene expression during normal brain development and in response to hypoxia-ischemia. *Neurochem. Int.* 127, 137–147. <https://doi.org/10.1016/j.neuint.2018.12.016>

P., D., N., M., L., S., A., A., M., F., F.E., W., F.D., M., C.M., M., 2015. Activating Endogenous Neural Precursor Cells Using Metformin Leads to Neural Repair and Functional Recovery in a Model of Childhood Brain Injury. *Stem Cell Reports* 5, 166–173. <https://doi.org/10.1016/j.stemcr.2015.06.011>

P., D., D., M., L., W., M., Z.-N., M., S., T., Z., 2008. Matrix metalloproteinases activity during the evolution of hypoxic-ischemic brain damage in the immature rat. The effect of 1-methylnicotinamide (MNA). *J. Physiol. Pharmacol.* 59, 441–455.

P., F., A., L., C.L., M., M., O., C.D., K., 1997. Cerebral blood flow regulation in neonatal rabbits is altered by chronic cocaine administration. *Brain Res.* 755, 142–145. [https://doi.org/10.1016/S0006-8993\(97\)00178-9](https://doi.org/10.1016/S0006-8993(97)00178-9)

- P., G., L., B., P., R., I., G., M., F., P., E., 1999. Neuroprotection of the developing brain by systemic administration of vasoactive intestinal peptide derivatives. *J. Pharmacol. Exp. Ther.* 288, 1207–1213.
- P., G., L., S., I., H., G., S., E., M., J., V., M., S., 2008. Agomelatine, a melatonin receptor agonist with 5-HT2C receptor antagonist properties, protects the developing murine white matter against excitotoxicity. *Eur. J. Pharmacol.* 588, 58–63. <https://doi.org/10.1016/j.ejphar.2008.04.016>
- P., G., S., M., C., B., L., S., P., E., 1999. Activity-dependent neurotrophic factor-14 requires protein kinase C and mitogen-associated protein kinase kinase activation to protect the developing mouse brain against excitotoxicity. *J. Mol. Neurosci.* 13, 199–210. <https://doi.org/10.1385/JMN:13:1-2:199>
- P., G., S., M., J.M., H., D.E., B., I., G., M., F., P., E., 1997. Vasoactive intestinal peptide prevents excitotoxic cell death in the murine developing brain. *J. Clin. Invest.* 100, 390–397. <https://doi.org/10.1172/JCI119545>
- P., J., C., C., X.-B., L., D.E., P., Y., L., W., D., 2016. Human iPSC-Derived Immature Astroglia Promote Oligodendrogenesis by Increasing TIMP-1 Secretion. *Cell Rep.* 15, 1303–1315. <https://doi.org/10.1016/j.celrep.2016.04.011>
- P., K., D.S., K., S., S., A., A., K., J., 2014. Expression profiling of RNA transcripts during neuronal maturation and ischemic injury. *PLoS One* 9. <https://doi.org/10.1371/journal.pone.0103525>
- P., K., D., S., D., R., G., H., J., F., A., L., A., T., T., A., K., S., N., B., R., G., M., K., 2009. Effects of perinatal asphyxia on the neurobehavioral and retinal development of newborn rats. *Brain Res.* 1255, 42–50. <https://doi.org/10.1016/j.brainres.2008.12.018>
- P., L., D., L., L., G., 2017. Protecting oligodendrocytes by targeting non-glutamate receptors as a new therapeutic strategy for ischemic stroke. *Pharmacology* 100, 148–152. <https://doi.org/10.1159/000477939>
- P., M., P., H., D., B., J., F., M., H.-M., Morales, P., Huaiquin, P., Bustamante, D., Fiedler, J., Herrera-Marschitz, M., 2007. Perinatal asphyxia induces neurogenesis in hippocampus: An organotypic culture study. *Neurotox. Res.* 12, 81–84. <https://doi.org/10.1007/BF03033903>
- P., M., P., R., V., K., P., H., D., B., J., F., M., H.-M., 2005. Effects of perinatal asphyxia on cell proliferation and neuronal phenotype evaluated with organotypic hippocampal cultures. *Neuroscience* 135, 421–431. <https://doi.org/10.1016/j.neuroscience.2005.05.062>
- P., P., S., M., X., J., D., F., 2013. Phenotype and secretory responses to oxidative stress in microglia. *Dev. Neurosci.* 35, 241–254. <https://doi.org/10.1159/000346159>
- P., P., A., B., G., C., A., Venerosi, A., Valanzano, D., B., A., C., L., M., 2008. Altered expression of cyclooxygenase-2, presenilins and oxygen radical scavenging

enzymes in a rat model of global perinatal asphyxia. *Exp. Neurol.* 209, 192–198. <https://doi.org/10.1016/j.expneurol.2007.09.014>

P., R., S., A., L., L., J., L., J., W., A., K., M., K., S., B., R.S., M., D., V. der K., M.G., F., Rumajogee, P., Altamentova, S., Li, L., Li, J., Wang, J., Kuurstra, A., Khazaei, M., Beldick, S., Menon, R.S., Van der Kooy, D., Van der Kooy, D., Fehlings, M.G., 2018. Exogenous neural precursor cell transplantation results in structural and functional recovery in a hypoxic-ischemic hemiplegic mouse model. *eNeuro* 5. <https://doi.org/10.1523/ENEURO.0369-18.2018>

P., S., H., H., K., S., C., Z., C., M., 2007. Matrix metalloproteinase-9 gene knock-out protects the immature brain after cerebral hypoxia-ischemia. *J. Neurosci.* 27, 1511–1518. <https://doi.org/10.1523/JNEUROSCI.4391-06.2007>

P., S., I., K., A.-K., W., S., B., C., M., 2005. Maturational effects of lipopolysaccharide on white-matter injury in fetal sheep. *J. Child Neurol.* 20, 960–964.

P., Y., K., P., D., H., N., K., K.R., Z., M., B., E.J., P., M.T., D., A.M., S., 2020. Impaired meningeal lymphatic vessel development worsens stroke outcome. *J. Cereb. Blood Flow Metab.* 40, 263–275. <https://doi.org/10.1177/0271678X18822921>

P.E., M., M.A., H., A.Y., M., K., L., A.J., S., A.C., R., H., B., A., V., R.A., D., A., K., E.A., P., G., H., K., Y., W.H., P., M.G., D., A.W., F., 2020. Neurologic outcomes of the premature lamb in an extrauterine environment for neonatal development. *J. Pediatr. Surg.* <https://doi.org/10.1016/j.jpedsurg.2019.12.026>

P.J., G.-R., F., X., Y., L., J., Z., L., Z., 2014. Fetal hypoxia increases vulnerability of hypoxic-ischemic brain injury in neonatal rats: Role of glucocorticoid receptors. *Neurobiol. Dis.* 65, 172–179. <https://doi.org/10.1016/j.nbd.2014.01.020>

P.L., F., P.A., R., J.J., V., F.E., J., 2000. NBQX attenuates excitotoxic injury in developing white matter. *J. Neurosci.* 20, 9235–9241.

P.M., P.-C., J.-P., M., S., R., Pimentel-Coelho, P.M., Michaud, J.-P., Rivest, S., 2013. Evidence for a gender-specific protective role of innate immune receptors in a model of perinatal brain injury. *J. Neurosci.* 33, 11556–11572. <https://doi.org/10.1523/JNEUROSCI.0535-13.2013>

P.P., D., J.O., D., S., M., L.G., V.D.H., H., J., L., B., S., T., R.B., S., A.J., G., 2014. NNOS inhibition during profound asphyxia reduces seizure burden and improves survival of striatal phenotypic neurons in preterm fetal sheep. *Neuropharmacology* 83, 62–70. <https://doi.org/10.1016/j.neuropharm.2014.03.017>

P.T., C., R.J., M., L.C., M., S.Z., Z., B.A., P., A., S., R.E., S., S.E., J., 2015. Serial plasma metabolites following hypoxic-ischemic encephalopathy in a nonhuman primate model. *Dev. Neurosci.* 37, 161–171. <https://doi.org/10.1159/000370147>

- Pabello, N.G., Tracy, S.J., Keller, R.W., 2004. Protective effects of brief intra- and delayed postischemic hypothermia in a transient focal ischemia model in the neonatal rat. *Brain Res.* 995, 29–38. <https://doi.org/10.1016/j.brainres.2003.09.065>
- Packianathan, S., Cain, C.D., Stagg, R.B., Longo, L.D., 1993. ORNITHINE DECARBOXYLASE ACTIVITY IN FETAL AND NEWBORN RAT-BRAIN - RESPONSES TO HYPOXIC AND CARBON-MONOXIDE HYPOXIA. *Dev. Brain Res.* 76, 131–140. [https://doi.org/10.1016/0165-3806\(93\)90130-3](https://doi.org/10.1016/0165-3806(93)90130-3)
- Pagnozzi, A.M., Dowson, N., Fiori, S., Doecke, J., Bradley, A.P., Boyd, R.N., Rose, S., 2016. Alterations in regional shape on ipsilateral and contralateral cortex contrast in children with unilateral cerebral palsy and are predictive of multiple outcomes. *Hum. Brain Mapp.* 37, 3588–3603. <https://doi.org/10.1002/hbm.23262>
- Pai, M.Y. Bin, Terranova, T.T., Simis, M., Fregni, F., Battistella, L.R., 2018. The Combined Use of Transcranial Direct Current Stimulation and Robotic Therapy for the Upper Limb. *J. Vis. Exp.* <https://doi.org/10.3791/58495>
- Pak, M.E., Jung, D.H., Lee, H.J., Shin, M.J., Kim, S.-Y., Shin, Y.B., Yun, Y.J., Shin, H.K., Choi, B.T., 2018. Combined therapy involving electroacupuncture and treadmill exercise attenuates demyelination in the corpus callosum by stimulating oligodendrogenesis in a rat model of neonatal hypoxia-ischemia. *Exp. Neurol.* 300, 222–231. <https://doi.org/10.1016/j.expneurol.2017.11.014>
- Palibrk, V., Suganthan, R., Scheffler, K., Wang, W., Bjoras, M., Boe, S.O., V., P., R., S., K., S., W., W., M., B., S.O., B., 2016. PML regulates neuroprotective innate immunity and neuroblast commitment in a hypoxic-ischemic encephalopathy model. *Cell Death Dis.* 7, e2320. <https://doi.org/10.1038/cddis.2016.223>
- Palmano, K., Rowan, A., Guillermo, R., Guan, J., McJarrow, P., 2015. The role of gangliosides in neurodevelopment. *Nutrients* 7, 3891–3913. <https://doi.org/10.3390/nu7053891>
- Palomar, F.J., Mir, P., 2012. Neurophysiological changes after intramuscular injection of botulinum toxin. *Clin. Neurophysiol.* 123, 54–60. <https://doi.org/10.1016/j.clinph.2011.05.032>
- Pan, R., Rong, Z.H., She, Y., Cao, Y., Chang, L.W., Lee, W.H., 2012. Sodium pyruvate reduces hypoxic-ischemic injury to neonatal rat brain. *Pediatr. Res.* 72, 479–489. <https://doi.org/10.1038/pr.2012.107>
- Pancaro, C., Boulanger-Bertolus, J., Segal, S., Watson, C.J., St Charles, I., Mashour, G.A., Marchand, J.E., C., P., J., B.-B., S., S., C.J., W., I., S.C., G.A., M., J.E., M., 2019. Maternal Noninfectious Fever Enhances Cell Proliferation and Microglial Activation in the Neonatal Rat Dentate Gyrus. *Anesth. Analg.* 128, 1190–1198. <https://doi.org/10.1213/ANE.0000000000004051>
- Panteliadis, C.P., Hagel, C., Karch, D., Heinemann, K., 2015. Cerebral Palsy: A Lifelong Challenge Asks for Early Intervention. *Open Neurol. J.* 9, 45–52. <https://doi.org/10.2174/1874205X01509010045>

- Papadopoulos, K.I., Low, S.S.S., Aw, T.C., Chantarojanasiri, T., 2011. Safety and feasibility of autologous umbilical cord blood transfusion in 2 toddlers with cerebral palsy and the role of low dose granulocyte-colony stimulating factor injections. *Restor. Neurol. Neurosci.* 29, 17–22. <https://doi.org/10.3233/RNN-2011-0572>
- Paparelli, A., Iwata, K., Wakuda, T., Iyegbe, C., Murray, R.M., Takei, N., 2017. Perinatal Asphyxia in Rat Alters Expression of Novel Schizophrenia Risk Genes. *Front. Mol. Neurosci.* 10. <https://doi.org/10.3389/fnmol.2017.00341>
- Papazisis, G., Kallaras, K., Kaiki-Astara, A., Pourzitaki, C., Tzachanis, D., Dagklis, T., Kouvelas, D., 2008. Neuroprotection by lamotrigine in a rat model of neonatal hypoxic-ischaemic encephalopathy. *Int. J. Neuropsychopharmacol.* 11, 321–329. <https://doi.org/10.1017/s1461145707008012>
- Parfenova, H., Leffler, C.W., 2008. Cerebroprotective functions of HO-2. *Curr. Pharm. Des.* 14, 443–453. <https://doi.org/10.2174/138161208783597380>
- Parikh, P., Juul, S.E., 2018. Neuroprotective Strategies in Neonatal Brain Injury. *J. Pediatr.* 192, 22–32. <https://doi.org/10.1016/j.jpeds.2017.08.031>
- Park, E.S., Park, C.I., Baek, S.Y., Kim, S.W., Baek, S.K., Kim, H.O., 2000. Serum immunoreactivity to S-100 in children with cerebral palsy and delayed development and in their healthy parents. *Yonsei Med. J.* 41, 328–332. <https://doi.org/10.3349/ymj.2000.41.3.328>
- Parmar, J., Jones, N.M., 2015. Hypoxic preconditioning can reduce injury-induced inflammatory processes in the neonatal rat brain. *Int. J. Dev. Neurosci.* 43, 35–42. <https://doi.org/10.1016/j.ijdevneu.2015.03.010>
- Pasternak, J.J., Lanier, W.L., 2011. Neuroanesthesiology update 2010. *J. Neurosurg. Anesthesiol.* 23, 67–99. <https://doi.org/10.1097/ANA.0b013e318210f594>
- Pati, S., Muthuraju, S., Hadi, R.A., Huat, T.J., Singh, S., Maletic-Savatic, M., Abdullah, J.M., Jaafar, H., 2016. Neurogenic plasticity of mesenchymal stem cell, an alluring cellular replacement for traumatic brain injury. *Curr. Stem Cell Res. Ther.* 11, 149–157. <https://doi.org/10.2174/1574888X10666151019120050>
- Paton, M.C.B., Allison, B.J., Li, J., Fahey, M.C., Sutherland, A.E., Nitsos, I., Bischof, R.J., Dean, J.M., Moss, T.J.M., Polglase, G.R., McDonald, C.A., Miller, S.L., 2018. Human umbilical cord blood therapy protects cerebral white matter from systemic LPS exposure in preterm fetal sheep. *Dev. Neurosci.* 40, 258–270. <https://doi.org/10.1159/000490943>
- Patra, A., Huang, H., Bauer, J.A., Giannone, P.J., 2017. Neurological consequences of systemic inflammation in the premature neonate. *Neural Regen. Res.* 12, 890–896. <https://doi.org/10.4103/1673-5374.208547>
- Patrone, L.G.A., Capalbo, A.C., Marques, D.A., Bicego, K.C., Gargaglioni, L.H., 2020. An age- and sex-dependent role of catecholaminergic neurons in the control of

breathing and hypoxic chemoreflex during postnatal development. *Brain Res.* 1726. <https://doi.org/10.1016/j.brainres.2019.146508>

Peffer, M.E., Zhang, J.Y., Umfrey, L., Rudine, A.C., Paula Monaghan, A., DeFranco, D.B., 2015. Minireview: The impact of antenatal therapeutic synthetic glucocorticoids on the developing fetal brain. *Mol. Endocrinol.* 29, 658–666. <https://doi.org/10.1210/me.2015-1042>

Peixun, Z., Na, H., Kou, Y., Xiaofeng, Y., Jiang, B., 2017. Peripheral nerve intersectional repair by bi-directional induction and systematic remodelling: biodegradable conduit tubulization from basic research to clinical application. *Artif. cells, nanomedicine, Biotechnol.* 45, 1464–1466. <https://doi.org/10.1080/21691401.2017.1373658>

Peluffo, H., Acarin, L., Aris, A., Gonzalez, P., Villaverde, A., Castellano, B., Gonzalez, B., 2006. Neuroprotection from NMDA excitotoxic lesion by Cu/Zn superoxide dismutase gene delivery to the postnatal rat brain by a modular protein vector. *Bmc Neurosci.* 7. <https://doi.org/10.1186/1471-2202-7-35>

Penn, A.A., Gressens, P., Fleiss, B., Back, S.A., Gallo, V., 2016. Controversies in preterm brain injury. *Neurobiol. Dis.* 92, 90–101. <https://doi.org/10.1016/j.nbd.2015.10.012>

Pereira, L.O., Arteni, N.S., Petersen, R.C., da Rocha, A.P., Achaval, M., Netto, C.A., 2007. Effects of daily environmental enrichment on memory deficits and brain injury following neonatal hypoxia-ischemia in the rat. *Neurobiol. Learn. Mem.* 87, 101–108. <https://doi.org/10.1016/j.nlm.2006.07.003>

Pereira, L.O., Nabinger, P.M., Strapasson, A.C.P., Nardin, P., Goncalves, C.A.S., Siqueira, I.R., Netto, C.A., 2009. Long-term effects of environmental stimulation following hypoxia-ischemia on the oxidative state and BDNF Revels in rat hippocampus and frontal cortex. *Brain Res.* 1247, 188–195. <https://doi.org/10.1016/j.brainres.2008.10.017>

Peterson, B.L., Won, S., Geddes, R.I., Sayeed, I., Stein, D.G., 2015. Sex-related differences in effects of progesterone following neonatal hypoxic brain injury. *Behav. Brain Res.* 286, 152–165. <https://doi.org/10.1016/j.bbr.2015.03.005>

Peterson, B.S., 2003. Brain imaging studies of the anatomical and functional consequences of preterm birth for human brain development, in: King, J.A., Ferris, C.F., Lederhendler, I.I. (Eds.), *Roots of Mental Illness in Children*, Annals of the New York Academy of Sciences. pp. 219–237. <https://doi.org/10.1196/annals.1301.023>

Pharoah, P.O.D., Dundar, Y., 2009. Monozygotic twinning, cerebral palsy and congenital anomalies. *Hum. Reprod. Update* 15, 639–648. <https://doi.org/10.1093/humupd/dmp019>

Phillips, A.W., Johnston, M.V., Fatemi, A., 2013. The Potential for Cell-Based Therapy in Perinatal Brain Injuries. *Transl. Stroke Res.* 4, 137–148.
<https://doi.org/10.1007/s12975-013-0254-5>

Phillips, J.P., 2007. Neuroimaging in cerebral palsy: a clearer vision of neuroplasticity. *Neuropediatrics*. <https://doi.org/10.1055/s-2007-991152>

Phillips, J.P., Sullivan, K.J., Burtner, P.A., Caprihan, A., Provost, B., Bernitsky-Beddingfield, A., 2007. Ankle dorsiflexion fMRI in children with cerebral palsy undergoing intensive body-weight-supported treadmill training: a pilot study. *Dev. Med. Child Neurol.* 49, 39–44. <https://doi.org/10.1017/s0012162207000102.x>

Picard, N., Guenin, S., Perrin, Y., Hilaire, G., Larnicol, N., 2008. Prenatal diazepam exposure alters respiratory control system and GABA(A) and adenosine receptor gene expression in newborn rats. *Pediatr. Res.* 64, 44–49.
<https://doi.org/10.1203/PDR.0b013e31817445cf>

Pidcock, F.S., Garcia, T., Trovato, M.K., Schultz, S.C., Brady, K.D., 2009. Pediatric Constraint-Induced Movement Therapy: A Promising Intervention for Childhood Hemiparesis. *Top. Stroke Rehabil.* 16, 339–345. <https://doi.org/10.1310/tsr1605-339>

Pienaar, I.S., van de Berg, W., 2013. A non-cholinergic neuronal loss in the pedunculopontine nucleus of toxin-evoked Parkinsonian rats. *Exp. Neurol.* 248, 213–223. <https://doi.org/10.1016/j.expneurol.2013.06.008>

Pierre, W.C., Smith, P.L.P., Londono, I., Chemtob, S., Mallard, C., Lodygensky, G.A., 2017. Neonatal microglia: The cornerstone of brain fate. *Brain. Behav. Immun.* 59, 333–345. <https://doi.org/10.1016/j.bbi.2016.08.018>

Pineda, E., Shin, D., You, S.J., Auvin, S., Sankar, R., Mazarati, A., 2013. Maternal immune activation promotes hippocampal kindling epileptogenesis in mice. *Ann. Neurol.* 74, 11–19. <https://doi.org/10.1002/ana.23898>

Pinto, A.L.R., Costa, F.C.S., 2007. The value of brainstem evoked potential in clinical decision of a patient with hypoxic-ischemic encephalopathy. *Arq. Neuropsiquiatr.* 65, 689–692. <https://doi.org/10.1590/s0004-282x2007000400028>

Pirici, D., Van Broeckhoven, C., Kumar-Singh, S., 2011. Pathological validation of animal models of dementia. *Neuromethods*. https://doi.org/10.1007/978-1-60761-898-0_7

Plaisant, F., Clippe, A., Stricht, D. V., Knoops, B., Gressens, P., 2003. Recombinant peroxiredoxin 5 protects against excitotoxic brain lesions in newborn mice. *Free Radic. Biol. Med.* 34, 862–872. [https://doi.org/10.1016/S0891-5849\(02\)01440-5](https://doi.org/10.1016/S0891-5849(02)01440-5)

Ploughman, M., 2008. Exercise is brain food: The effects of physical activity on cognitive function. *Dev. Neurorehabil.* 11, 236–240.
<https://doi.org/10.1080/17518420801997007>

- Ploughman, M., Austin, M.W., Glynn, L., Corbett, D., 2015. The Effects of Poststroke Aerobic Exercise on Neuroplasticity: A Systematic Review of Animal and Clinical Studies. *Transl. Stroke Res.* 6, 13–28. <https://doi.org/10.1007/s12975-014-0357-7>
- Polovina, S., Polovina, T.S., Polovina, A., Polovina-Proloscic, T., 2010. Intensive rehabilitation in children with cerebral palsy: our view on the neuronal group selection theory. *Coll. Antropol.* 34, 981–988.
- Porambo, M., Phillips, A.W., Marx, J., Ternes, K., Arauz, E., Pletnikov, M., Wilson, M.A., Rothstein, J.D., Johnston, M. V., Fatemi, A., 2015. Transplanted glial restricted precursor cells improve neurobehavioral and neuropathological outcomes in a mouse model of neonatal white matter injury despite limited cell survival. *Glia* 63, 452–465. <https://doi.org/10.1002/glia.22764>
- Porterfield, S.P., Hendrich, C.E., 1993. The role of thyroid hormones in prenatal and neonatal neurological development—current perspectives. *Endocr. Rev.* 14, 94–106. <https://doi.org/10.1210/edrv-14-1-94>
- Porzionato, A., Macchi, V., Zaramella, P., Sarasin, G., Grisafi, D., Dedja, A., Chiandetti, L., De Caro, R., 2013. Effects of postnatal hyperoxia exposure on the rat dentate gyrus and subventricular zone. *Brain Struct. Funct.* 220, 229–247. <https://doi.org/10.1007/s00429-013-0650-3>
- Posod, A., Wechselberger, K., Stanika, R.I., Obermair, G.J., Wegleiter, K., Huber, E., Urbanek, M., Kiechl-Kohlendorfer, U., Griesmaier, E., 2017. ADMINISTRATION OF SECRETONEURIN IS PROTECTIVE IN HYPOXIC-ISCHEMIC NEONATAL BRAIN INJURY PREDOMINANTLY IN THE HYPOXIC-ONLY HEMISPHERE. *Neuroscience* 352, 88–96. <https://doi.org/10.1016/j.neuroscience.2017.03.055>
- Posod, A., Wegleiter, K., Neubauer, V., Urbanek, M., Huber, E., Kiechl-Kohlendorfer, U., Keller, M., Griesmaier, E., 2019. Short-, Mid-, and Long-Term Effect of Granulocyte Colony-Stimulating Factor/Stem Cell Factor and Fms-Related Tyrosine Kinase 3 Ligand Evaluated in an in Vivo Model of Hypoxic-Hyperoxic Ischemic Neonatal Brain Injury. *Biomed Res. Int.* 2019. <https://doi.org/10.1155/2019/5935279>
- Pourié, G., Blaise, S., Trabalon, M., Nédélec, E., Guéant, J.-L., Daval, J.-L., 2006. Mild, non-lesioning transient hypoxia in the newborn rat induces delayed brain neurogenesis associated with improved memory scores. *Neuroscience* 140, 1369–1379. <https://doi.org/10.1016/j.neuroscience.2006.02.083>
- Powell, G.L., Gaddy, J., Xu, F., Fregosi, R.F., Levine, R.B., 2016. Developmental nicotine exposure disrupts dendritic arborization patterns of hypoglossal motoneurons in the neonatal rat. *Dev. Neurobiol.* 76, 1125–1137. <https://doi.org/10.1002/dneu.22379>
- Pregnolato, S., Chakkarapani, E., Isles, A.R., Luyt, K., 2019. Glutamate Transport and Preterm Brain Injury. *Front. Physiol.* 10, 417. <https://doi.org/10.3389/fphys.2019.00417>

- Perez, C., Sawmiller, D., Tan, J., 2016. The role of heparan sulfate deficiency in autistic phenotype: Potential involvement of Slit/Robo/srGAPs-mediated dendritic spine formation. *Neural Dev.* 11. <https://doi.org/10.1186/S13064-016-0066-X>
- Privat, J.M., 1980. [Role of neurosurgical techniques in the treatment of spasticity]. *J. Belge Med. Phys. Rehabil.* 3, 127–152.
- Puka-Sundvall, M., Gajkowska, B., Cholewinski, M., Blomgren, K., Lazarewicz, J.W., Hagberg, H., 2000. Subcellular distribution of calcium and ultrastructural changes after cerebral hypoxia-ischemia in immature rats. *Dev. Brain Res.* 125, 31–41. [https://doi.org/10.1016/s0165-3806\(00\)00110-3](https://doi.org/10.1016/s0165-3806(00)00110-3)
- Q., L.L., P., H., Q., L.L., X., L., R., Y., X., T., W., W., X., L., H., F., X., Y., 2016. NMDA receptors promote neurogenesis in the neonatal rat subventricular zone following hypoxic-ischemic injury. *Mol. Med. Rep.* 13, 206–212. <https://doi.org/10.3892/mmr.2015.4501>
- Q., M., F., X., L., Z., 2014. Gestational hypoxia and epigenetic programming of brain development disorders. *Drug Discov. Today* 19, 1883–1896. <https://doi.org/10.1016/j.drudis.2014.09.010>
- Q., W., L., Y., W., 2015. Enhanced differentiation of neural stem cells to neurons and promotion of neurite outgrowth by oxygen-glucose deprivation. *Int. J. Dev. Neurosci.* 43, 50–57. <https://doi.org/10.1016/j.ijdevneu.2015.04.009>
- Q., W., R., G., M., W., Q., C., M., X., Z., L., L., W., C., C., 2019. Spatiotemporal expression patterns of Galectin-3 in perinatal rat hypoxic-ischemic brain injury model. *Neurosci. Lett.* 711. <https://doi.org/10.1016/j.neulet.2019.134439>
- Q., Y., Y., W., J., W., S., Z., A.A., A.-Z., H., Z., H., S., L., X., Y., L., K., X., H., H., F., Z., Y., J., Y., H., J., X., Ye, Q.S., Wu, Y.Q., Wu, J.M., Zou, S., Al-Zaazaai, A.A., Zhang, H.Y., Shi, H.X., Xie, L., Liu, Y.L., Xu, K., He, H.C., Zhang, F.B., Ji, Y.M., He, Y., Xiao, J., Q., Y., Y., W., J., W., S., Z., A.A., A.-Z., H., Z., H., S., L., X., Y., L., K., X., H., H., F., Z., Y., J., Y., H., J., X., 2018. Neural Stem Cells Expressing bFGF Reduce Brain Damage and Restore Sensorimotor Function after Neonatal Hypoxia-Ischemia. *Cell. Physiol. Biochem.* 45, 108–118. <https://doi.org/10.1159/000486226>
- Q.-Q., R., H.-L., C., Y.-L., L., H.-X., Y., F., S., M.-S., W., 2015. Electroacupuncture preconditioning attenuates ischemic brain injury by activation of the adenosine monophosphate-activated protein kinase signaling pathway. *Neural Regen. Res.* 10, 1069–1075. <https://doi.org/10.4103/1673-5374.160095>
- Q.X., Z., H.X., Q., J.Q., L., 2006. Correlation of glucose metabolism in brain cells and brain morphological changes with clinical typing in children with cerebral palsy. *Neural Regen. Res.* 1, 518–520.
- Qin, X., Wang, Y., Paudel, H.K., 2017. Inhibition of Early Growth Response 1 in the Hippocampus Alleviates Neuropathology and Improves Cognition in an Alzheimer

Model with Plaques and Tangles. Am. J. Pathol. 187, 1828–1847.
<https://doi.org/10.1016/j.ajpath.2017.04.018>

Qin, Y., Zhang, Y., Tomic, I., Hao, W., Menger, M.D., Liu, C., Fassbender, K., Liu, Y., 2018. Ginkgo biloba Extract EGb 761 and its specific components elicit protective protein clearance through the autophagy-lysosomal pathway in tau-transgenic mice and cultured neurons. J. Alzheimer's Dis. 65, 243–263.
<https://doi.org/10.3233/JAD-180426>

Qiu, J., Zhou, X.-G.X.-Y., Zhou, X.-G.X.-Y., Cheng, R., Liu, H.-Y., Li, Y., J., Q., X.-Y., Z., X.-G., Z., R., C., H.-Y., L., Y., L., Qiu, J., Zhou, X.-G.X.-Y., Zhou, X.-G.X.-Y., Cheng, R., Liu, H.-Y., Li, Y., 2013. Neuroprotective effects of microRNA-210 against oxygen-glucose deprivation through inhibition of apoptosis in PC12 cells. Mol. Med. Rep. 7, 1955–1959.
<https://doi.org/10.3892/mmr.2013.1431>

Qu, H.L., Zhao, M., Zhao, S.S., Xiao, T., Song, C.G., Cao, Y.P., Jolkonen, J., Zhao, C.S., 2015. Forced limb-use enhanced neurogenesis and behavioral recovery after stroke in the aged rats. Neuroscience 286, 316–324.
<https://doi.org/10.1016/j.neuroscience.2014.11.040>

Qu, H., Zhao, M., Zhao, S., Xiao, T., Tang, X., Zhao, D., Jolkonen, J., Zhao, C., 2014. Forced limb-use enhances brain plasticity through the cAMP/PKA/CREB signal transduction pathway after stroke in adult rats. Restor. Neurol. Neurosci. 32, 597–609. <https://doi.org/10.3233/RNN-130374>

Qu, Y., Shi, J., Tang, Y., Zhao, F.Y., Li, S.P., Meng, J.J., Tang, J., Lin, X.M., Peng, X.D., Mu, D.Z., 2016. MLKL inhibition attenuates hypoxia-ischemia induced neuronal damage in developing brain. Exp. Neurol. 279, 223–231.
<https://doi.org/10.1016/j.expneurol.2016.03.011>

Quezada, S., Castillo-Melendez, M., Walker, D.W., Tolcos, M., 2018. Development of the cerebral cortex and the effect of the intrauterine environment. J. Physiol. 596, 5665–5674. <https://doi.org/10.1113/JP277151>

Quinlan, S., Kenny, A., Medina, M., Engel, T., Jimenez-Mateos, E.M., 2018. MicroRNAs in Neurodegenerative Diseases. Int. Rev. Cell Mol. Biol.
<https://doi.org/10.1016/bs.ircmb.2017.04.002>

R., C., S., B., N., T., F., S., H., L., S., C., M., S., V., P., E., B.B., E., P.-P., E., B.B., F.J., M., P., G., M., M., T., S., D.N., S., N., B., P., S., 2018. In utero administration of drugs targeting microglia improves the neurodevelopmental outcome following cytomegalovirus infection of the rat fetal brain. Front. Cell. Neurosci. 12.
<https://doi.org/10.3389/fncel.2018.00055>

R., D., E., W., 2013. Role of MRI in patient selection for surgical treatment of intractable epilepsy in infancy. Brain Dev. 35, 697–705.
<https://doi.org/10.1016/j.braindev.2013.03.009>

- R., G., J.M., D., C.A., L., J.O., D., S., D., G., W., L., B., A.J., G., 2017. In the Era of Therapeutic Hypothermia, How Well Do Studies of Perinatal Neuroprotection Control Temperature? *Dev. Neurosci.* 39, 7–22. <https://doi.org/10.1159/000452859>
- R., J., J.L., S., T., L.B., S.F., M., C.M., G., J., P., R.F., D., L.E., K., J., M., K., H., 2012. Proteomic analysis of mitochondria in APOE transgenic mice and in response to an ischemic challenge. *J. Cereb. Blood Flow Metab.* 32, 164–176. <https://doi.org/10.1038/jcbfm.2011.120>
- R., K., N.B., H., Y., B., D., A., 2008. Spiking and nonspiking classes of oligodendrocyte precursor glia in CNS white matter. *Nat. Neurosci.* 11, 450–456. <https://doi.org/10.1038/nn2060>
- R., M., J., P., D., B., N., S., J.-F., G.-E., G., D., B., F., L., T., P., G., 2015. Blood-brain barrier dysfunction in disorders of the developing brain. *Front. Neurosci.* 9. <https://doi.org/10.3389/fnins.2015.00040>
- R., P., S., A., 2013. Comparison of brain maturation among species: An example in translational research suggesting the possible use of bumetanide in newborn. *Front. Neurol.* 4 APR, 1. <https://doi.org/10.3389/fneur.2013.00036>
- R.B., F., L.A., da R., S.K., de S., A.L., C., A.S., A., E.F., S., M.F.M., R., L.S., de F., 2018. Effects of progesterone on the neonatal brain following hypoxia-ischemia. *Metab. Brain Dis.* 33, 813–821. <https://doi.org/10.1007/s11011-018-0193-7>
- R.D., F., 2010. Glutamate receptors: The cause or cure in perinatal white matter injury? *Neuron Glia Biol.* 6, 209–211. <https://doi.org/10.1017/S1740925X11000147>
- R.D., F., 2005. Neuropathologic substrate of cerebral palsy. *J. Child Neurol.* 20, 940–949.
- R.E., R., D.C., F., 2014. Induction of ischemic tolerance as a promising treatment against diabetic retinopathy. *Neural Regen. Res.* 9, 1581–1584. <https://doi.org/10.4103/1673-5374.141782>
- R.J., F., M.V., C., P., W., M., B., S.W., L., 2016. Astrocyte-produced leukemia inhibitory factor expands the neural stem/progenitor pool following perinatal hypoxia-ischemia. *J. Neurosci. Res.* 94, 1531–1545. <https://doi.org/10.1002/jnr.23929>
- R.P., R., S.W., L., 2002. Damage to the choroid plexus, ependyma and subependyma as a consequence of perinatal hypoxia/ischemia. *Dev. Neurosci.* 24, 426–436. <https://doi.org/10.1159/000069052>
- R.S., A.-M., L.D., S., J.B., C., C.F., A., W.A., A.-T., J., S., R.D., E., S.R., H., D.M., C., Al-Mayyahi, R.S., Sterio, L.D., Connolly, J.B., Adams, C.F., Al-Tumah, W.A., Sen, J., Emes, R.D., Hart, S.R., Chari, D.M., 2018. A proteomic investigation into mechanisms underpinning corticosteroid effects on neural stem cells. *Mol. Cell. Neurosci.* 86, 30–40. <https://doi.org/10.1016/j.mcn.2017.11.006>

- R.W., D., D., B., A., F., J.A., K., M.L.V., D., Dettman, R.W., Birch, D., Fernando, A., Kessler, J.A., Dizon, M.L. V., 2018. Targeted Knockdown of Bone Morphogenetic Protein Signaling within Neural Progenitors Protects the Brain and Improves Motor Function following Postnatal Hypoxia-Ischemia. *Dev. Neurosci.* 40, 23–38. <https://doi.org/10.1159/000485379>
- Rabinovitch, M., 1991. INVESTIGATIONAL APPROACHES TO PULMONARY-HYPERTENSION. *Toxicol. Pathol.* 19, 458–469.
- Rademakers, R.P., van der Knaap, M.S., Verbeeten, B.J., Barth, P.G., Valk, J., 1995. Central cortico-subcortical involvement: a distinct pattern of brain damage caused by perinatal and postnatal asphyxia in term infants. *J. Comput. Assist. Tomogr.* 19, 256–263.
- Radtke, C., Wewetzer, K., Reimers, K., Vogt, P.M., 2011. Transplantation of olfactory ensheathing cells as adjunct cell therapy for peripheral nerve injury. *Cell Transplant.* 20, 145–152. <https://doi.org/10.3727/096368910X522081>
- Rai-Bhogal, R., Ahmad, E., Li, H., Crawford, D.A., 2018. Microarray analysis of gene expression in the cyclooxygenase knockout mice – a connection to autism spectrum disorder. *Eur. J. Neurosci.* 47, 750–766. <https://doi.org/10.1111/ejn.13781>
- Raitano, S., Verfaillie, C.M., Petryk, A., 2013. Self-renewal of neural stem cells: Implications for future therapies. *Front. Physiol.* 4 MAR. <https://doi.org/10.3389/fphys.2013.00049>
- Rajabian, A., Rameshrad, M., Hosseinzadeh, H., 2019. Therapeutic potential of Panax ginseng and its constituents, ginsenosides and gintonin, in neurological and neurodegenerative disorders: a patent review. *Expert Opin. Ther. Pat.* 29, 55–72. <https://doi.org/10.1080/13543776.2019.1556258>
- Rajesh, T., Tantradi, R.R., Rai, K.S., Gopalakrishnan, S., Ramesh Babu, M.G., Adiga, M., Huban Thomas, R., Bhaktavatchalam, P., 2016. Prenatal inflammation induced alterations in spatial learning and memory abilities in adult offspring: Mitigated by physical exercise and environmental enrichment. *Res. J. Pharm. Biol. Chem. Sci.* 7, 1681–1688.
- Ramalhosa, F., Soares-Cunha, C., Seixal, R.M., Sousa, N., Carvalho, A.F., 2016. The impact of prenatal exposure to dexamethasone on gastrointestinal function in rats. *PLoS One* 11. <https://doi.org/10.1371/journal.pone.0161750>
- Ramasamy, S., Narayanan, G., Sankaran, S., Yu, Y.H., Ahmed, S., 2013. Neural stem cell survival factors. *Arch. Biochem. Biophys.* 534, 71–87. <https://doi.org/10.1016/j.abb.2013.02.004>
- Ramírez-Jirano, L.J., Zenteno-Savín, T., Gaxiola-Robles, R., Ramos-González, E.J., Torres-Mendoza, B.M., Bitzer-Quintero, O.K., 2016. The neuroprotective effect of erythropoietin in rat hippocampus in an endotoxic shock model. *Rev. Investig. Clin.* 68, 292–298.

- Ramírez-Rodríguez, G., Benítez-King, G., Kempermann, G., 2007. The new neuron formation in the adult hippocampus: Neurogenesis . Salud Ment. 30, 12–19.
- Ramón-Cueto, A., Muñoz-Quiles, C., 2011. Clinical application of adult olfactory bulb ensheathing glia for nervous system repair. Exp. Neurol. 229, 181–194.
<https://doi.org/10.1016/j.expneurol.2010.10.001>
- Rana, S.A., Aavani, T., Pittman, Q.J., 2012. Sex effects on neurodevelopmental outcomes of innate immune activation during prenatal and neonatal life. Horm. Behav. 62, 228–236. <https://doi.org/10.1016/j.yhbeh.2012.03.015>
- Ranchhod, S.M., Gunn, K.C., Fowke, T.M., Davidson, J.O., Lear, C.A., Bai, J., Bennet, L., Mallard, C., Gunn, A.J., Dean, J.M., 2015. Potential neuroprotective strategies for perinatal infection and inflammation. Int. J. Dev. Neurosci. 45, 44–54.
<https://doi.org/10.1016/j.ijdevneu.2015.02.006>
- Rangarajan, V., Juul, S.E., 2014. Erythropoietin: emerging role of erythropoietin in neonatal neuroprotection. Pediatr. Neurol. 51, 481–488.
<https://doi.org/10.1016/j.pediatrneurol.2014.06.008>
- Rangon, C.-M., Schang, A.-L., Van Steenwinckel, J., Schwendimann, L., Lebon, S., Fu, T., Chen, L., Beneton, V., Journiac, N., Young-Ten, P., Bourgeois, T., Maze, J., Matrot, B., Baburamani, A.A., Supramaniam, V., Mallard, C., Trottet, L., Edwards, A.D., Hagberg, H., Fleiss, B., Li, J., Chuang, T.T., Gressens, P., 2018. Myelination induction by a histamine H3 receptor antagonist in a mouse model of preterm white matter injury. Brain. Behav. Immun. 74, 265–276.
<https://doi.org/10.1016/j.bbi.2018.09.017>
- Rasooli, A.H., Birgani, P.M., Azizi, S., Shahrokh, A., Mirbagheri, M.M., 2017. Therapeutic effects of an anti-gravity locomotor training (AlterG) on postural balance and cerebellum structure in children with Cerebral Palsy. IEEE Int. Conf. Rehabil. Robot. 2017, 101–105. <https://doi.org/10.1109/ICORR.2017.8009229>
- Rattani, A., Lim, J., Mistry, A.M., Prablek, M.A., Roth, S.G., Jordan, L.C., Shannon, C.N., Naftel, R.P., 2019. Incidence of Epilepsy and Associated Risk Factors in Perinatal Ischemic Stroke Survivors. Pediatr. Neurol. 90, 44–55.
<https://doi.org/10.1016/j.pediatrneurol.2018.08.025>
- Reed, A., Cummine, J., Bakhtiari, R., Fox, C.M., Boliek, C.A., 2017. Changes in White Matter Integrity following Intensive Voice Treatment (LSVT LOUD(R)) in Children with Cerebral Palsy and Motor Speech Disorders. Dev. Neurosci. 39, 460–471. <https://doi.org/10.1159/000478724>
- Rees, S., Breen, S., Loeliger, M., Mccrabb, G., Harding, R., 1999. Hypoxemia near mid-gestation has long-term effects on fetal brain development. J. Neuropathol. Exp. Neurol. 58, 932–945. <https://doi.org/10.1097/00005072-199909000-00004>
- Rees, S., Hale, N., De Matteo, R., Cardamone, L., Tolcos, M., Loeliger, M., MacKintosh, A., Shields, A., Probyn, M., Greenwood, D., Harding, R., 2010. Erythropoietin is neuroprotective in a preterm ovine model of endotoxin-induced

brain injury. *J. Neuropathol. Exp. Neurol.* 69, 306–319.
<https://doi.org/10.1097/NEN.0b013e3181d27138>

Rees, S., Harding, R., 1995. EFFECTS OF EXPERIMENTALLY-INDUCED PLACENTAL INSUFFICIENCY ON PRENATAL BRAIN-DEVELOPMENT. *Dev. Brain Dysfunct.* 8, 152–165.

Rees, S., Harding, R., 2004. Brain development during fetal life: Influences of the intrauterine environment. *Neurosci. Lett.* 361, 111–114.
<https://doi.org/10.1016/j.neulet.2004.02.002>

Rees, S., Stringer, M., Just, Y., Hooper, S.B., Harding, R., 1997. The vulnerability of the fetal sheep brain to hypoxemia at mid-gestation. *Dev. Brain Res.* 103, 103–118.
[https://doi.org/10.1016/S0165-3806\(97\)81787-7](https://doi.org/10.1016/S0165-3806(97)81787-7)

Reese, L.C., Laezza, F., Woltjer, R., Tagliafata, G., 2011. Dysregulated phosphorylation of Ca²⁺/calmodulin-dependent protein kinase II- α in the hippocampus of subjects with mild cognitive impairment and Alzheimer's disease. *J. Neurochem.* 119, 791–804. <https://doi.org/10.1111/j.1471-4159.2011.07447.x>

Reid, G.M., 2001. Sudden infant death syndrome: neonatal hypodynamia (reduced exercise level). *Med. Hypotheses* 56, 280–285.
<https://doi.org/10.1054/mehy.2000.1275>

Reid, L.B., Boyd, R.N., Cunningham, R., Rose, S.E., 2016. Interpreting Intervention Induced Neuroplasticity with fMRI: The Case for Multimodal Imaging Strategies. *Neural Plast.* 2016, 2643491. <https://doi.org/10.1155/2016/2643491>

Reid, L.B., Pagnozzi, A.M., Fiori, S., Boyd, R.N., Dowson, N., Rose, S.E., 2017. Measuring neuroplasticity associated with cerebral palsy rehabilitation: An MRI based power analysis. *Int. J. Dev. Neurosci.* 58, 17–25.
<https://doi.org/10.1016/j.ijdevneu.2017.01.010>

Reid, L.B., Rose, S.E., Boyd, R.N., 2015. Rehabilitation and neuroplasticity in children with unilateral cerebral palsy. *Nat. Rev. Neurol.* 11, 390–400.
<https://doi.org/10.1038/nrneurol.2015.97>

Reid, M. V., Murray, K.A., Marsh, E.D., Golden, J.A., Simmons, R.A., Grinspan, J.B., M.V., R., K.A., M., E.D., M., J.A., G., R.A., S., J.B., G., 2012. Delayed myelination in an intrauterine growth retardation model is mediated by oxidative stress upregulating bone morphogenetic protein 4. *J. Neuropathol. Exp. Neurol.* 71, 640–653. <https://doi.org/10.1097/NEN.0b013e31825cfa81>

Reimunde, P., Rodicio, C., Lopez, N., Alonso, A., Devesa, P., Devesa, J., 2010. Effects of recombinant growth hormone replacement and physical rehabilitation in recovery of gross motor function in children with cerebral palsy. *Ther. Clin. Risk Manag.* 6, 585–592. <https://doi.org/10.2147/TCRM.S14919>

- Reinebrant, H.E., Wixey, J.A., Buller, K.M., 2020. Hypoxia-ischemia in the immature rodent brain impairs serotonergic neuronal function in certain dorsal raphe nuclei. *Neural Regen. Res.* 15, 457–463. <https://doi.org/10.4103/1673-5374.266067>
- Reinebrant, H.E., Wixey, J.A., Buller, K.M., 2013. NEONATAL HYPOXIA-ISCHAEMIA DISRUPTS DESCENDING NEURAL INPUTS TO DORSAL RAPHE NUCLEI. *Neuroscience* 248, 427–435. <https://doi.org/10.1016/j.neuroscience.2013.06.016>
- Reiner, A., Dragatsis, I., Dietrich, P., 2011. Genetics and neuropathology of huntington's disease. *Int. Rev. Neurobiol.* <https://doi.org/10.1016/B978-0-12-381328-2.00014-6>
- Reisinger, S., Khan, D., Kong, E., Berger, A., Pollak, A., Pollak, D.D., 2015. The Poly(I:C)-induced maternal immune activation model in preclinical neuropsychiatric drug discovery. *Pharmacol. Ther.* 149, 213–226. <https://doi.org/10.1016/j.pharmthera.2015.01.001>
- Ren, C., Geng, R., Ge, W., Liu, X.-Y., Chen, H., Wan, M.-R., Geng, D.-Q., 2014. An observational study of autologous bone marrow-derived stem cells transplantation in seven patients with nervous system diseases: a 2-year follow-up. *Cell Biochem. Biophys.* 69, 179–187. <https://doi.org/10.1007/s12013-013-9756-8>
- Ren, Q., Jiang, Z.H., Zhang, X.F., Yang, Q.Z., 2017. Effects of erythropoietin on neonatal hypoxia-ischemia brain injury in rat model. *Physiol. Behav.* 169, 74–81. <https://doi.org/10.1016/j.physbeh.2016.11.029>
- Ren, Z., Wang, X., Xu, M., Frank, J.A., Luo, J., 2019. Minocycline attenuates ethanol-induced cell death and microglial activation in the developing spinal cord. *Alcohol* 79, 25–35. <https://doi.org/10.1016/j.alcohol.2018.12.002>
- Renolleau, S., Aggoun-Zouaoui, D., Ben-Ari, Y., Charriaut-Marlangue, C., 1998. A model of transient unilateral focal ischemia with reperfusion in the P7 neonatal rat - Morphological changes indicative of apoptosis. *Stroke* 29, 1454–1460. <https://doi.org/10.1161/01.str.29.7.1454>
- Rey, N.L., Wesson, D.W., Brundin, P., 2018. The olfactory bulb as the entry site for prion-like propagation in neurodegenerative diseases. *Neurobiol. Dis.* 109, 226–248. <https://doi.org/10.1016/j.nbd.2016.12.013>
- Reyes, T.M., Fabry, Z., Coe, C.L., 1999. Brain endothelial cell production of a neuroprotective cytokine, interleukin-6, in response to noxious stimuli. *Brain Res.* 851, 215–220. [https://doi.org/10.1016/s0006-8993\(99\)02189-7](https://doi.org/10.1016/s0006-8993(99)02189-7)
- Reynolds, J.D., Brien, J.F., 1995. Ethanol neurobehavioural teratogenesis and the role of L-glutamate in the fetal hippocampus. *Can. J. Physiol. Pharmacol.* 73, 1209–1223. <https://doi.org/10.1139/y95-173>
- Rha, D.W., Kang, S.W., Park, Y.G., Cho, S.R., Lee, W.T., Lee, J.E., Nam, C.M., Han, K.H., Park, E.S., D.-W., R., S.-W., K., Y.-G., P., S.-R., C., W.T., L., J.E., L., C.M.,

- N., K.H., H., E.S., P., 2011. Effects of constraint-induced movement therapy on neurogenesis and functional recovery after early hypoxic-ischemic injury in mice. *Dev. Med. Child Neurol.* 53, 327–333. <https://doi.org/10.1111/j.1469-8749.2010.03877.x>
- Rice, D., Barone Jr., S., 2000. Critical periods of vulnerability for the developing nervous system: Evidence from humans and animal models. *Environ. Health Perspect.* 108, 511–533.
- Richter, A., Löscher, W., 1998. Pathophysiology of idiopathic dystonia: Findings from genetic animal models. *Prog. Neurobiol.* 54, 633–677. [https://doi.org/10.1016/S0301-0082\(97\)00089-0](https://doi.org/10.1016/S0301-0082(97)00089-0)
- Richter, D.W., Bischoff, A., Anders, K., Bellingham, M., Windhorst, U., 1991. RESPONSE OF THE MEDULLARY RESPIRATORY NETWORK OF THE CAT TO HYPOXIA. *J. Physiol.* 443, 231–256. <https://doi.org/10.1113/jphysiol.1991.sp018832>
- Riddell, M., Kuo, H.-C., Zewdie, E., Kirton, A., 2019. Mirror movements in children with unilateral cerebral palsy due to perinatal stroke: clinical correlates of plasticity reorganization. *Dev. Med. Child Neurol.* 61, 943–949. <https://doi.org/10.1111/dmcn.14155>
- Riddle, A., Ning, L.L., Manese, M., Beardsley, D.J., Green, L., Rorvik, D.A., Kelly, K.A., Barlow, C.H., Kelly, J.J., Hohimer, A.R., Back, S.A., 2006. Spatial heterogeneity in oligodendrocyte lineage maturation and not cerebral blood flow predicts fetal ovine periventricular white matter injury. *J. Neurosci.* 26, 3045–3055. <https://doi.org/10.1523/JNEUROSCI.5200-05.2006>
- Riquier, A.J., Sollars, S.I., 2017. MICROGLIA DENSITY DECREASES IN THE RAT ROSTRAL NUCLEUS OF THE SOLITARY TRACT ACROSS DEVELOPMENT AND INCREASES IN AN AGE-DEPENDENT MANNER FOLLOWING DENERVATION. *Neuroscience* 355, 36–48. <https://doi.org/10.1016/j.neuroscience.2017.04.037>
- Robertson, C.L., Scafidi, S., McKenna, M.C., Fiskum, G., 2009. Mitochondrial mechanisms of cell death and neuroprotection in pediatric ischemic and traumatic brain injury. *Exp. Neurol.* 218, 371–380. <https://doi.org/10.1016/j.expneurol.2009.04.030>
- Robinson, S.E., Guo, H.Z., Spencer, R.F., 1993. PRENATAL EXPOSURE TO METHADONE DELAYS THE DEVELOPMENT OF STRIATAL CHOLINERGIC NEURONS. *Dev. Brain Res.* 76, 239–248. [https://doi.org/10.1016/0165-3806\(93\)90212-s](https://doi.org/10.1016/0165-3806(93)90212-s)
- Robinson, S., Corbett, C.J., Winer, J.L., Chan, L.A.S., Maxwell, J.R., Anstine, C. V., Yellowhair, T.R., Andrews, N.A., Yang, Y., Sillerud, L.O., Jantzie, L.L., 2018. Neonatal erythropoietin mitigates impaired gait, social interaction and diffusion tensor imaging abnormalities in a rat model of prenatal brain injury. *Exp. Neurol.* 302, 1–13. <https://doi.org/10.1016/j.expneurol.2017.12.010>

Robinson, S., Petelenz, K., Li, Q., Cohen, M.L., DeChant, A., Tabrizi, N., Bucek, M., Lust, D., Miller, R.H., S., R., K., P., Q., L., M.L., C., A., D., N., T., M., B., D., L., R.H., M., 2005. Developmental changes induced by graded prenatal systemic hypoxic-ischemic insults in rats. *Neurobiol. Dis.* 18, 568–581.
<https://doi.org/10.1016/j.nbd.2004.10.024>

Robinson, S., Winer, J.L., Chan, L.A., Oppong, A.Y., Yellowhair, T.R., Maxwell, J.R., Andrews, N., Yang, Y., Sillerud, L.O., Meehan, W.P., Mannix, R., Brigman, J.L., Jantzie, L.L., 2018. Extended erythropoietin treatment prevents chronic executive functional and microstructural deficits following early severe traumatic brain injury in rats. *Front. Neurol.* 9. <https://doi.org/10.3389/fneur.2018.00451>

Rocha, E., Hammond, R., Richardson, B., 2004. Necrotic cell injury in the preterm and near-term ovine fetal brain after intermittent umbilical cord occlusion. *Am. J. Obstet. Gynecol.* 191, 488–496. <https://doi.org/10.1016/j.ajog.2004.01.039>

Rocha, E., Totten, S., Hammond, R., Han, V., Richardson, B., 2004. Structural proteins during brain development in the preterm and near-term ovine fetus and the effect of intermittent umbilical cord occlusion. *Am. J. Obstet. Gynecol.* 191, 497–506. <https://doi.org/10.1016/j.ajog.2004.01.049>

Rocha-Ferreira, E., Hristova, M., 2016. Plasticity in the Neonatal Brain following Hypoxic-Ischaemic Injury. *Neural Plast.* 2016, 4901014.
<https://doi.org/10.1155/2016/4901014>

Rocha-Ferreira, E., Poupon, L., Zelco, A., Leverin, A.-L., Nair, S., Jonsdotter, A., Carlsson, Y., Thornton, C., Hagberg, H., Rahim, A.A., 2018. Neuroprotective exendin-4 enhances hypothermia therapy in a model of hypoxic-ischaemic encephalopathy. *Brain* 141, 2925–2942. <https://doi.org/10.1093/brain/awy220>

Rockenstein, E., Ubhi, K., Mante, M., Florio, J., Adame, A., Winter, S., Brandstaetter, H., Meier, D., Masliah, E., 2015. Neuroprotective effects of Cerebrolysin in triple repeat Tau transgenic model of Pick's disease and fronto-temporal tauopathies. *BMC Neurosci.* 16. <https://doi.org/10.1186/s12868-015-0218-7>

Rodier, P.M., Ingram, J.L., Tisdale, B., Nelson, S., Romano, J., 1996. Embryological origin for autism: Developmental anomalies of the cranial nerve motor nuclei. *J. Comp. Neurol.* 370, 247–261. [https://doi.org/10.1002/\(SICI\)1096-9861\(19960624\)370:2<247::AID-CNE8>3.0.CO;2-2](https://doi.org/10.1002/(SICI)1096-9861(19960624)370:2<247::AID-CNE8>3.0.CO;2-2)

Rodriguez, J.S., Rodríguez-González, G.L., Reyes-Castro, L.A., Ibáñez, C., Ramírez, A., Chavira, R., Larrea, F., Nathanielsz, P.W., Zambrano, E., 2012. Maternal obesity in the rat programs male offspring exploratory, learning and motivation behavior: Prevention by dietary intervention pre-gestation or in gestation. *Int. J. Dev. Neurosci.* 30, 75–81. <https://doi.org/10.1016/j.ijdevneu.2011.12.012>

Rodriguez, J.S., Zrcher, N.R., Keenan, K.E., Bartlett, T.Q., Nathanielsz, P.W., Nijland, M.J., 2011. Prenatal betamethasone exposure has sex specific effects in reversal learning and attention in juvenile baboons. *Am. J. Obstet. Gynecol.* 204, 545.e1–545.e10. <https://doi.org/10.1016/j.ajog.2011.01.063>

Rodriguez-Alvarez, N., Jimenez-Mateos, E.M., Dunleavy, M., Waddington, J.L., Boylan, G.B., Henshall, D.C., 2015. Effects of hypoxia-induced neonatal seizures on acute hippocampal injury and later-life seizure susceptibility and anxiety-related behavior in mice. *Neurobiol. Dis.* 83, 100–114.
<https://doi.org/10.1016/j.nbd.2015.08.023>

Rodriguez-Callejas, J.D., Fuchs, E., Perez-Cruz, C., 2016. Evidence of tau hyperphosphorylation and dystrophic microglia in the common marmoset. *Front. Aging Neurosci.* 8. <https://doi.org/10.3389/fnagi.2016.00315>

Rogers, L.K., Valentine, C.J., Keim, S.A., 2013. DHA supplementation: Current implications in pregnancy and childhood. *Pharmacol. Res.* 70, 13–19.
<https://doi.org/10.1016/j.phrs.2012.12.003>

Rognlien, A.G.W., Wollen, E.J., Atneosen-Asegg, M., Saugstad, O.D., 2015. Increased expression of inflammatory genes in the neonatal mouse brain after hyperoxic reoxygenation. *Pediatr. Res.* 77, 326–333. <https://doi.org/10.1038/pr.2014.193>

Rojas, V.G., Rebollo, G.M., Munoz, E.G., Cortes, N.I., Gaete, C.B., Delgado, C.M., 2013. Differences in standing balance between patients with diplegic and hemiplegic cerebral palsy. *Neural Regen. Res.* 8, 2478–2483.
<https://doi.org/10.3969/j.issn.1673-5374.2013.26.009>

Rolland, M., Li, X., Sellier, Y., Martin, H., Perez-Berezo, T., Rauwel, B., Benchoua, A., Bessières, B., Aziza, J., Cenac, N., Luo, M., Casper, C., Peschanski, M., Gonzalez-Dunia, D., Leruez-Ville, M., Davrinche, C., Chavanas, S., 2016. PPAR γ Is Activated during Congenital Cytomegalovirus Infection and Inhibits Neuronogenesis from Human Neural Stem Cells. *PLoS Pathog.* 12. <https://doi.org/10.1371/journal.ppat.1005547>

Romero, J.I., Holubiec, M.I., Tornatore, T.L., Riviere, S., Hanschmann, E.M., Kolliker-Frers, R.A., Tau, J., Blanco, E., Galeano, P., de Fonseca, F.R., Lillig, C.H., Capani, F., 2017. Neuronal Damage Induced by Perinatal Asphyxia Is Attenuated by Postinjury Glutaredoxin-2 Administration. *Oxid. Med. Cell. Longev.* <https://doi.org/10.1155/2017/4162465>

Romijn, H.J., Janszen, A., Vanvoorst, M.J.D., Buijs, R.M., Balazs, R., Swaab, D.F., 1992. PERINATAL HYPOXIC ISCHEMIC ENCEPHALOPATHY AFFECTS THE PROPORTION OF GABA-IMMUNOREACTIVE NEURONS IN THE CEREBRAL-CORTEX OF THE RAT. *Brain Res.* 592, 17–28.
[https://doi.org/10.1016/0006-8993\(92\)91653-v](https://doi.org/10.1016/0006-8993(92)91653-v)

Romijn, H.J., Vanmarle, J., Janszen, A., 1993. PERMANENT INCREASE OF THE GAD(67) SYNAPTOPHYSIN RATION IN RAT CEREBRAL-CORTEX NERVE-ENDINGS AS A RESULT OF HYPOXIC-ISCHEMIC ENCEPHALOPATHY SUSTAINED IN EARLY POSTNATAL LIFE - A CONFOCAL LASER-SCANNING MICROSCOPIC STUDY. *Brain Res.* 630, 315–329. [https://doi.org/10.1016/0006-8993\(93\)90671-9](https://doi.org/10.1016/0006-8993(93)90671-9)

Rosario, G.X., Konno, T., Soares, M.J., 2008. Maternal hypoxia activates endovascular trophoblast cell invasion. *Dev. Biol.* 314, 362–375.
<https://doi.org/10.1016/j.ydbio.2007.12.007>

Rosati, J., Ferrari, D., Altieri, F., Tardivo, S., Ricciolini, C., Fusilli, C., Zalfa, C., Profico, D.C., Pinos, F., Bernardini, L., Torres, B., Manni, I., Piaggio, G., Binda, E., Copetti, M., Lamorte, G., Mazza, T., Carella, M., Gelati, M., Valente, E.M., Simeone, A., Vescovi, A.L., 2018. Establishment of stable iPS-derived human neural stem cell lines suitable for cell therapies. *Cell Death Dis.* 9.
<https://doi.org/10.1038/s41419-018-0990-2>

Rosenkranz, K., Meier, C., 2011. Umbilical cord blood cell transplantation after brain ischemia-From recovery of function to cellular mechanisms. *Ann. Anatomy-Anatomischer Anzeiger* 193, 371–379. <https://doi.org/10.1016/j.anat.2011.03.005>

Rossi, D., Gruart, A., Contreras-Murillo, G., Muñaisen, A., Ávila, J., Delgado-García, J.M., Pujadas, L., Soriano, E., 2020. Reelin reverts biochemical, physiological and cognitive alterations in mouse models of Tauopathy. *Prog. Neurobiol.* 186.
<https://doi.org/10.1016/j.pneurobio.2019.101743>

Rousset, C.I., Leiper, F.C., Kichev, A., Gressens, P., Carling, D., Hagberg, H., Thornton, C., 2015. A dual role for AMP-activated protein kinase (AMPK) during neonatal hypoxic-ischaemic brain injury in mice. *J. Neurochem.* 133, 242–252.
<https://doi.org/10.1111/jnc.13034>

Roux, K.J., Amici, S.A., Notterpek, L., 2004. The temporospatial expression of peripheral myelin protein 22 at the developing blood-nerve and blood-brain barriers. *J. Comp. Neurol.* 474, 578–588. <https://doi.org/10.1002/cne.20154>

Ruddy, R.M., Morshead, C.M., 2018. Home sweet home: the neural stem cell niche throughout development and after injury. *Cell Tissue Res.* 371, 125–141.
<https://doi.org/10.1007/s00441-017-2658-0>

Ruff, C.A., Faulkner, S.D., Rumajogee, P., Beldick, S., Foltz, W., Corrigan, J., Basilious, A., Jiang, S.J., Thiyyagalingam, S., Yager, J.Y., Fehlings, M.G., 2017. The extent of intrauterine growth restriction determines the severity of cerebral injury and neurobehavioural deficits in rodents. *PLoS One* 12.
<https://doi.org/10.1371/journal.pone.0184653>

Ruff, C.A., Ye, H., Legasto, J.M., Stribbell, N.A., Wang, J., Zhang, L., Fehlings, M.G., 2013. Effects of adult neural precursor-derived myelination on axonal function in the perinatal congenitally dysmyelinated brain: Optimizing time of intervention, developing accurate prediction models, and enhancing performance. *J. Neurosci.* 33, 11899–11915. <https://doi.org/10.1523/JNEUROSCI.1131-13.2013>

Ruff, C.A., Faulkner, S.D., Fehlings, M.G., 2013. The potential for stem cell therapies to have an impact on cerebral palsy: opportunities and limitations. *Dev. Med. Child Neurol.* 55, 689–697. <https://doi.org/10.1111/dmcn.12166>

- Rumpel, H., Nedelcu, J., Aguzzi, A., Martin, E., 1997. Late glial swelling after acute cerebral hypoxia-ischemia in the neonatal rat: A combined magnetic resonance and histochemical study. *Pediatr. Res.* 42, 54–59. <https://doi.org/10.1203/00006450-199707000-00009>
- Russ, J.B., Verina, T., Comer, J.D., Comi, A.M., Kaltschmidt, J.A., 2013. Corticospinal tract insult alters GABAergic circuitry in the mammalian spinal cord. *Front. Neural Circuits* 7. <https://doi.org/10.3389/fncir.2013.00150>
- S., A., N., G., C.I., T., M., D., C.M., D., B., T., R., H., E.Y., S., A., O., 2014. Reparative effects of neural stem cells in neonatal rats with hypoxic-ischemic injury are not influenced by host sex. *Pediatr. Res.* 75, 603–611. <https://doi.org/10.1038/pr.2014.7>
- S., C., M.-S., R., D., A., H., F., D.R., V., 1993. Prevention of postasphyxial increase in lipid peroxides and retinal function deterioration in the newborn pig by inhibition of cyclooxygenase activity and free radical generation. *Pediatr. Res.* 33, 336–340.
- S., C., N., X., X., Z., 2010. Effects of ephedrine on expression of Nogo-A and synaptophysin in neonatal rats following hypoxic-ischemic brain damage. *Neural Regen. Res.* 5, 47–51. <https://doi.org/10.3969/j.issn.1673-5374.2010.01.008>
- S., C., A., Z., O.O., O., U., F.-M., C., N., C., B., S., W., 2011. The RNA-binding protein RBM3 is involved in hypothermia induced neuroprotection. *Neurobiol. Dis.* 43, 388–396. <https://doi.org/10.1016/j.nbd.2011.04.010>
- S., G., G.J., C., 2010. Plasticity to neonatal sensorimotor cortex injury plasticity to neonatal sensorimotor cortex injury in the YFP-CST mouse. *Transl. Neurosci.* 1, 16–23. <https://doi.org/10.2478/v10134-010-0011-1>
- S., J., 2012. Neuroprotective role of erythropoietin in neonates. *J. Matern. Neonatal Med.* 25, 97–99. <https://doi.org/10.3109/14767058.2012.715025>
- S., J., 2002. Erythropoietin in the central nervous system, and its use to prevent hypoxic-ischemic brain damage. *Acta Paediatr. Int. J. Paediatr. Suppl.* 91, 36–42.
- S., K., Z., T., F., O., P.A., F., 2016. Anticonvulsant drug-induced cell death in the developing white matter of the rodent brain. *Epilepsia* 57, 727–734. <https://doi.org/10.1111/epi.13365>
- S., M., M.F., D., F., S., P.S., do N., J., I., P.I., K.-G., M., A., 2010. Different effects of anoxia and hind-limb immobilization on sensorimotor development and cell numbers in the somatosensory cortex in rats. *Brain Dev.* 32, 323–331. <https://doi.org/10.1016/j.braindev.2009.04.016>
- S., M., 2010. Magnesium sulphate: An improvement in the field of preterm infant neuroprotection. *Gynecol. Obstet. Fertil.* 38, 81–82. <https://doi.org/10.1016/j.gyobfe.2009.11.001>

- S., M., C., B., J.-M., R., A., D., P., E., P., G., 1999. Glycine antagonist and NO^o-synthase inhibitor protect the developing mouse brain against neonatal excitotoxic lesions. *Pediatr. Res.* 45, 337–342. <https://doi.org/10.1203/00006450-199903000-00008>
- S., M., R., N., Y., U., Y., W., Y., S., A., I., C.G., J., H., H., 2013. Differentiation of Oligodendrocytes from Mouse Induced Pluripotent Stem Cells Without Serum. *Transl. Stroke Res.* 4, 149–157. <https://doi.org/10.1007/s12975-012-0250-1>
- S., P., P., S., L., S., P., G., Passemard, S., Sokolowska, P., Schwendimann, L., Gressens, P., S., P., P., S., L., S., P., G., 2011. VIP-induced neuroprotection of the developing brain. *Curr. Pharm. Des.* 17, 1036–1039. <https://doi.org/10.2174/138161211795589409>
- S., P., G., S., M.L., T., G., B., 2012. New pharmacologic and therapeutic approaches for hypoxic-ischemic encephalopathy in the newborn. *J. Matern. Neonatal Med.* 25, 83–88. <https://doi.org/10.3109/14767058.2012.663168>
- S., P., L.M., T., G., S., L., R., G., B., 2015. Brain susceptibility to oxidative stress in the perinatal period. *J. Matern. Neonatal Med.* 28, 2291–2295. <https://doi.org/10.3109/14767058.2013.796170>
- S., R., G., O., E.Y., W., A., I., M.A., M., C.M., N., V., C., P.K.H., W., H.C., G., J., S., P.S., M., 2015. Reduced cortical activity impairs development and plasticity after neonatal hypoxia ischemia. *J. Neurosci.* 35, 11946–11959. <https://doi.org/10.1523/JNEUROSCI.2682-14.2015>
- S., R., R., H., D., W., Rees, S., Harding, R., Walker, D., 2011. The biological basis of injury and neuroprotection in the fetal and neonatal brain. *Int. J. Dev. Neurosci.* 29, 551–563. <https://doi.org/10.1016/j.ijdevneu.2011.04.004>
- S., R., T.N., S., N., W., J.Y., C., E., W., K., W., R., G., 2015. BDNF pretreatment of human embryonic-derived neural stem cells improves cell survival and functional recovery after transplantation in hypoxic-ischemic stroke. *Cell Transplant.* 24, 2449–2461. <https://doi.org/10.3727/096368914X679354>
- S., T., 2012. A baby step for nano. *Sci. Transl. Med.* 4. <https://doi.org/10.1126/scitranslmed.3003934>
- S., T., S., X., X., L., R.P., G., M.C., M., J., W., 2017. Neuroprotective Effects of Acetyl-L-Carnitine on Neonatal Hypoxia Ischemia-Induced Brain Injury in Rats. *Dev. Neurosci.* 38, 384–396. <https://doi.org/10.1159/000455041>
- S., W., J.H., Y., M., K., S.-R., C., 2016. In Vivo Expression of Reprogramming Factors Increases Hippocampal Neurogenesis and Synaptic Plasticity in Chronic Hypoxic-Ischemic Brain Injury. *Neural Plast.* 2016. <https://doi.org/10.1155/2016/2580837>
- S.A., B., B.H., H., N.L., L., C.A., C., S., X., J., T., K.L., A., D.M., H., 2002. Selective vulnerability of late oligodendrocyte progenitors to hypoxia-ischemia. *J. Neurosci.* 22, 455–463.

- S.A., F., R., B., T.J., D.K., 2011. D-Serine: The right or wrong isoform? *Brain Res.* 1401, 104–117. <https://doi.org/10.1016/j.brainres.2011.05.039>
- S.A., G., 2013. White matter from fibroblasts. *Nat. Biotechnol.* 31, 412–413. <https://doi.org/10.1038/nbt.2570>
- S.D., M., 2010. Stem cells: A new paradigm in medical therapeutics. *J. Long. Term. Eff. Med. Implants* 20, 219–250. <https://doi.org/10.1615/JLongTermEffMedImplants.v20.i3.50>
- S.G., B., A.E., C., S.I., P., E.M., M., A.M., S., Benitez, S.G., Castro, A.E., Patterson, S.I., Munoz, E.M., Seltzer, A.M., 2014. Hypoxic preconditioning differentially affects GABAergic and glutamatergic neuronal cells in the injured cerebellum of the neonatal rat. *PLoS One* 9. <https://doi.org/10.1371/journal.pone.0102056>
- S.H., C., S., B., J., S., P., J., S., D., H., M., W., D., 2018. The p38 α MAPK Deletion in Oligodendroglia does not Attenuate Myelination Defects in a Mouse Model of Periventricular Leukomalacia. *Neuroscience* 386, 175–181. <https://doi.org/10.1016/j.neuroscience.2018.06.037>
- S.J., E., H., D., M., M., D.W., W., 2016. Dietary interventions designed to protect the perinatal brain from hypoxic-ischemic encephalopathy - Creatine prophylaxis and the need for multi-organ protection. *Neurochem. Int.* 95, 15–23. <https://doi.org/10.1016/j.neuint.2015.11.002>
- S.J., L.-P., A., M.-V., L., M.-C., 2015. Effect of perinatal asphyxia and carbamazepine treatment on cortical dopamine and DOPAC levels. *J. Biomed. Sci.* 22. <https://doi.org/10.1186/s12929-015-0117-3>
- S.J., V., R.C., V., S.W., L., 2001. Perinatal brain injury: Preface. *Dev. Neurosci.* 23, 169–170. <https://doi.org/10.1159/000046137>
- S.M., M., 2004. Conference report - Stem cells and neurologic repair. *MedGenMed* *Medscape Gen. Med.* 6.
- S.P.J., F., S.M., G., M., F., D.H., R., B., D., 2012. Evidence that nuclear factor IA inhibits repair after white matter injury. *Ann. Neurol.* 72, 224–233. <https://doi.org/10.1002/ana.23590>
- S.Q., Q., Z., L., G.C., Y., W.L., G., X.H., H., N.H., W., F.Q., Y., Y.M., Q., 2005. Transplantation of human fetal neural stem cells into cerebral ventricle of the neonatal rat following hypoxic-ischemic injury: survival, migration and differentiation. *Zhonghua Er Ke Za Zhi.* 43, 576–579.
- S.S., S., W.Z., Y., X.K., T., C.M., C., C.H., W., 2013. Ischemic preconditioning reduces ischemic brain injury by suppressing nuclear factor kappa B expression and neuronal apoptosis. *Neural Regen. Res.* 8, 633–638. <https://doi.org/10.3969/j.issn.1673-5374.2013.07.007>

Sabo, J.K., Heine, V., Silbereis, J.C., Schirmer, L., Levison, S.W., Rowitch, D.H., J.K., S., V., H., J.C., S., L., S., S.W., L., D.H., R., Sabo, J.K., Heine, V., Silbereis, J.C., Schirmer, L., Levison, S.W., Rowitch, D.H., J.K., S., V., H., J.C., S., L., S., S.W., L., D.H., R., Sabo, J.K., Heine, V., Silbereis, J.C., Schirmer, L., Levison, S.W., Rowitch, D.H., 2017. Olig1 is required for noggin-induced neonatal myelin repair. *Ann. Neurol.* 81, 560–571. <https://doi.org/10.1002/ana.24907>

Sadeghi, A., Asghari, H., Hami, J., Mohasel Roodi, M., Mostafaee, H., Karimipour, M., Namavar, M., Idoon, F., 2019. Volumetric investigation of the hippocampus in rat offspring due to diabetes in pregnancy—A stereological study. *J. Chem. Neuroanat.* 101. <https://doi.org/10.1016/j.jchemneu.2019.101669>

Sadeghi, A., Esfandiary, E., Hami, J., Khanahmad, H., Hejazi, Z., Mardani, M., Razavi, S., 2018. The effects of maternal diabetes and insulin treatment on neurogenesis in the developing hippocampus of male rats. *J. Chem. Neuroanat.* 91, 27–34. <https://doi.org/10.1016/j.jchemneu.2018.03.005>

Safwani, W., Wong, C.W., Yong, K.W., Choi, J.R., Adenan, N.A.M., Omar, S.Z., Abas, W., Pinguan-Murphy, B., 2016. The effects of hypoxia and serum-free conditions on the stemness properties of human adipose-derived stem cells. *Cytotechnology* 68, 1859–1872. <https://doi.org/10.1007/s10616-015-9939-9>

Sagredo, O., Palazuelos, J., Gutierrez-Rodriguez, A., Satta, V., Galve-Roperh, I., Martínez-Orgado, J., 2018. Cannabinoid signalling in the immature brain: Encephalopathies and neurodevelopmental disorders. *Biochem. Pharmacol.* 157, 85–96. <https://doi.org/10.1016/j.bcp.2018.08.014>

Saha, A., Patel, S., Xu, L., Scotland, P., Schwartzman, J., Filiano, A.J., Kurtzberg, J., Balber, A.E., 2019. Human umbilical cord blood monocytes, but not adult blood monocytes, rescue brain cells from hypoxic-ischemic injury: Mechanistic and therapeutic implications. *PLoS One* 14. <https://doi.org/10.1371/journal.pone.0218906>

Sakata, Y., Fujioka, T., Inouye, S., Endoh, H., Nakamura, S., 2002. Paradoxical rise in brainstem PO₂ following umbilical cord occlusion in full-term rat fetuses. *Neurosci. Lett.* 330, 167–170. [https://doi.org/10.1016/s0304-3940\(02\)00772-3](https://doi.org/10.1016/s0304-3940(02)00772-3)

Sakowski, S.A., Heavener, S.B., Lunn, J.S., Fung, K., Oh, S.S., Spratt, S.K., Hogikyan, N.D., Feldman, E.L., 2009. Neuroprotection using gene therapy to induce vascular endothelial growth factor-A expression. *Gene Ther.* 16, 1292–1299. <https://doi.org/10.1038/gt.2009.111>

Salmaso, N., Silbereis, J., Komitova, M., Mitchell, P., Chapman, K., Ment, L.R., Schwartz, M.L., Vaccarino, F.M., 2012. Environmental Enrichment Increases the GFAP+ Stem Cell Pool and Reverses Hypoxia-Induced Cognitive Deficits in Juvenile Mice. *J. Neurosci.* 32, 8930–8939. <https://doi.org/10.1523/jneurosci.1398-12.2012>

- Salmaso, N., Tomasi, S., Vaccarino, F.M., 2014. Neurogenesis and Maturation in Neonatal Brain Injury. *Clin. Perinatol.* 41, 229–+. <https://doi.org/10.1016/j.clp.2013.10.007>
- Salta, E., De Strooper, B., 2017. MicroRNA-132: A key noncoding RNA operating in the cellular phase of Alzheimer's disease. *FASEB J.* 31, 424–433. <https://doi.org/10.1096/fj.201601308>
- Sampath, D., Shmueli, D., White, A.M., Raol, Y.H., 2015. Flupirtine effectively prevents development of acute neonatal seizures in an animal model of global hypoxia. *Neurosci. Lett.* 607, 46–51. <https://doi.org/10.1016/j.neulet.2015.09.005>
- Sanberg, P.R., Eve, D.J., Borlongan, C. V, 2014. Umbilical cord blood cells in the repair of central nervous system diseases, in: *Perinatal Stem Cells*. pp. 269–287. https://doi.org/10.1007/978-1-4939-1118-9_25
- Sanches, E.F., Durán-Carabali, L.E., Tosta, A., Nicola, F., Schmitz, F., Rodrigues, A., Siebert, C., Wyse, A., Netto, C., 2017. Pregnancy swimming causes short- and long-term neuroprotection against hypoxia-ischemia in very immature rats. *Pediatr. Res.* 82, 544–553. <https://doi.org/10.1038/pr.2017.110>
- Sanches, E.F., Van de Looij, Y., Toulotte, A., da Silva, A.R., Romero, J., Sizonenko, S. V, 2018. Brain metabolism alterations induced by pregnancy swimming decreases neurological impairments following neonatal hypoxia-ischemia in very immature rats. *Front. Neurol.* 9. <https://doi.org/10.3389/fneur.2018.00480>
- Sanches, E.F., van de Looij, Y., Toulotte, A., Sizonenko, S. V, Lei, H.X., 2019. Mild Neonatal Brain Hypoxia-Ischemia in Very Immature Rats Causes Long-Term Behavioral and Cerebellar Abnormalities at Adulthood. *Front. Physiol.* 10. <https://doi.org/10.3389/fphys.2019.00634>
- Sánchez, M., Anitua, E., Delgado, D., Sanchez, P., Prado, R., Orive, G., Padilla, S., 2017. Platelet-rich plasma, a source of autologous growth factors and biomimetic scaffold for peripheral nerve regeneration. *Expert Opin. Biol. Ther.* 17, 197–212. <https://doi.org/10.1080/14712598.2017.1259409>
- Sanchez, R.M., Ribak, C.E., Shapiro, L.A., 2012. Synaptic connections of hilar basal dendrites of dentate granule cells in a neonatal hypoxia model of epilepsy. *Epilepsia* 53, 109–115. <https://doi.org/10.1111/j.1528-1167.2012.03481.x>
- Saraceno, G.E., Castilla, R., Barreto, G.E., Gonzalez, J., Kolliker-Frers, R.A., Capani, F., 2012. Hippocampal Dendritic Spines Modifications Induced by Perinatal Asphyxia. *Neural Plast.* <https://doi.org/10.1155/2012/873532>
- Sarnat, H.B., Flores-Sarnat, L., 2019. Development of the human olfactory system. *Handb. Clin. Neurol.* 164, 29–45. <https://doi.org/10.1016/B978-0-444-63855-7.00003-4>
- Sartini, S., Lattanzi, D., Ambrogini, P., Di Palma, M., Galati, C., Savelli, D., Polidori, E., Calcabrini, C., Rocchi, M.B.L., Sestili, P., Cuppini, R., 2016. Maternal creatine

supplementation affects the morpho-functional development of hippocampal neurons in rat offspring. *Neuroscience* 312, 120–129.
<https://doi.org/10.1016/j.neuroscience.2015.11.017>

Sathyanesan, A., Zhou, J., Scafidi, J., Heck, D.H., Sillitoe, R. V., Gallo, V., 2019. Emerging connections between cerebellar development, behaviour and complex brain disorders. *Nat. Rev. Neurosci.* 20, 298–313. <https://doi.org/10.1038/s41583-019-0152-2>

Sato, Y., 2020. Endovascular trophoblast and spiral artery remodeling. *Mol. Cell. Endocrinol.* 503. <https://doi.org/10.1016/j.mce.2019.110699>

Sato, Y., Nakanishi, K., Hayakawa, M., Kakizawa, H., Saito, A., Kuroda, Y., Ida, M., Tokita, Y., Aono, S., Matsui, F., Kojima, S., Oohira, A., 2008. Reduction of brain injury in neonatal hypoxic-ischemic rats by intracerebroventricular injection of neural stem/progenitor cells together with chondroitinase ABC. *Reprod. Sci.* 15, 613–620. <https://doi.org/10.1177/1933719108317299>

Sato, Y., Ishida-Nakajima, W., Kawamura, M., Miura, S., Oguma, R., Arai, H., Takahashi, T., 2011. Hypoxia-ischemia induces hypo-phosphorylation of collapsin response mediator protein 2 in a neonatal rat model of periventricular leukomalacia. *Brain Res.* 1386, 165–174.
<https://doi.org/10.1016/j.brainres.2011.02.027>

Saucier, D.M., Yager, J.Y., Armstrong, E.A., 2010. Housing environment and sex affect behavioral recovery from ischemic brain damage. *Behav. Brain Res.* 214, 48–54.
<https://doi.org/10.1016/j.bbr.2010.04.039>

Saucier, D.M., Yager, J.Y., Armstrong, E.A., Keller, A., Shultz, S., 2007. Enriched environment and the effect of age on ischemic brain damage. *Brain Res.* 1170, 31–38. <https://doi.org/10.1016/j.brainres.2007.07.020>

Savard, A., Brochu, M.E., Chevin, M., Guiraut, C., Grbic, D., Sebire, G., 2015. Neuronal self-injury mediated by IL-1 beta and MMP-9 in a cerebral palsy model of severe neonatal encephalopathy induced by immune activation plus hypoxia-ischemia. *J. Neuroinflammation* 12. <https://doi.org/10.1186/s12974-015-0330-8>

Savard, A., Lavoie, K., Brochu, M.E., Grbic, D., Lepage, M., Gris, D., Sebire, G., 2013. Involvement of neuronal IL-1 beta in acquired brain lesions in a rat model of neonatal encephalopathy. *J. Neuroinflammation* 10. <https://doi.org/10.1186/1742-2094-10-110>

Savignon, T., Costa, E., Tenorio, F., Manhães, A.C., Barradas, P.C., T., S., E., C., F., T., A.C., M., P.C., B., 2012. Prenatal hypoxic-ischemic insult changes the distribution and number of NADPH-diaphorase cells in the cerebellum. *PLoS One* 7. <https://doi.org/10.1371/journal.pone.0035786>

Scafidi, J., Gallo, V., 2008. New concepts in perinatal hypoxia ischemia encephalopathy. *Curr. Neurol. Neurosci. Rep.* 8, 130–138.
<https://doi.org/10.1007/s11910-008-0021-2>

- Schaafsma, W., Basterra, L.B., Jacobs, S., Brouwer, N., Meerlo, P., Schaafsma, A., Boddeke, E.W.G.M., Eggen, B.J.L., 2017. Maternal inflammation induces immune activation of fetal microglia and leads to disrupted microglia immune responses, behavior, and learning performance in adulthood. *Neurobiol. Dis.* 106, 291–300. <https://doi.org/10.1016/j.nbd.2017.07.017>
- Schaeffer, E.L., Kuhn, F., Schmitt, A., Gattaz, W.F., Gruber, O., Schneider-Axmann, T., Falkai, P., 2013. Increased cell proliferation in the rat anterior cingulate cortex following neonatal hypoxia: relevance to schizophrenia. *J. Neural Transm.* 120, 187–195. <https://doi.org/10.1007/s00702-012-0859-y>
- Schafferer, S., Khurana, R., Refolo, V., Venezia, S., Sturm, E., Piatti, P., Hechenberger, C., Hackl, H., Kessler, R., Willi, M., Gstir, R., Krogsdam, A., Lusser, A., Poewe, W., Wenning, G.K., Hüttenhofer, A., Stefanova, N., 2016. Changes in the miRNA-mRNA regulatory network precede motor symptoms in a mouse model of multiple system atrophy: Clinical implications. *PLoS One* 11. <https://doi.org/10.1371/journal.pone.0150705>
- Schalow, G., 2008. Stem cell therapy and coordination dynamics therapy to improve spinal cord injury. *Electromyogr. Clin. Neurophysiol.* 48, 233–253.
- Schalow, G., 2001. On-line measurement of human CNS re-organization. *Electromyogr. Clin. Neurophysiol.* 41, 225–242.
- Schertz, M., Gordon, A.M., 2009. Changing the model: a call for a re-examination of intervention approaches and translational research in children with developmental disabilities. *Dev. Med. Child Neurol.* 51, 6–7. <https://doi.org/10.1111/j.1469-8749.2008.03220.x>
- Scheuer, T., Klein, L.S., Buhrer, C., Endesfelder, S., Schmitz, T., 2019. Transient Improvement of Cerebellar Oligodendroglial Development in a Neonatal Hyperoxia Model by PDGFA Treatment. *Dev. Neurobiol.* 79, 222–235. <https://doi.org/10.1002/dneu.22667>
- Schiavo, A.A., Franzin, C., Albiero, M., Piccoli, M., Spiro, G., Bertin, E., Urbani, L., Visentin, S., Cosmi, E., Fadini, G.P., De Coppi, P., Pozzobon, M., 2015. Endothelial properties of third-trimester amniotic fluid stem cells cultured in hypoxia. *Stem Cell Res. Ther.* 6. <https://doi.org/10.1186/s13287-015-0204-0>
- Schlager, G.W., Griesmaier, E., Wegleiter, K., Neubauer, V., Urbanek, M., Kiechl-Kohlendorfer, U., Felderhoff-Mueser, U., Keller, M., 2011. Systemic G-CSF treatment does not improve long-term outcomes after neonatal hypoxic-ischaemic brain injury. *Exp. Neurol.* 230, 67–74. <https://doi.org/10.1016/j.expneurol.2010.11.021>
- Schmeichel, D.E., Burkhardt, D.S., Ange, R., Izard, M.K., 1996. Cholinergic axonal dystrophy and mitochondrial pathology in prosimian primates. *Exp. Neurol.* 142, 111–127. <https://doi.org/10.1006/exnr.1996.0183>

- Schmitt, A., Malchow, B., Hasan, A., Falkai, P., 2014. The impact of environmental factors in severe psychiatric disorders. *Front. Neurosci.* 8.
<https://doi.org/10.3389/fnins.2014.00019>
- Schmitz, T., Krabbe, G., Weikert, G., Scheuer, T., Matheus, F., Wang, Y., Mueller, S., Kettenmann, H., Matyash, V., Bührer, C., Endesfelder, S., 2014. Minocycline protects the immature white matter against hyperoxia. *Exp. Neurol.* 254, 153–165.
<https://doi.org/10.1016/j.expneurol.2014.01.017>
- Schneider, C., Krischke, G., Rascher, W., Gassmann, M., Trollmann, R., 2012. Systemic hypoxia differentially affects neurogenesis during early mouse brain maturation. *Brain Dev.* 34, 261–273.
<https://doi.org/10.1016/j.braindev.2011.07.006>
- Schneider, J., Miller, S.P., 2019. Preterm brain Injury: White matter injury. *Handb. Clin. Neurol.* <https://doi.org/10.1016/B978-0-444-64029-1.00007-2>
- Schoeberlein, A., Mueller, M., Reinhart, U., Sager, R., Messerli, M., Surbek, D. V., 2011. Homing of placenta-derived mesenchymal stem cells after perinatal intracerebral transplantation in a rat model. *Am. J. Obstet. Gynecol.* 205.
<https://doi.org/10.1016/j.ajog.2011.06.044>
- Schultz, C., Dehghani, F., Hubbard, G.B., Thal, D.R., Struckhoff, G., Braak, E., Braak, H., 2000. Filamentous tau pathology in nerve cells, astrocytes, and oligodendrocytes of aged baboons. *J. Neuropathol. Exp. Neurol.* 59, 39–52.
<https://doi.org/10.1093/jnen/59.1.39>
- Schumacher, A.M., Velentza, A. V., Watterson, D.M., Wainwright, M.S., 2002. DAPK catalytic activity in the hippocampus increases during the recovery phase in an animal model of brain hypoxic-ischemic injury. *Biochim. Biophys. Acta-Proteins Proteomics* 1600, 128–137. [https://doi.org/10.1016/s1570-9639\(02\)00453-3](https://doi.org/10.1016/s1570-9639(02)00453-3)
- Schwartz, P.H., Massarweh, W.F., Vinters, H. V, Wasterlain, C.G., 1992. A rat model of severe neonatal hypoxic-ischemic brain injury. *Stroke* 23, 539–546.
<https://doi.org/10.1161/01.STR.23.4.539>
- Sedmak, G., Jovanov-Milosevic, N., Puskarjov, M., Ulamec, M., Kruslin, B., Kaila, K., Judas, M., 2016. Developmental Expression Patterns of KCC2 and Functionally Associated Molecules in the Human Brain. *Cereb. Cortex* 26, 4574–4589.
<https://doi.org/10.1093/cercor/bhv218>
- Seidler, F.J., Slotkin, T.A., 1992. FETAL COCAINE EXPOSURE CAUSES PERSISTENT NORADRENERGIC HYPERACTIVITY IN RAT-BRAIN REGIONS - EFFECTS ON NEUROTRANSMITTER TURNOVER AND RECEPTORS. *J. Pharmacol. Exp. Ther.* 263, 413–421.
- Selvakumar, T., Alavian, K.N., Tierney, T., 2015. Analysis of gene expression changes in the rat hippocampus after deep brain stimulation of the anterior thalamic nucleus. *J. Vis. Exp.* 2015. <https://doi.org/10.3791/52457>

- Semple, B.D., Blomgren, K., Gimlin, K., Ferriero, D.M., Noble-Haeusslein, L.J., 2013. Brain development in rodents and humans: Identifying benchmarks of maturation and vulnerability to injury across species. *Prog. Neurobiol.* 106–107, 1–16. <https://doi.org/10.1016/j.pneurobio.2013.04.001>
- Sentilhes, L., Marret, S., Leroux, P., Gonzalez, B.J., Laquerriere, A., 2011. Vascular-endothelial growth factor and its high affinity receptor VEGFR-2 in the normal versus destructive lesions human forebrain during development: An immunohistochemical comparative study. *Brain Res.* 1385, 77–86. <https://doi.org/10.1016/j.brainres.2011.01.111>
- Serdar, M., Herz, J., Kempe, K., Winterhager, E., Jastrow, H., Heumann, R., Felderhoff-Moser, U., Bendix, I., 2018. Protection of Oligodendrocytes Through neuronal Overexpression of the Small GTPase Ras in Hyperoxia-Induced Neonatal Brain Injury. *Front. Neurol.* 9. <https://doi.org/10.3389/fneur.2018.00175>
- Sgandurra, G., Biagi, L., Fogassi, L., Sicola, E., Ferrari, A., Guzzetta, A., Tosetti, M., Cioni, G., 2018. Reorganization of the Action Observation Network and Sensory-Motor System in Children with Unilateral Cerebral Palsy: An fMRI Study. *Neural Plast.* 2018, 1–15. <https://doi.org/10.1155/2018/6950547>
- Shah, T.A., Nejad, J.E., Pallera, H.K., Lattanzio, F.A., Farhat, R., Kumar, P.S., Hair, P.S., Bass, W.T., Krishna, N.K., 2017. Therapeutic hypothermia modulates complement factor C3a and C5a levels in a rat model of hypoxic ischemic encephalopathy. *Pediatr. Res.* 81, 654–662. <https://doi.org/10.1038/pr.2016.271>
- Shapira, R., Solomon, B., Efrati, S., Frenkel, D., Ashery, U., 2018. Hyperbaric oxygen therapy ameliorates pathophysiology of 3xTg-AD mouse model by attenuating neuroinflammation. *Neurobiol. Aging* 62, 105–119. <https://doi.org/10.1016/j.neurobiolaging.2017.10.007>
- Sharabi, H., Khatib, N., Ginsberg, Y., Weiner, Z., Ross, M.G., Tamar, B.K., Efrat, S., Mordechai, H., Beloosesky, R., 2019. Therapeutic N-Acetyl-Cysteine (Nac) Following Initiation of Maternal Inflammation Attenuates Long-Term Offspring Cerebral Injury, as Evident in Magnetic Resonance Imaging (MRI). *Neuroscience* 403, 118–124. <https://doi.org/10.1016/j.neuroscience.2018.01.013>
- Sharma, A., Sane, H., Gokulchandran, N., Kulkarni, P., Gandhi, S., Sundaram, J., Paranjape, A., Shetty, A., Bhagwanani, K., Biju, H., Badhe, P., 2015. A clinical study of autologous bone marrow mononuclear cells for cerebral palsy patients: a new frontier. *Stem Cells Int.* 2015, 905874. <https://doi.org/10.1155/2015/905874>
- Shaw, O.E.F., Yager, J.Y., 2019. Preventing childhood and lifelong disability: Maternal dietary supplementation for perinatal brain injury. *Pharmacol. Res.* 139, 228–242. <https://doi.org/10.1016/j.phrs.2018.08.022>
- Sheldon, R.A., Aminoff, A., Lee, C.L., Christen, S., Ferriero, D.M., 2007. Hypoxic preconditioning reverses protection after neonatal hypoxia-ischemia in glutathione peroxidase transgenic murine brain. *Pediatr. Res.* 61, 666–670. <https://doi.org/10.1203/pdr.0b013e318053664c>

- Sheldon, R.A., Partridge, J.C., Ferriero, D.M., 1992. POSTISCHEMIC HYPERGLYCEMIA IS NOT PROTECTIVE TO THE NEONATAL RAT-BRAIN. *Pediatr. Res.* 32, 489–493. <https://doi.org/10.1203/00006450-199210000-00022>
- Shen, E., Shulha, H., Weng, Z., Akbarian, S., 2014. Regulation of histone H3K4 methylation in brain development and disease. *Philos. Trans. R. Soc. B Biol. Sci.* 369. <https://doi.org/10.1098/rstb.2013.0514>
- Shen, Y., Isaacson, R.L., Smotherman, W.P., 1991. THE BEHAVIORAL AND ANATOMICAL EFFECTS OF PRENATAL UMBILICAL-CORD CLAMPING IN THE RAT AND THEIR ALTERATION BY THE PRIOR MATERNAL ADMINISTRATION OF NIMODIPINE. *Restor. Neurol. Neurosci.* 3, 11–22.
- Shimada, A., Hasegawa-Ishii, S., 2017. Histological architecture underlying brain-immune cell-cell interactions and the cerebral response to systemic inflammation. *Front. Immunol.* 8. <https://doi.org/10.3389/fimmu.2017.00017>
- Shin, M.-S., Kim, T.-W., Park, S.-S., Ko, I.-G., Kim, C.-J., Kim, M., Roh, S.Y., Kim, K.T., Kim, K.H., 2019. Long-term surgical and chemical castration deteriorates memory function through downregulation of PKA/CREB/BDNF and c-Raf/MEK/ERK pathways in hippocampus. *Int. Neurourol. J.* 23, 116–124. <https://doi.org/10.5213/inj.1938103.052>
- Shinotoh, H., Fukushi, K., Nagatsuka, S., Irie, T., 2004. Acetylcholinesterase imaging: Its use in therapy evaluation and drug design. *Curr. Pharm. Des.* 10, 1505–1517. <https://doi.org/10.2174/1381612043384763>
- Siaw-Debrah, F., Nyanzu, M., Ni, H., Lin, X., Xu, Z., Ruan, L., Zhuge, Q., Huang, L., 2017. Preclinical Studies and Translational Applications of Intracerebral Hemorrhage. *Biomed Res. Int.* 2017. <https://doi.org/10.1155/2017/5135429>
- Sica, A.L., Gootman, P.M., Ruggiero, D.A., 1999. CO₂-induced expression of c-fos in the nucleus of the solitary tract and the area postrema of developing swine. *Brain Res.* 837, 106–116. [https://doi.org/10.1016/s0006-8993\(99\)01640-6](https://doi.org/10.1016/s0006-8993(99)01640-6)
- Silbereis, J.C., Pochareddy, S., Zhu, Y., Li, M., Sestan, N., 2016. The Cellular and Molecular Landscapes of the Developing Human Central Nervous System. *Neuron* 89, 248. <https://doi.org/10.1016/j.neuron.2015.12.008>
- Silbereis, J.C., Huang, E.J., Back, S.A., Rowitch, D.H., 2010. Towards improved animal models of neonatal white matter injury associated with cerebral palsy. *Dis. Model. Mech.* 3, 678–688. <https://doi.org/10.1242/dmm.002915>
- Simankova, A.A., Sazonova, E.N., Lebed'ko, O.A., 2017. Delayed Effects of Neonatal Administration of Non-Opioid Analog of Leu-Enkephalin on Cerebral Consequences of Antenatal Hypoxia. *Bull. Exp. Biol. Med.* 163, 594–598. <https://doi.org/10.1007/s10517-017-3856-1>

- Simard, J.M., Castellani, R.J., Ivanova, S., Koltz, M.T., Gerzanich, V., 2008. Sulfonylurea receptor 1 in the germinal matrix of premature infants. *Pediatr. Res.* 64, 648–652. <https://doi.org/10.1203/PDR.0b013e318186e5a9>
- Singh, R., Kulikowicz, E., Santos, P.T., Koehler, R.C., Martin, L.J., Lee, J.K., 2019. Spatial T-maze identifies cognitive deficits in piglets 1 month after hypoxia-ischemia in a model of hippocampal pyramidal neuron loss and interneuron attrition. *Behav. Brain Res.* 369. <https://doi.org/10.1016/j.bbr.2019.111921>
- Siniaia, M.S., Pinchuk, D.I., Sheliakin, A.M., Tobias, T. V, Bogdanov, O. V, 1991. [The compensatory plasticity of the brain when it is damaged]. *Fiziol. Zh. SSSR Im. I. M. Sechenova* 77, 24–32.
- Sinyaya, M.S., DYu, P., Shelyakin, A.M., Tobias, T. V, Bogdanov, O. V, 1992. Compensatory plasticity of the brain under conditions of its injury. *Neurosci. Behav. Physiol.* 22, 543–549. <https://doi.org/10.1007/bf01185446>
- Sirén, A.-L., Faßhauer, T., Bartels, C., Ehrenreich, H., A.-L., S., T., F., C., B., H., E., 2009. Therapeutic Potential of Erythropoietin and its Structural or Functional Variants in the Nervous System. *Neurotherapeutics* 6, 108–127. <https://doi.org/10.1016/j.nurt.2008.10.041>
- Sisa, C., Kholia, S., Naylor, J., Sanchez, M.B.H., Bruno, S., Deregbus, M.C., Camussi, G., Inal, J.M., Lange, S., Hristova, M., 2019. Mesenchymal stromal cell derived extracellular vesicles reduce hypoxia-ischaemia induced perinatal injury. *Front. Physiol.* 10. <https://doi.org/10.3389/fphys.2019.00282>
- Sizonenko, S. V, Sirimanne, E., Mayall, Y., Gluckman, P.D., Inder, T., Williams, C., 2003. Selective cortical alteration after hypoxic-ischemic injury in the very immature rat brain. *Pediatr. Res.* 54, 263–269. <https://doi.org/10.1203/01.pdr.0000072517.01207.87>
- Skoff, R.P., Bessert, D., Barks, J.D.E., Silverstein, F.S., 2007. Plasticity of neurons and glia following neonatal hypoxic-ischemic brain injury in rats. *Neurochem. Res.* 32, 331–342. <https://doi.org/10.1007/s11064-006-9188-6>
- Sladek, J.R., 2012. Neural development, a risky period. *Exp. Neurol.* 237, 43–45. <https://doi.org/10.1016/j.expneurol.2012.05.024>
- Slotkin, T.A., 1998. Fetal nicotine or cocaine exposure: Which one is worse? *J. Pharmacol. Exp. Ther.* 285, 931–945.
- Slotkin, T.A., McCook, E.C., Seidler, F.J., 1997. Cryptic brain cell injury caused by fetal nicotine exposure is associated with persistent elevations of c-fos protooncogene expression. *Brain Res.* 750, 180–188. [https://doi.org/10.1016/s0006-8993\(96\)01345-5](https://doi.org/10.1016/s0006-8993(96)01345-5)
- Smith, C.C., Paton, J.F.R., Chakrabarty, S., Ichiyama, R.M., 2017. Descending Systems Direct Development of Key Spinal Motor Circuits. *J. Neurosci.* 37, 6372–6387. <https://doi.org/10.1523/JNEUROSCI.0149-17.2017>

Smith, R.S., Kenny, C.J., Ganesh, V., Jang, A., Borges-Monroy, R., Partlow, J.N., Hill, R.S., Shin, T., Chen, A.Y., Doan, R.N., Anttonen, A.-K., Ignatius, J., Medne, L., Bönnemann, C.G., Hecht, J.L., Salonen, O., Barkovich, A.J., Poduri, A., Wilke, M., de Wit, M.C.Y., Mancini, G.M.S., Sztriha, L., Im, K., Amrom, D., Andermann, E., Paetau, R., Lehesjoki, A.-E., Walsh, C.A., Lehtinen, M.K., 2018. Sodium Channel SCN3A (Na^{+} V) Regulation of Human Cerebral Cortical Folding and Oral Motor Development. *Neuron* 99, 905–913.e7. <https://doi.org/10.1016/j.neuron.2018.07.052>

Snider, L., Majnemer, A., Darsaklis, V., 2010. Virtual reality as a therapeutic modality for children with cerebral palsy. *Dev. Neurorehabil.* 13, 120–128. <https://doi.org/10.3109/17518420903357753>

So, K., Chung, Y., Lee, H., Kim, E., Jeon, Y., 2013. The effect of chronic prenatal hypoxia on the development of mature neurons in the cerebellum. *J. Neurodev. Disord.* 5. <https://doi.org/10.1186/1866-1955-5-17>

Soares, M.J., Chakraborty, D., Renaud, S.J., Kubota, K., Bu, P.L., Konno, T., Rumi, M.A.K., 2012. Regulatory Pathways Controlling the Endovascular Invasive Trophoblast Cell Lineage. *J. Reprod. Dev.* 58, 283–287. <https://doi.org/10.1262/jrd.2011-039>

Sola, A., Peng, H., Rogido, M., Wen, T.-C., 2008. Animal models of neonatal stroke and response to erythropoietin and cardiotrophin-1. *Int. J. Dev. Neurosci.* 26, 27–35. <https://doi.org/10.1016/j.ijdevneu.2007.08.016>

Song, M., Ahn, J.H., Kim, H., Kim, D.W., Lee, T.-K., Lee, J.-C., Kim, Y.-M., Lee, C.-H., Hwang, I.K., Yan, B.C., Won, M.-H., Park, J.H., 2018. Chronic high-fat diet-induced obesity in gerbils increases pro-inflammatory cytokines and mTOR activation, and elicits neuronal death in the striatum following brief transient ischemia. *Neurochem. Int.* 121, 75–85. <https://doi.org/10.1016/j.neuint.2018.09.009>

Song, S.-Y., Chae, M., Yu, J.H., Lee, M.Y., Pyo, S., Shin, Y.-K., Baek, A., Park, J.-W., Park, E.S., Choi, J.Y., Cho, S.-R., 2018. Environmental enrichment upregulates striatal synaptic vesicle-associated proteins and improves motor function. *Front. Neurol.* 9. <https://doi.org/10.3389/fneur.2018.00465>

Song, X., lian, D., He, D., Sun, J., Zhu, M.J., Li, L., 2014. The responsiveness of TrkB to exogenous BDNF in frontal cortex during antibiotic treatment of *Streptococcus pneumoniae* meningitis. *Neurol. Sci.* 35, 1915–1923. <https://doi.org/10.1007/s10072-014-1862-x>

Sonner, P.M., Ladle, D.R., 2018. Facilitation of antagonist motor output through short-latency sensory pathways during postnatal development in the mouse. *Neurosci. Lett.* 674, 36–41. <https://doi.org/10.1016/j.neulet.2018.03.015>

Sopher, B.L., Thomas Jr., P.S., Lafevre-Bernt, M.A., Holm, I.E., Wilke, S.A., Ware, C.B., Jin, L.-W., Libby, R.T., Ellerby, L.M., La Spada, A.R., 2004. Androgen receptor YAC transgenic mice recapitulate SBMA motor neuronopathy and

implicate VEGF164 in the motor neuron degeneration. *Neuron* 41, 687–699.
[https://doi.org/10.1016/S0896-6273\(04\)00082-0](https://doi.org/10.1016/S0896-6273(04)00082-0)

Soreq, H., 2001. Acetylcholinesterase — new roles for an old actor. *Nat. Rev. Neurosci.* 2, 294–302. <https://doi.org/10.1038/35067589>

Sorond, F.A., Shaffer, M.L., Kung, A.L., Lipsitz, L.A., 2009. Desferroxamine infusion increases cerebral blood flow: a potential association with hypoxia-inducible factor-1. *Clin. Sci.* 116, 771–779. <https://doi.org/10.1042/cs20080320>

Soukhova-O'Hara, G.K., Cheng, Z.X.J., Roberts, A.M., Gozal, D., 2006. Postnatal intermittent hypoxia alters baroreflex function in adult rats. *Am. J. Physiol. Circ. Physiol.* 290, H1157–H1164. <https://doi.org/10.1152/ajpheart.00767.2005>

Souvenir, R., Doycheva, D., Zhang, J.H., Tang, J.P., 2015. Erythropoietin in Stroke Therapy: Friend or Foe. *Curr. Med. Chem.* 22, 1205–1213.
<https://doi.org/10.2174/0929867322666150114152134>

Spandou, E., Karkavelas, G., Soubasi, V., Avgovstides-Savvopoulou, P., Loizidis, T., Guiba-Tziampiri, O., 1999. Effect of ketamine on hypoxic-ischemic brain damage in newborn rats. *Brain Res.* 819, 1–7. [https://doi.org/10.1016/s0006-8993\(98\)01333-x](https://doi.org/10.1016/s0006-8993(98)01333-x)

Spandou, E., Soubasi, V., Papoutsopoulou, S., Karkavelas, G., Simeonidou, C., Kaiki-Astara, A., Guiba-Tziampiri, O., 2004. Erythropoietin prevents hypoxia/ischemia-induced DNA fragmentation in an experimental model of perinatal asphyxia. *Neurosci. Lett.* 366, 24–28. <https://doi.org/10.1016/j.neulet.2004.05.032>

Spasova, M.S., Sadowska, G.B., Threlkeld, S.W., Lim, Y.-P., Stonestreet, B.S., 2014. Ontogeny of inter-alpha inhibitor proteins in ovine brain and somatic tissues. *Exp. Biol. Med.* 239, 724–736. <https://doi.org/10.1177/1535370213519195>

Spedding, M., Gressens, P., 2008. Neurotrophins and cytokines in neuronal plasticity. Novartis Found. Symp. 289, 222–240.
<https://doi.org/10.1002/9780470751251.ch18>

Speiser, Z., Uziel, J., Defrinassa, R., Gitter, S., Urca, G., 1991. DIFFERENT BEHAVIORAL DEFICITS ARE INDUCED BY ANOXIA HYPOXIA IN NEONATAL AND SENESCENT RATS - BLOCKADE BY MK-801. *Behav. Brain Res.* 42, 181–186. [https://doi.org/10.1016/s0166-4328\(05\)80009-9](https://doi.org/10.1016/s0166-4328(05)80009-9)

Spencer, S.J., Mouihate, A., Galic, M.A., Pittman, Q.J., 2008. Central and peripheral neuroimmune responses: Hyporesponsiveness during pregnancy. *J. Physiol.* 586, 399–406. <https://doi.org/10.1113/jphysiol.2007.144006>

Spruance, V.M., Zholudeva, L. V, Hormigo, K.M., Randelman, M.L., Bezdudnaya, T., Marchenko, V., Lane, M.A., 2018. Integration of Transplanted Neural Precursors with the Injured Cervical Spinal Cord. *J. Neurotrauma* 35, 1781–1799.
<https://doi.org/10.1089/neu.2017.5451>

- Srivastava, A.K., Prabhakara, K.S., Kota, D.J., Bedi, S.S., Triolo, F., Brown, K.S., Skiles, M.L., Brown, H.L., Cox Jr., C.S., Olson, S.D., 2019. Human umbilical cord blood cells restore vascular integrity in injured rat brain and modulate inflammation in vitro. *Regen. Med.* 14, 295–307. <https://doi.org/10.2217/rme-2018-0106>
- Srivastava, I.N., Shperdheja, J., Baybis, M., Ferguson, T., Crino, P.B., 2016. mTOR pathway inhibition prevents neuroinflammation and neuronal death in a mouse model of cerebral palsy. *Neurobiol. Dis.* 85, 144–154. <https://doi.org/10.1016/j.nbd.2015.10.001>
- Stanojevic, M., Perlman, J.M., Andonotopo, W., Kurjak, A., 2004. From fetal to neonatal behavioral status. *Ultrasound Rev. Obstet. Gynecol.* 4, 59–71. <https://doi.org/10.1080/14722240410001713939>
- Staudt, M., 2010. Reorganization after pre- and perinatal brain lesions. *J. Anat.* 217, 469–474. <https://doi.org/10.1111/j.1469-7580.2010.01262.x>
- Sterling, C., Taub, E., Davis, D., Rickards, T., Gauthier, L. V, Griffin, A., Uswatte, G., 2013. Structural neuroplastic change after constraint-induced movement therapy in children with cerebral palsy. *Pediatrics* 131, e1664-9. <https://doi.org/10.1542/peds.2012-2051>
- Stevenson, D.K., 2009. Commentary on the bilirubin supplement. *J. Perinatol.* 29, S2–S3. <https://doi.org/10.1038/jp.2008.220>
- Stigger, F., Barbosa, S., Marques, M.R., Segabinazi, E., Augustin, O.A., Achaval, M., Marcuzzo, S., 2018. Synaptophysin and caspase-3 expression on lumbar segments of spinal cord after sensorimotor restriction during early postnatal period and treadmill training. *J. Exerc. Rehabil.* 14, 489–496. <https://doi.org/10.12965/jer.1836086.043>
- Stigger, F., do Nascimento, P.S., Dutra, M.F., Couto, G.K., Ilha, J., Achaval, M., Marcuzzo, S., 2011. Treadmill training induces plasticity in spinal motoneurons and sciatic nerve after sensorimotor restriction during early postnatal period: new insights into the clinical approach for children with cerebral palsy. *Int. J. Dev. Neurosci.* 29, 833–838. <https://doi.org/10.1016/j.ijdevneu.2011.09.002>
- Stockx, E.M., Anderson, C.R., Murphy, S.M., Cooke, I.R.C., Berger, P.J., 2007. A map of the major nuclei of the fetal sheep brainstem. *Brain Res. Bull.* 71, 355–364. <https://doi.org/10.1016/j.brainresbull.2006.08.018>
- Stolp, H.B., Fleiss, B., Arai, Y., Supramaniam, V., Vontell, R., Birtles, S., Yates, A.G., Baburamani, A.A., Thornton, C., Rutherford, M., Edwards, A.D., Gressens, P., 2019. Interneuron Development Is Disrupted in Preterm Brains With Diffuse White Matter Injury: Observations in Mouse and Human. *Front. Physiol.* 10. <https://doi.org/10.3389/fphys.2019.00955>
- Stolp, H.B., Turnquist, C., Dziegielewska, K.M., Saunders, N.R., Anthony, D.C., Molnár, Z., 2011. Reduced ventricular proliferation in the foetal cortex following

maternal inflammation in the mouse. *Brain* 134, 3236–3248.
<https://doi.org/10.1093/brain/awr237>

Stolp, H., Neuhaus, A., Sundramoorthi, R., Molnar, Z., 2012. The Long and the Short of it: Gene and Environment Interactions During Early Cortical Development and Consequences for Long-Term Neurological Disease. *Front. psychiatry* 3, 50.
<https://doi.org/10.3389/fpsyg.2012.00050>

Stone, B.S., Zhang, J., Mack, D.W., Mori, S., Martin, L.J., Northington, F.J., 2008. Delayed neural network degeneration after neonatal hypoxia-ischemia. *Ann. Neurol.* 64, 535–546. <https://doi.org/10.1002/ana.21517>

Strackx, E., van den Hove, D.L.A., Steinbusch, H.P., Prickaerts, J., Vles, J.S.H., Blanco, C.E., Steinbusch, H.W.M., Gavilanes, A.W.D., 2008. Fetal asphyxia leads to a decrease in dorsal raphe serotonergic neurons. *Dev. Neurosci.* 30, 358–366.
<https://doi.org/10.1159/000155218>

Strahan, J.A., Walker, W.H., Montgomery, T.R., Forger, N.G., 2017. Minocycline Causes Widespread Cell Death and Increases Microglial Labeling in the Neonatal Mouse Brain. *Dev. Neurobiol.* 77, 753–766. <https://doi.org/10.1002/dneu.22457>

Straley, M.E., Van Oeffelen, W., Theze, S., Sullivan, A.M., O'Mahony, S.M., Cryan, J.F., O'Keeffe, G.W., 2017. Distinct alterations in motor & reward seeking behavior are dependent on the gestational age of exposure to LPS-induced maternal immune activation. *Brain. Behav. Immun.* 63, 21–34.
<https://doi.org/10.1016/j.bbi.2016.06.002>

Strata, F., Delpolyi, A.R., Bonham, B.H., Chang, E.F., Liu, R.C., Nakahara, H., Merzenich, M.M., 2005. Perinatal anoxia degrades auditory system function in rats. *Proc. Natl. Acad. Sci. U. S. A.* 102, 19156–19161.
<https://doi.org/10.1073/pnas.0509520102>

Strazielle, N., Ghersi-Egea, J.F., 2015. Efflux transporters in blood-brain interfaces of the developing brain. *Front. Neurosci.* 9. <https://doi.org/10.3389/fnins.2015.00021>

Street, M.E., Angelini, S., Bernasconi, S., Burgio, E., Cassio, A., Catellani, C., Cirillo, F., Deodati, A., Fabbrizi, E., Fanos, V., Gargano, G., Grossi, E., Iughetti, L., Lazzeroni, P., Mantovani, A., Migliore, L., Palanza, P., Panzica, G., Papini, A.M., Parmigiani, S., Predieri, B., Sartori, C., Tridenti, G., Amarri, S., 2018. Current knowledge on endocrine disrupting chemicals (EDCs) from animal biology to humans, from pregnancy to adulthood: Highlights from a national Italian meeting. *Int. J. Mol. Sci.* 19. <https://doi.org/10.3390/ijms19061647>

Stridh, L., Smith, P.L.P., Naylor, A.S., Wang, X.Y., Mallard, C., 2011. Regulation of Toll-like receptor 1 and-2 in neonatal mice brains after hypoxia-ischemia. *J. Neuroinflammation* 8. <https://doi.org/10.1186/1742-2094-8-45>

Sucre, J.M.S., Wilkinson, D., Vijayaraj, P., Paul, M., Dunn, B., Alva-Ornelas, J.A., Gomperts, B.N., 2016. A three-dimensional human model of the fibroblast activation that accompanies bronchopulmonary dysplasia identifies Notch-

mediated pathophysiology. *Am. J. Physiol. Cell. Mol. Physiol.* 310, L889–L898. <https://doi.org/10.1152/ajplung.00446.2015>

Suh, J., Im, D.S., Moon, G.J., Ryu, K.S., De Silva, R., Choi, I.S., Lees, A.J., Guénette, S.Y., Tanzi, R.E., Gwag, B.J., 2010. Hypoxic ischemia and proteasome dysfunction alter tau isoform ratio by inhibiting exon 10 splicing. *J. Neurochem.* 114, 160–170. <https://doi.org/10.1111/j.1471-4159.2010.06732.x>

Sukhanova, I.A., Sebentsova, E.A., Khukhareva, D.D., Manchenko, D.M., Glazova, N.Y., Vishnyakova, P.A., Inozemtseva, L.S., Dolotov, O. V., Vysokikh, M.Y., Levitskaya, N.G., 2018. Gender-dependent changes in physical development, BDNF content and GSH redox system in a model of acute neonatal hypoxia in rats. *Behav. Brain Res.* 350, 87–98. <https://doi.org/10.1016/j.bbr.2018.05.008>

Sukhanova, I.A., Sebentsova, E.A., Khukhareva, D.D., Vysokikh, M.Y., Bezuglov, V. V., Bobrov, M.Y., Levitskaya, N.G., 2019. Early-life N-arachidonoyl-dopamine exposure increases antioxidant capacity of the brain tissues and reduces functional deficits after neonatal hypoxia in rats. *Int. J. Dev. Neurosci.* 78, 7–18. <https://doi.org/10.1016/j.ijdevneu.2019.06.007>

Sukhanova, I.A., Sebentsova, E.A., Levitskaya, N.G., 2016. The Acute and Delayed Effects of Perinatal Hypoxic Brain Damage in Children and in Model Experiments with Rodents. *Neurochem. J.* 10, 258–272. <https://doi.org/10.1134/s1819712416040127>

Summanen, M., Back, S., Voipio, J., Kaila, K., 2018. Surge of Peripheral Arginine Vasopressin in a Rat Model of Birth Asphyxia. *Front. Cell. Neurosci.* 12. <https://doi.org/10.3389/fncel.2018.00002>

Sun, B., Feng, X., Ding, X., Bao, L., Li, Y., He, J., Jin, M., 2012. Expression of Clock genes in the pineal glands of newborn rats with hypoxic-ischemic encephalopathy. *Neural Regen. Res.* 7, 2221–2226. <https://doi.org/10.3969/j.issn.1673-5374.2012.028.008>

Sun, J.Q., Sha, B., Zhou, W.H., Yang, Y., 2009. Basic fibroblast growth factor stimulates the proliferation and differentiation of neural stem cells in neonatal rats after ischemic brain injury. *Brain Dev.* 31, 331–340. <https://doi.org/10.1016/j.braindev.2008.06.005>

Sun, Y., Calvert, J.W., Zhang, J.H., 2005. Neonatal hypoxia/ischemia is associated with decreased inflammatory mediators after erythropoietin administration. *Stroke* 36, 1672–1678. <https://doi.org/10.1161/01.STR.0000173406.04891.8c>

Sundaresan, L., Giri, S., Chatterjee, S., 2016. Inhibitors of nitric oxide synthase: What's up and what's next? *Curr. Enzym. Inhib.* 12, 81–107. <https://doi.org/10.2174/1573408012666151126185922>

Svedin, P., Hagberg, H., Mallard, C., 2009. Expression of MMP-12 after Neonatal Hypoxic-Ischemic Brain Injury in Mice. *Dev. Neurosci.* 31, 427–436. <https://doi.org/10.1159/000232561>

- Swain, A.J., Galvan, A., Wichmann, T., Smith, Y., n.d. Structural plasticity of GABAergic and glutamatergic networks in the motor thalamus of parkinsonian monkeys. *J. Comp. Neurol.* <https://doi.org/10.1002/cne.24834>
- Swerdlow, R.H., 2011. Role and treatment of mitochondrial dna-related mitochondrial dysfunction in sporadic neurodegenerative diseases. *Curr. Pharm. Des.* 17, 3356–3373. <https://doi.org/10.2174/138161211798072535>
- Szalkowski, C.E., Booker, A.B., Truong, D.T., Threlkeld, S.W., Rosen, G.D., Fitch, R.H., 2013. Knockdown of the Candidate Dyslexia Susceptibility Gene Homolog Dyx1c1 in Rodents: Effects on Auditory Processing, Visual Attention, and Cortical and Thalamic Anatomy. *Dev. Neurosci.* 35, 50–68. <https://doi.org/10.1159/000348431>
- Sze, C.-I., Lin, Y.-C., Lin, Y.-J., Hsieh, T.-H., Kuo, Y.M., Lin, C.-H., 2013. The role of glucocorticoid receptors in dexamethasone-induced apoptosis of neuroprogenitor cells in the hippocampus of rat pups. *Mediators Inflamm.* 2013. <https://doi.org/10.1155/2013/628094>
- Szenasi, G., Vegh, M., Szabo, G., Kertesz, S., Kapus, G., Albert, M., Greff, Z., Ling, I., Barkoczy, J., Simig, G., Spedding, M., Harsing, L.G., 2008. 2,3-Benzodiazepine-type AMPA receptor antagonists and their neuroprotective effects. *Neurochem. Int.* 52, 166–183. <https://doi.org/10.1016/j.neuint.2007.07.002>
- T., F., G.J., C., Fisher, T., Clownry, G.J., T., F., G.J., C., 2009. Elimination of muscle afferent boutons from the cuneate nucleus of the rat medulla during development. *Neuroscience* 161, 787–793. <https://doi.org/10.1016/j.neuroscience.2009.04.009>
- T., I.I., M., I., T., H., I., N., M., S., T., I.I., K., A., Ikeda, T., Iwai, M., Hayashi, T., Nagano, I., Shogi, M., Ikenoue, T., Abe, K., 2005. Limited differentiation to neurons and astroglia from neural stem cells in the cortex and striatum after ischemia/hypoxia in the neonatal rat brain. *Am. J. Obstet. Gynecol.* 193, 849–856. <https://doi.org/10.1016/j.ajog.2005.01.029>
- T., I., J., N., B., Y., S., R., 2005. Patterns of cerebral injury in a primate model of preterm birth and neonatal intensive care. *J. Child Neurol.* 20, 965–967. <https://doi.org/10.1177/08830738050200120601>
- T., M., T., I., Y., K.K.K.K., S., O., T., F., A., S., N., T., N., Y., Y., K.K.K.K., Minato, T., Ito, T., Kasahara, Y., Ooshio, S., Fukushima, T., Sekimoto, A., Takahashi, N., Yaegashi, N., Kimura, Y., T., M., T., I., Y., K.K.K.K., S., O., T., F., A., S., N., T., N., Y., Y., K.K.K.K., 2018. Relationship between short term variability (STV) and onset of cerebral hemorrhage at ischemia-reperfusion load in fetal growth restricted (FGR) mice. *Front. Physiol.* 9. <https://doi.org/10.3389/fphys.2018.00478>
- T., O., D., O., H., M., Y., A., M., F., T., M., K., M., M., T., Otani, T., Ochiai, D., Masuda, H., Abe, Y., Fukutake, M., Matsumoto, T., Miyakoshi, K., Tanaka, M., 2019. The neurorestorative effect of human amniotic fluid stem cells on the chronic phase of neonatal hypoxic-ischemic encephalopathy in mice. *Pediatr. Res.* 85, 97–104. <https://doi.org/10.1038/s41390-018-0131-8>

- T., Q., M., X., 2016. Neuroprotective and regenerative effects of melatonin on hypoxic-ischemic brain injury in neonatal rats. *Int. J. Clin. Exp. Med.* 9, 8014–8022.
- T., S., M., S., Y., K.-S., S., O., M., N., S., F., M., K., H., T., J.D., K., O., H., 2018. Functional recovery after the systemic administration of mesenchymal stem cells in a rat model of neonatal hypoxia-ischemia. *J. Neurosurg. Pediatr.* 22, 513–522. <https://doi.org/10.3171/2018.5.PEDS1845>
- T., U., A.M., O., W., H., T., I., K., B., 2015. Resident microglia, rather than blood-derived macrophages, contribute to the earlier and more pronounced inflammatory reaction in the immature compared with the adult hippocampus after hypoxia-ischemia. *Glia* 63, 2220–2230. <https://doi.org/10.1002/glia.22887>
- T., W., T., K., N., T., 1999. Ischemic “cross” tolerance in hypoxic ischemia of immature rat brain. *Brain Res.* 847, 299–307. [https://doi.org/10.1016/S0006-8993\(99\)02036-3](https://doi.org/10.1016/S0006-8993(99)02036-3)
- T., X., X., Y., Y., Q., H., C., Y., Y., H., W., F., Z., S., L., R., Z., L., Z., D., M., 2019. Erythropoietin induces synaptogenesis and neurite repair after hypoxia-ischemia-mediated brain injury in neonatal rats. *Neuroreport* 30, 783–789. <https://doi.org/10.1097/WNR.0000000000001285>
- T., X., Y., Q., H., W., H., C., J., Z., F., Z., R., Z., L., Z., D., M., 2018. GSK-3 β /mTORC1 couples synaptogenesis and axonal repair to reduce hypoxia-ischemia-mediated brain injury in neonatal rats. *J. Neuropathol. Exp. Neurol.* 77, 383–394. <https://doi.org/10.1093/jnen/nly015>
- T., X., W., L., Y., L., Z., Y., J., L., Y., W., N., S., 2014. Neuroprotective effects of electro-acupuncture on hypoxic-ischemic encephalopathy in newborn rats. *Ass. Pak. J. Pharm. Sci.* 27, 1991–2000.
- T., Y., M., C.-M., G., J., E.M., W., D.W., W., S.L., M., 2012. Mechanisms of melatonin-induced protection in the brain of late gestation fetal sheep in response to hypoxia. *Dev. Neurosci.* 34, 543–551. <https://doi.org/10.1159/000346323>
- T., Y., M., M., J., L., M.C., F., G., J., S.L., M., 2017. The beneficial effects of melatonin administration following hypoxia-ischemia in preterm fetal sheep. *Front. Cell. Neurosci.* 11. <https://doi.org/10.3389/fncel.2017.00296>
- T., Z., C., R., A., L., K.J., A., D.A., S., M.D., W., 2006. Transplantation of multipotent astrocytic stem cells into a rat model of neonatal hypoxic-ischemic encephalopathy. *Brain Res.* 1112, 99–105. <https://doi.org/10.1016/j.brainres.2006.07.014>
- T., Z., T., Y., H., Y., W., G., X., C., P., J., 2018. The phosphodiesterase-4 inhibitor Rolipram promotes cognitive function recovery in prenatal Escherichia coli infected offspring. *J. Matern. Neonatal Med.* <https://doi.org/10.1080/14767058.2018.1542682>

- T.B., M., P.I., de L.R., C.P., K., B.G., dos S., P.M., M., C.A., N., L.O.P., S., C., M., 2016. Behavioral benefits of maternal swimming are counteracted by neonatal hypoxia-ischemia in the offspring. *Behav. Brain Res.* 312, 30–38.
<https://doi.org/10.1016/j.bbr.2016.06.009>
- T.J., O., S.V., S., 2017. Lactoferrin and prematurity: A promising milk protein?1. *Biochem. Cell Biol.* 95, 22–30. <https://doi.org/10.1139/bcb-2016-0066>
- T.-K., N., S.-W., P., Y.-S., P., J.-T., K., B.-K., M., S.-N., H., 2015. Role of a burr hole and calvarial bone marrow-derived stem cells in the ischemic rat brain: A possible mechanism for the efficacy of multiple burr hole surgery in moyamoya disease. *J. Korean Neurosurg. Soc.* 58, 167–174. <https://doi.org/10.3340/jkns.2015.58.3.167>
- T.S., M., M., W., C., V., S., L., M., H., J., S., P.E., G., A.-M., B., 2013. Longitudinal diffusion tensor and manganese-enhanced MRI detect delayed cerebral gray and white matter injury after hypoxia-ischemia and hyperoxia. *Pediatr. Res.* 73, 171–179. <https://doi.org/10.1038/pr.2012.170>
- Taccola, G., Secchia, L., Ballanyi, K., 2007. Anoxic persistence of lumbar respiratory bursts and block of lumbar locomotion in newborn rat brainstem-spinal cords. *J. Physiol.* 585, 507–524. <https://doi.org/10.1113/jphysiol.2007.143594>
- Tahayori, B., Koceja, D.M., 2012. Activity-Dependent Plasticity of Spinal Circuits in the Developing and Mature Spinal Cord. *Neural Plast.* 2012, 1–12.
<https://doi.org/10.1155/2012/964843>
- Takada, S.H., Haemmerle, C.A.D., Motta-Teixeira, L.C., Machado-Nils, A. V., Lee, V.Y., Takase, L.F., Cruz-Rizzolo, R.J., Kihara, A.H., Xavier, G.F., Watanabe, I.S., Nogueira, M.I., 2015. NEONATAL ANOXIA IN RATS: HIPPOCAMPAL CELLULAR AND SUBCELLULAR CHANGES RELATED TO CELL DEATH AND SPATIAL MEMORY. *Neuroscience* 284, 247–259.
<https://doi.org/10.1016/j.neuroscience.2014.08.054>
- Takada, S.H., Motta-Teixeira, L.C., Machado-Nils, A. V., Lee, V.Y., Sampaio, C.A., Polli, R.S., Malheiros, J.M., Takase, L.F., Kihara, A.H., Covolan, L., Xavier, G.F., Nogueira, M.I., 2016. Impact of neonatal anoxia on adult rat hippocampal volume, neurogenesis and behavior. *Behav. Brain Res.* 296, 331–338.
<https://doi.org/10.1016/j.bbr.2015.08.039>
- Takada, S.H., Sampaio, C.A.G., Allemandi, W., Ito, P.H., Takase, L.F., Nogueira, M.I., 2011. A modified rat model of neonatal anoxia: Development and evaluation by pulseoximetry, arterial gasometry and Fos immunoreactivity. *J. Neurosci. Methods* 198, 62–69. <https://doi.org/10.1016/j.jneumeth.2011.03.009>
- Takahashi, S., Tanaka, H., Oki, J., 1999. Development of spinal motoneurons in rats after a neonatal hypoxic insult. *Pediatr. Neurol.* 21, 715–720.
[https://doi.org/10.1016/S0887-8994\(99\)00080-6](https://doi.org/10.1016/S0887-8994(99)00080-6)
- Tang, X., Qin, H., Gu, X., Fu, X., 2017. China's landscape in regenerative medicine. *Biomaterials* 124, 78–94. <https://doi.org/10.1016/j.biomaterials.2017.01.044>

- Tapias, V., Jainuddin, S., Ahuja, M., Stack, C., Elipenahli, C., Vignisse, J., Gerges, M., Starkova, N., Xu, H., Starkov, A.A., Dumont, M., Beal, M.F., 2018. Benfotiamine treatment activates the Nrf2/ARE pathway and is neuroprotective in a transgenic mouse model of tauopathy. *Hum. Mol. Genet.* 27, 2874–2892.
<https://doi.org/10.1093/hmg/ddy201>
- Taub, E., Uswatte, G., 2005. Use of CI therapy for improving motor ability after chronic CNS damage: a development prefigured by paul Bach-y-Rita. *J. Integr. Neurosci.* 4, 465–477. <https://doi.org/10.1142/s0219635205000902>
- Taylor, S.P., 2009. Anesthesia in infancy linked to later disabilities: Causation, association, or coincidence? *Anesthesiology* 111, 1381–1382.
<https://doi.org/10.1097/ALN.0b013e3181c0d72f>
- Teicher, M.H., Andersen, S.L., Polcari, A., Anderson, C.M., Navalta, C.P., Kim, D.M., 2003. The neurobiological consequences of early stress and childhood maltreatment. *Neurosci. Biobehav. Rev.* 27, 33–44. [https://doi.org/10.1016/S0149-7634\(03\)00007-1](https://doi.org/10.1016/S0149-7634(03)00007-1)
- Telias, M., Ben-Yosef, D., 2014. Modeling Neurodevelopmental Disorders Using Human Pluripotent Stem Cells. *Stem Cell Rev. Reports* 10, 494–511.
<https://doi.org/10.1007/s12015-014-9507-2>
- ten Donkelaar, H.J., Lammens, M., Wesseling, P., Hori, A., Keyser, A., Rotteveel, J., 2004. Development and malformations of the human pyramidal tract. *J. Neurol.* 251, 1429–1442. <https://doi.org/10.1007/s00415-004-0653-3>
- Ten, V.S., 2017. Mitochondrial dysfunction in alveolar and white matter developmental failure in premature infants. *Pediatr. Res.* 81, 286–292.
<https://doi.org/10.1038/pr.2016.216>
- Thagard, A.S., Slack, J.L., Estrada, S.M., Kazanjian, A.A., Chan, S., Burd, I., Napolitano, P.G., Ieronimakis, N., 2017. Long-term impact of intrauterine neuroinflammation and treatment with magnesium sulphate and betamethasone: Sex-specific differences in a preterm labor murine model. *Sci. Rep.* 7, 17883.
<https://doi.org/10.1038/s41598-017-18197-x>
- Thangarajan, R., Tantradi, R.R., Rai, K.S., Gopalakrishnan, S., Perumal, V., 2015. Inflammation During Gestation Induced Spatial Memory and Learning Deficits: Attenuated By Physical Exercise in Juvenile Rats. *J. Clin. Diagnostic Res.* 9, CF01–CF04. <https://doi.org/10.7860/JCDR/2015/12565.6020>
- Thei, L., Rocha-Ferreira, E., Peebles, D., Raivich, G., Hristova, M., 2018. Extracellular signal-regulated kinase 2 has duality in function between neuronal and astrocyte expression following neonatal hypoxic–ischaemic cerebral injury. *J. Physiol.* 596, 6043–6062. <https://doi.org/10.1113/JP275649>
- Theofanopoulou, C., 2016. Implications of oxytocin in human linguistic cognition: From genome to phenotype. *Front. Neurosci.* 10.
<https://doi.org/10.3389/fnins.2016.00271>

- Thomas, R., Salter, M.G., Wilke, S., Husen, A., Allcock, N., Nivison, M., Nnoli, A.N., Fern, R., 2004. Acute ischemic injury of astrocytes is mediated by Na-K-Cl cotransport and not Ca²⁺ influx at a key point in white matter development. *J. Neuropathol. Exp. Neurol.* 63, 856–871. <https://doi.org/10.1093/jnen/63.8.856>
- Thompson, L.P., Pence, L., Pinkas, G., Song, H., Telugu, B.P., 2016. Placental Hypoxia During Early Pregnancy Causes Maternal Hypertension and Placental Insufficiency in the Hypoxic Guinea Pig Model. *Biol. Reprod.* 95. <https://doi.org/10.1095/biolreprod.116.142273>
- Thornton, C., Baburamani, A.A., Kichev, A., Hagberg, H., 2017. Oxidative stress and endoplasmic reticulum (ER) stress in the development of neonatal hypoxic-ischaemic brain injury. *Biochem. Soc. Trans.* 45, 1067–1076. <https://doi.org/10.1042/BST20170017>
- Tilton, A.H., 2003. Approach to the rehabilitation of spasticity and neuromuscular disorders in children. *Neurol. Clin.* 21, 853–+. [https://doi.org/10.1016/s0733-8619\(03\)00066-5](https://doi.org/10.1016/s0733-8619(03)00066-5)
- Titler, A.M., Posimo, J.M., Leak, R.K., 2013. Astrocyte plasticity revealed by adaptations to severe proteotoxic stress. *Cell Tissue Res.* 352, 427–443. <https://doi.org/10.1007/s00441-013-1571-4>
- Titomanlio, L., Fernández-López, D., Manganozzi, L., Moretti, R., Vexler, Z.S., Gressens, P., 2015. Pathophysiology and neuroprotection of global and focal perinatal brain injury: Lessons from animal models. *Pediatr. Neurol.* 52, 566–584. <https://doi.org/10.1016/j.pediatrneurol.2015.01.016>
- Titomanlio, L., Bouslama, M., Le Verche, V., Dalous, J., Kaindl, A.M., Tsenkina, Y., Lacaud, A., Peineau, S., El Ghouzzi, V., Lelievre, V., Gressens, P., L., T., M., B., V., L.V., J., D., A.M., K., Y., T., A., L., S., P., V.E., G., V., L.V., P., G., 2011. Implanted neurosphere-derived precursors promote recovery after neonatal excitotoxic brain injury. *Stem Cells Dev.* 20, 865–879. <https://doi.org/10.1089/scd.2010.0302>
- Tiwari, S.K., Chaturvedi, R.K., 2014. Peptide therapeutics in neurodegenerative disorders. *Curr. Med. Chem.* 21, 2610–2631. <https://doi.org/10.2174/0929867321666140217125857>
- Tolcos, M., Petratos, S., Hirst, J.J., Wong, F., Spencer, S.J., Azhan, A., Emery, B., Walker, D.W., 2017. Blocked, delayed, or obstructed: What causes poor white matter development in intrauterine growth restricted infants? *Prog. Neurobiol.* 154, 62–77. <https://doi.org/10.1016/j.pneurobio.2017.03.009>
- Tolcos, M., McDougall, A., Shields, A., Chung, Y., O'Dowd, R., Turnley, A., Wallace, M., Rees, S., 2018. Intrauterine growth restriction affects cerebellar granule cells in the developing guinea pig brain. *Dev. Neurosci.* 40, 162–174. <https://doi.org/10.1159/000487797>

- Tomimatsu, T., Fukuda, H., Endo, M., Watanabe, N., Mu, J.W., Kohzuki, M., Fujii, E., Kanzaki, T., Murata, Y., 2001. Effects of hypothermia on neonatal hypoxic-ischemic brain injury in the rat: phosphorylation of Akt, activation of caspase-3-like protease. *Neurosci. Lett.* 312, 21–24. [https://doi.org/10.1016/s0304-3940\(01\)02178-4](https://doi.org/10.1016/s0304-3940(01)02178-4)
- Tong, W., Igarashi, T., Ferriero, D.M., Noble, L.J., 2002. Traumatic brain injury in the immature mouse brain: Characterization of regional vulnerability. *Exp. Neurol.* 176, 105–116. <https://doi.org/10.1006/exnr.2002.7941>
- Topcu, Y., Bayram, E., Ozbal, S., Yis, U., Tugyan, K., Karaoglu, P., Kumral, A., Yilmaz, O., Kurul, S.H., 2014. Zonisamide attenuates hyperoxia-induced apoptosis in the developing rat brain. *Neurol. Sci.* 35, 1769–1775. <https://doi.org/10.1007/s10072-014-1834-1>
- Tordjman, S., Chokron, S., Delorme, R., Charrier, A., Bellissant, E., Jaafari, N., Fougerou, C., 2017. Melatonin: Pharmacology, functions and therapeutic benefits. *Curr. Neuropharmacol.* 15, 434–443. <https://doi.org/10.2174/1570159X14666161228122115>
- Toro-Urrego, N., Vesga-Jiménez, D.J., Herrera, M.I., Luaces, J.P., Capani, F., 2019. Neuroprotective role of hypothermia in hypoxic-ischemic brain injury: Combined therapies using estrogen. *Curr. Neuropharmacol.* 17, 874–890. <https://doi.org/10.2174/1570159X17666181206101314>
- Torres Jiménez, R., Puig, J.G., 2010. Lesch-Nyhan syndrome. *Drugs Future* 35, 421–427. <https://doi.org/10.1358/dof.2010.035.05.1490758>
- Tosun, C., Koltz, M.T., Kurland, D.B., Ijaz, H., Gurakar, M., Schwartzbauer, G., Coksaygan, T., Ivanova, S., Gerzanich, V., Marc Simard, J., 2013. The protective effect of glibenclamide in a model of hemorrhagic encephalopathy of prematurity. *Brain Sci.* 3, 215–238. <https://doi.org/10.3390/brainsci3010215>
- Traudt, C.M., Juul, S.E., 2013. Erythropoietin as a neuroprotectant for neonatal brain injury: Animal models. *Methods Mol. Biol.* https://doi.org/10.1007/978-1-62703-308-4_7
- Trevisi, E., Gualdi, S., De Conti, C., Salghetti, A., Martinuzzi, A., Pedrocchi, A., Ferrante, S., 2012. Cycling induced by functional electrical stimulation in children affected by cerebral palsy: case report. *Eur. J. Phys. Rehabil. Med.* 48, 135–145.
- Triplett, J.C., Zhang, Z., Sultana, R., Cai, J., Klein, J.B., Büeler, H., Butterfield, D.A., 2015. Quantitative expression proteomics and phosphoproteomics profile of brain from PINK1 knockout mice: Insights into mechanisms of familial Parkinson's disease. *J. Neurochem.* 133, 750–765. <https://doi.org/10.1111/jnc.13039>
- Trivedi, R., Khan, A.R., Rana, P., Haridas, S., Hemanth Kumar, B.S., Manda, K., Rathore, R.K.S., Tripathi, R.P., Khushu, S., 2012. Radiation-induced early changes in the brain and behavior: Serial diffusion tensor imaging and behavioral

evaluation after graded doses of radiation. *J. Neurosci. Res.* 90, 2009–2019.
<https://doi.org/10.1002/jnr.23073>

Trivedi, R., Gupta, R.K., Shah, V., Tripathi, M., Rathore, R.K.S., Kumar, M., Pandey, C.M., Narayana, P.A., 2008. Treatment-induced plasticity in cerebral palsy: a diffusion tensor imaging study. *Pediatr. Neurol.* 39, 341–349.
<https://doi.org/10.1016/j.pediatrneurol.2008.07.012>

Trojan, S., Mourek, J., 1989. [Response of the immature brain to changes in the internal and external environment. (30 years' neuro-ontology research at the Physiology Institute)]. *Sb. Lek.* 91, 97–105.

Trojanowski, J.Q., Schuck, T., Schmidt, M.L., Lee, V.M.-Y., 1989. Distribution of phosphate-independent MAP₂ epitopes revealed with monoclonal antibodies in microwave-denatured human nervous system tissues. *J. Neurosci. Methods* 29, 171–180. [https://doi.org/10.1016/0165-0270\(89\)90030-7](https://doi.org/10.1016/0165-0270(89)90030-7)

Tsai, K.-J., Sze, C.-I., Lin, Y.-C., Lin, Y.-J., Hsieh, T.-H., Lin, C.-H., 2016. A single postnatal dose of dexamethasone enhances memory of rat pups later in life. *PLoS One* 11. <https://doi.org/10.1371/journal.pone.0165752>

Tskitishvili, E., Pequeux, C., Munaut, C., Viellevoye, R., Nisolle, M., Noel, A., Foidart, J.-M., 2017. Estrogen receptors and estetrol-dependent neuroprotective actions: a pilot study. *J. Endocrinol.* 232, 85–95. <https://doi.org/10.1530/JOE-16-0434>

Tsuang, M., 2000. Schizophrenia: genes and environment. *Biol. Psychiatry* 47, 210–220. [https://doi.org/10.1016/s0006-3223\(99\)00289-9](https://doi.org/10.1016/s0006-3223(99)00289-9)

Tsuji, M., Aoo, N., Harada, K., Sakamoto, Y., Akitake, Y., Irie, K., Mishima, K., Ikeda, T., Fujiwara, M., 2010. Sex differences in the benefits of rehabilitative training during adolescence following neonatal hypoxia-ischemia in rats. *Exp. Neurol.* 226, 285–292. <https://doi.org/10.1016/j.expneurol.2010.09.002>

Tsukada, T., Simamura, E., Shimada, H., Arai, T., Higashi, N., Akai, T., Iizuka, H., Hatta, T., 2015. The suppression of maternal-fetal leukemia inhibitory factor signal relay pathway by maternal immune activation impairs brain development in mice. *PLoS One* 10. <https://doi.org/10.1371/journal.pone.0129011>

Tsuru-Aoyagi, K., Potts, M.B., Trivedi, A., Pfankuch, T., Raber, J., Wendland, M., Claus, C.P., Koh, S.E., Ferriero, D., Noble-Haeusslein, L.J., 2009. Glutathione Peroxidase Activity Modulates Recovery in the Injured Immature Brain. *Ann. Neurol.* 65, 540–549. <https://doi.org/10.1002/ana.21600>

Tuchman, R., 2017. What is the Relationship Between Autism Spectrum Disorders and Epilepsy? *Semin. Pediatr. Neurol.* 24, 292–300.
<https://doi.org/10.1016/j.spen.2017.10.004>

Tucker, L.D., Lu, Y., Dong, Y., Yang, L., Li, Y., Zhao, N., Zhang, Q., 2018. Photobiomodulation Therapy Attenuates Hypoxic-Ischemic Injury in a Neonatal

Rat Model. J. Mol. Neurosci. 65, 514–526. <https://doi.org/10.1007/s12031-018-1121-3>

Tunc, A.T., Turgut, M., Aslan, H., Sahin, B., Yurtseven, M.E., Kaplan, S., 2006. Neonatal pinealectomy induces Purkinje cell loss in the cerebellum of the chick: A stereological study. Brain Res. 1067, 95–102. <https://doi.org/10.1016/j.brainres.2005.10.011>

Tuor, U.I., Yager, J.Y., Bascaramurty, S., DelBigio, M.R., 1997. Dexamethasone prevents hypoxia/ischemia-induced reductions in cerebral glucose utilization and high-energy phosphate metabolites in immature brain. J. Neurochem. 69, 1954–1963.

Turk, B.R., Theda, C., Fatemi, A., Moser, A.B., 2020. X-linked adrenoleukodystrophy: Pathology, pathophysiology, diagnostic testing, newborn screening and therapies. Int. J. Dev. Neurosci. 80, 52–72. <https://doi.org/10.1002/jdn.10003>

Tzarouchi, L.C., Astrakas, L.G., Zikou, A., Xydis, V., Kosta, P., Andronikou, S., Argyropoulou, M.I., 2009. Periventricular leukomalacia in preterm children: assessment of grey and white matter and cerebrospinal fluid changes by MRI. Pediatr. Radiol. 39, 1327–1332. <https://doi.org/10.1007/s00247-009-1389-0>

U., Å., V., D., B.B., F., L.-J., L., Z., C., B., B., 2002. MRI evaluation and functional assessment of brain injury after hypoxic ischemia in neonatal mice. Stroke 33, 1405–1410. <https://doi.org/10.1161/01.STR.0000014608.78503.DB>

U., F., C., B., F., G., L., C., R., G., Fisch, U., Brégère, C., Geier, F., Chicha, L., Guzman, R., 2020. Neonatal hypoxia-ischemia in rat elicits a region-specific neurotrophic response in SVZ microglia. J. Neuroinflammation 17. <https://doi.org/10.1186/s12974-020-1706-y>

U.I., T., 1991. Local cerebral blood flow in the newborn rabbit: An autoradiographic study of changes during development. Pediatr. Res. 29, 517–523.

Ueberham, U., Hilbrich, I., Ueberham, E., Rohn, S., Glöckner, P., Dietrich, K., Brückner, M.K., Arendt, T., 2012. Transcriptional control of cell cycle-dependent kinase 4 by Smad proteins-implications for Alzheimer's disease. Neurobiol. Aging 33, 2827–2840. <https://doi.org/10.1016/j.neurobiolaging.2012.01.013>

Ueha, R., Kondo, K., Ueha, S., Yamasoba, T., 2018. Dose-dependent effects of insulin-like growth factor 1 in the aged olfactory epithelium. Front. Aging Neurosci. 10. <https://doi.org/10.3389/fnagi.2018.00385>

Uehara, H., Yoshioka, H., Kawase, S., Nagai, H., Ohmae, T., Hasegawa, K., Sawada, T., 1999. A new model of white matter injury in neonatal rats with bilateral carotid artery occlusion. Brain Res. 837, 213–220. [https://doi.org/10.1016/s0006-8993\(99\)01675-3](https://doi.org/10.1016/s0006-8993(99)01675-3)

- Ulfig, N., 2002. Hypothesis on the delayed occurrence of diplegia in infants with periventricular leukomalacia. *Brain Dev.* 24, 787. [https://doi.org/10.1016/s0387-7604\(02\)00118-3](https://doi.org/10.1016/s0387-7604(02)00118-3)
- Uria-Avellanal, C., Marlow, N., Rennie, J.M., 2013. Outcome following neonatal seizures. *Semin. Fetal Neonatal Med.* 18, 224–232. <https://doi.org/10.1016/j.siny.2013.01.002>
- Uswatte, G., Taub, E., 2013. Constraint-Induced Movement Therapy: A Method for Harnessing Neuroplasticity to Treat Motor Disorders, in: Merzenich, M.M., Nahum, M., VanVleet, T.M. (Eds.), *Changing Brains Applying Brain Plasticity to Advance and Recover Human Ability, Progress in Brain Research.* pp. 379–401. <https://doi.org/10.1016/b978-0-444-63327-9.00015-1>
- Uyanikgil, Y., Baka, M., Yurtseven, M., Turgut, M., 2004. The effect of experimental epilepsy induced by penicillin administration during pregnancy on nestin expression in the immature rat cerebellum - A light, electron microscopic, and immunohistochemical study. *Childs Nerv. Syst.* 20, 176–182. <https://doi.org/10.1007/s00381-003-0901-3>
- V., D., C.H., N., G., van T., R.M., D., A., K., C.J., H., 2014. Intranasally administered mesenchymal stem cells promote a regenerative niche for repair of neonatal ischemic brain injury. *Exp. Neurol.* 261, 53–64. <https://doi.org/10.1016/j.expneurol.2014.06.009>
- V., D., C.H., N., L., B., I., S.-C., A., K., F., V.B., C.J., H., 2014. Intranasal administration of human MSC for ischemic brain injury in the mouse: In vitro and in vivo neuroregenerative functions. *PLoS One* 9. <https://doi.org/10.1371/journal.pone.0112339>
- V., K., P., M., S., J., D., B., M., G., J., G., J., L., M., H.-M., 2005. Effects of perinatal asphyxia on cell survival, neuronal phenotype and neurite growth evaluated with organotypic triple cultures. *Amino Acids* 28, 149–155. <https://doi.org/10.1007/s00726-005-0161-5>
- Vaccarino, F.M., Ment, L.R., 2004. Injury and repair in developing brain. *Arch. Dis. Child.* 89, F190–F192. <https://doi.org/10.1136/adc.2003.043661>
- Valny, M., Honza, P., Kriska, J., Anderova, M., 2017. Multipotency and therapeutic potential of NG2 cells. *Biochem. Pharmacol.* 141, 42–55. <https://doi.org/10.1016/j.bcp.2017.05.008>
- Van Den Bergh, B.R.H., Mulder, E.J.H., Mennes, M., Glover, V., 2005. Antenatal maternal anxiety and stress and the neurobehavioural development of the fetus and child: Links and possible mechanisms. A review. *Neurosci. Biobehav. Rev.* 29, 237–258. <https://doi.org/10.1016/j.neubiorev.2004.10.007>
- Van der Veeken, L., Van der Merwe, J., Devroe, S., Inversetti, A., Galgano, A., Bleeser, T., Meeusen, R., Rex, S., Deprest, J., 2019. Maternal surgery during pregnancy has

a transient adverse effect on the developing fetal rabbit brain. Am. J. Obstet. Gynecol. 221, 355.e1–355.e19. <https://doi.org/10.1016/j.ajog.2019.07.029>

van Tilborg, E., Heijnen, C.J., Benders, M.J., van Bel, F., Fleiss, B., Gressens, P., Nijboer, C.H., 2016. Impaired oligodendrocyte maturation in preterm infants: Potential therapeutic targets. Prog. Neurobiol. 136, 28–49. <https://doi.org/10.1016/j.pneurobio.2015.11.002>

van Velthoven, C.T.J., Kavelaars, A., Heijnen, C.J., 2012. Mesenchymal stem cells as a treatment for neonatal ischemic brain damage. Pediatr. Res. 71, 474–481. <https://doi.org/10.1038/pr.2011.64>

van Velthoven, C.T.J., Kavelaars, A., van Bel, F., Heijnen, C.J., 2010. Repeated Mesenchymal Stem Cell Treatment after Neonatal Hypoxia-Ischemia Has Distinct Effects on Formation and Maturation of New Neurons and Oligodendrocytes Leading to Restoration of Damage, Corticospinal Motor Tract Activity, and Sensorimotor Function. J. Neurosci. 30, 9603–9611. <https://doi.org/10.1523/jneurosci.1835-10.2010>

Vandermeeren, Y., Olivier, E., Sebire, G., Cosnard, G., Bol, A., Sibomana, M., Michel, C., De Volder, A.G., 2002. Increased FDG uptake in the ipsilesional sensorimotor cortex in congenital hemiplegia. Neuroimage 15, 949–960. <https://doi.org/10.1006/nimg.2001.1041>

Vanek, P., Thallmair, M., Schwab, M.E., Kapfhammer, J.P., M., T., 1998. Increased lesion-induced sprouting of corticospinal fibres in the myelin-free rat spinal cord. Eur. J. Neurosci. 10, 45–56. <https://doi.org/10.1046/j.1460-9568.1998.00018.x>

Vannucci, R.C., Brucklacher, R.M., Vannucci, S.J., 2001. Intracellular calcium accumulation during the evolution of hypoxic-ischemic brain damage in the immature rat. Dev. Brain Res. 126, 117–120. [https://doi.org/10.1016/s0165-3806\(00\)00135-8](https://doi.org/10.1016/s0165-3806(00)00135-8)

Varela, L., Schwartz, M.L., Horvath, T.L., 2016. Mitochondria controlled by UCP2 determine hypoxia-induced synaptic remodeling in the cortex and hippocampus. Neurobiol. Dis. 90, 68–74. <https://doi.org/10.1016/j.nbd.2016.01.004>

Varley, J., Brooks, D.J., Edison, P., 2015. Imaging neuroinflammation in Alzheimer's disease and other dementias: Recent advances and future directions. Alzheimer's Dement. 11, 1110–1120. <https://doi.org/10.1016/j.jalz.2014.08.105>

Vecino, E., Rodriguez, F., Ruzafa, N., Pereiro, X., Sharma, S.C., 2016. Glia-neuron interactions in the mammalian retina. Prog. Retin. Eye Res. 51, 1–40. <https://doi.org/10.1016/j.preteyeres.2015.06.003>

Vedam-Mai, V., Van Battum, E.Y., Kamphuis, W., Feenstra, M.G.P., Denys, D., Reynolds, B.A., Okun, M.S., Hol, E.M., 2012. Deep brain stimulation and the role of astrocytes. Mol. Psychiatry 17, 124–131. <https://doi.org/10.1038/mp.2011.61>

Velíšek, L., 2011. Prenatal corticosteroid exposure alters early developmental seizures and behavior. *Epilepsy Res.* 95, 9–19.
<https://doi.org/10.1016/j.eplepsyres.2011.01.019>

Velíšek, L., 2005. Prenatal corticosteroid impact on hippocampus: Implications for postnatal outcomes. *Epilepsy Behav.* 7, 57–67.
<https://doi.org/10.1016/j.yebeh.2005.04.008>

Velíšek, L., Nebieridze, N., Chachua, T., Velíšková, J., 2013. Anti-seizure medications and Estradiol for Neuroprotection in epilepsy: The 2013 update. *Recent Pat. CNS Drug Discov.* 8, 24–41. <https://doi.org/10.2174/1574889811308010004>

Verkhratsky, A., Nedergaard, M., 2018. Physiology of astroglia. *Physiol. Rev.* 98, 239–389. <https://doi.org/10.1152/physrev.00042.2016>

Verkhratsky, A., Olabarria, M., Noristani, H.N., Yeh, C.-Y., Rodriguez, J.J., 2010. Astrocytes in Alzheimer's Disease. *Neurotherapeutics* 7, 399–412.
<https://doi.org/10.1016/j.nurt.2010.05.017>

Verklan, M.T., 2009. The Chilling Details Hypoxic-Ischemic Encephalopathy. *J. Perinat. Neonatal Nurs.* 23, 59–68.
<https://doi.org/10.1097/01.JPN.0000346221.48202.7e>

Verrel, J., Bekkering, H., Steenbergen, B., 2008. Eye-hand coordination during manual object transport with the affected and less affected hand in adolescents with hemiparetic cerebral palsy. *Exp. brain Res.* 187, 107–116.
<https://doi.org/10.1007/s00221-008-1287-y>

Vexler, Z.S., Sharp, F.R., Feuerstein, G.Z., Ashwal, S., Thoresen, M., Yager, J.Y., Ferriero, D.M., 2006. Translational Stroke Research in the Developing Brain. *Pediatr. Neurol.* 34, 459–463. <https://doi.org/10.1016/j.pediatrneurol.2005.10.015>

Vexler, Z.S., Yenari, M.A., 2009. Does inflammation after stroke affect the developing brain differently than adult brain? *Dev. Neurosci.* 31, 378–393.
<https://doi.org/10.1159/000232556>

Vidailhet, M., Jutras, M.-F., Grabli, D., Roze, E., 2013. Deep brain stimulation for dystonia. *J. Neurol. Neurosurg. Psychiatry* 84, 1029–1042.
<https://doi.org/10.1136/jnnp-2011-301714>

Villeponteau, B., Matsagas, K., Nobles, A.C., Rizza, C., Horwitz, M., Benford, G., Mockett, R.J., 2015. Herbal supplement extends life span under some environmental conditions and boosts stress resistance. *PLoS One* 10.
<https://doi.org/10.1371/journal.pone.0119068>

Vinci, L., Ravarino, A., Gerosa, C., Pintus, M.C., Marcialis, M.A., Marinelli, V., Faa, G., Fanos, V., Ambu, R., 2016. Stem/progenitor cells in the cerebral cortex of the human preterm: A resource for an endogenous regenerative neuronal medicine? *J. Pediatr. Neonatal Individ. Med.* 5. <https://doi.org/10.7363/050121>

Vinukonda, G., Liao, Y., Hu, F., Ivanova, L., Purohit, D., Finkel, D.A., Giri, P., Bapatla, L., Shah, S., Zia, M.T., Hussein, K., Cairo, M.S., La Gamma, E.F., 2019. Human Cord Blood-Derived Unrestricted Somatic Stem Cell Infusion Improves Neurobehavioral Outcome in a Rabbit Model of Intraventricular Hemorrhage. *Stem Cells Transl. Med.* 8, 1157–1169. <https://doi.org/10.1002/sctm.19-0082>

Virgintino, D., Girolamo, F., Rizzi, M., Ahmedli, N., Sadowska, G.B., Stopa, E.G., Zhang, J., Stonestreet, B.S., 2014. Ischemia/reperfusion-induced neovascularization in the cerebral cortex of the ovine fetus. *J. Neuropathol. Exp. Neurol.* 73, 495–506. <https://doi.org/10.1097/NEN.0000000000000071>

Volpe, J.J., 2019. Microglia: Newly discovered complexity could lead to targeted therapy for neonatal white matter injury and dysmaturation. *J. Neonatal. Perinatal. Med.* 12, 239–242. <https://doi.org/10.3233/NPM-190303>

W., C., L.-F., C., M.-B., Z., Y.-P., X., Y.-H., Z., G.-Z., L., X.-L., W., 2019. Effects of different melatonin treatment regimens on the proliferation of endogenous neural stem cells in neonatal rats with hypoxic-ischemic brain damage. *Chinese J. Contemp. Pediatr.* 21, 830–835. <https://doi.org/10.7499/j.issn.1008-8830.2019.08.017>

W., L., B., W., A., B., V., B.-W., R.A., M., V., S., C., Langkammer, M.D., D.B., S., R., A.W., S., C., Liu, 2014. Differential developmental trajectories of magnetic susceptibility in human brain gray and white matter over the lifespan. *Hum. Brain Mapp.* 35, 2698–2713. <https://doi.org/10.1002/hbm.22360>

W., N., A., I., M.S., L., K.L., G., M.A., W., L.J., M., M.E., B., M.V., J., 2000. Apoptosis has a prolonged role in the neurodegeneration after hypoxic ischemia in the newborn rat. *J. Neurosci.* 20, 7994–8004.

W., Z., X., M., F., L., J., W., L., Y., M., X., A., M., A., G., N., Z., 2012. The effect of recombinant stromal cell-derived factor-1 treatment on hypoxic-ischemic brain injury in neonatal mice. *Neuropediatrics* 43, 320–331. <https://doi.org/10.1055/s-0032-1325121>

W.C., G., A.M., B., R.J., T., D.H., S., L.J., M., 2003. Nitration of the Striatal Na,K-ATPase α 3 Isoform Occurs in Normal Brain Development but Is Not Increased during Hypoxia-Ischemia in Newborn Piglets. *Neurochem. Res.* 28, 1883–1889. <https://doi.org/10.1023/A:1026132110850>

W.L.A., L., A.T., M.-T., D.K., S., 2017. Hypoxic-Ischaemic Encephalopathy and the Blood-Brain Barrier in Neonates. *Dev. Neurosci.* 39, 49–58. <https://doi.org/10.1159/000467392>

Waddell, J., Hanscom, M., Shalon Edwards, N., McKenna, M.C., McCarthy, M.M., J., W., M., H., N., S.E., M.C., M., M.M., M., 2016. Sex differences in cell genesis, hippocampal volume and behavioral outcomes in a rat model of neonatal HI. *Exp. Neurol.* 275, 285–295. <https://doi.org/10.1016/j.expneurol.2015.09.003>

- Wagenaar, N., de Theije, C.G.M., de Vries, L.S., Groenendaal, F., Benders, M., Nijboer, C.H.A., 2018. Promoting neuroregeneration after perinatal arterial ischemic stroke: neurotrophic factors and mesenchymal stem cells. *Pediatr. Res.* 83, 372–384. <https://doi.org/10.1038/pr.2017.243>
- Wagenfuhr, L., Meyer, A.K., Marrone, L., Storch, A., 2016. Oxygen Tension Within the Neurogenic Niche Regulates Dopaminergic Neurogenesis in the Developing Midbrain. *Stem Cells Dev.* 25, 227–238. <https://doi.org/10.1089/scd.2015.0214>
- Wais, M., Wu, C., Zahid, T., Sheppy, E., Gillis, J., del Campo, M., Wan, Q., Zhang, L., 2009. REPEATED HYPOXIC EPISODES INDUCE SEIZURES AND ALTER HIPPOCAMPAL NETWORK ACTIVITIES IN MICE. *Neuroscience* 161, 599–613. <https://doi.org/10.1016/j.neuroscience.2009.03.036>
- Wakuda, T., Iwata, K., Iwata, Y., Anitha, A., Takahashi, T., Yamada, K., Vasu, M.M., Matsuzaki, H., Suzuki, K., Mori, N., 2015. Perinatal asphyxia alters neuregulin-1 and COMT gene expression in the medial prefrontal cortex in rats. *Prog. Neuropsychopharmacol. Biol. Psychiatry* 56, 149–154. <https://doi.org/10.1016/j.pnpbp.2014.08.002>
- Walker, D.W., 1995. HYPOXIC INHIBITION OF BREATHING AND MOTOR-ACTIVITY IN THE FETUS AND NEWBORN. *Clin. Exp. Pharmacol. Physiol.* 22, 533–536. <https://doi.org/10.1111/j.1440-1681.1995.tb02062.x>
- Walker, D.W., Lee, B., Nitsos, I., 2000. Effect of hypoxia on respiratory activity in the foetus. *Clin. Exp. Pharmacol. Physiol.* 27, 110–113. <https://doi.org/10.1046/j.1440-1681.2000.03201.x>
- Walker, S.M., 2017. Translational studies identify long-term impact of prior neonatal pain experience. *Pain* 158, S29–S42. <https://doi.org/10.1097/j.pain.0000000000000784>
- Wallace, K., Veerisetty, S., Paul, I., May, W., Miguel-Hidalgo, J.J., Bennett, W., 2010. Prenatal infection decreases calbindin, decreases purkinje cell volume and density and produces long-term motor deficits in Sprague-Dawley rats. *Dev. Neurosci.* 32, 302–312. <https://doi.org/10.1159/000319506>
- Wang, C.-J., Wu, Y., Zhang, Q., Yu, K.-W., Wang, Y.-Y., 2019. An enriched environment promotes synaptic plasticity and cognitive recovery after permanent middle cerebral artery occlusion in mice. *Neural Regen. Res.* 14, 462–469. <https://doi.org/10.4103/1673-5374.245470>
- Wang, C., Li, G., Wu, Y., Xi, J., Kang, J., 2016. LincRNA1230 inhibits the differentiation of mouse ES cells towards neural progenitors. *Sci. China Life Sci.* 59, 443–454. <https://doi.org/10.1007/s11427-016-5008-7>
- Wang, D., Lin, Q., Su, S., Liu, K., Wu, Y., Hai, J., 2017. URB597 improves cognitive impairment induced by chronic cerebral hypoperfusion by inhibiting mTOR-dependent autophagy. *Neuroscience* 344, 293–304. <https://doi.org/10.1016/j.neuroscience.2016.12.034>

- Wang, F., Maeda, N., Yasuhara, T., Kameda, M., Tsuru, E., Yamashit, T., Shen, Y., Tsuda, M., Date, I., Sagara, Y., 2012. The therapeutic potential of human umbilical cord blood transplantation for neonatal hypoxic-ischemic brain injury and ischemic stroke. *Acta Med. Okayama* 66, 429–434.
- Wang, F., Yang, Y.-J., Yang, N., Chen, X.-J., Huang, N.-X., Zhang, J., Wu, Y., Liu, Z., Gao, X., Li, T., Pan, G.-Q., Liu, S.-B., Li, H.-L., Fancy, S.P.J., Xiao, L., Chan, J.R., Mei, F., 2018. Enhancing Oligodendrocyte Myelination Rescues Synaptic Loss and Improves Functional Recovery after Chronic Hypoxia. *Neuron* 99, 689–701.e5. <https://doi.org/10.1016/j.neuron.2018.07.017>
- Wang, F., Baba, N., Shen, Y., Yamashita, T., Tsuru, E., Tsuda, M., Maeda, N., Sagara, Y., F., W., N., B., Y., S.S., T., Y., E., T., M., T., N., M., Y., S.S., Wang, F., Baba, N., Shen, Y., Yamashita, T., Tsuru, E., Tsuda, M., Maeda, N., Sagara, Y., 2017. CCL11 promotes migration and proliferation of mouse neural progenitor cells. *Stem Cell Res. Ther.* 8, 26. <https://doi.org/10.1186/s13287-017-0474-9>
- Wang, G.X., Zhang, Y.P., Gao, Z.W., Shields, L.B.E., Li, F., Chu, T.C., Lv, H.Y., Moriarty, T., Xu, X.M., Yang, X.Y., Shields, C.B., Cai, J., 2018. Pathophysiological and behavioral deficits in developing mice following rotational acceleration-deceleration traumatic brain injury. *Dis. Model. Mech.* 11. <https://doi.org/10.1242/dmm.030387>
- Wang, H., Chung, Y., Yu, S.-K., Jun, Y., 2017. The immunoreactivity of PI3K/AKT pathway after prenatal hypoxic damage. *In Vivo (Brooklyn)*. 31, 855–860. <https://doi.org/10.21873/invivo.11139>
- Wang, H., Huang, S., Yan, K., Fang, X., Abussaud, A., Martinez, A., Sun, H.-S., Feng, Z.-P., 2016. Tideglusib, a chemical inhibitor of GSK3 β \$, attenuates hypoxic-ischemic brain injury in neonatal mice. *Biochim. Biophys. Acta - Gen. Subj.* 1860, 2076–2085. <https://doi.org/10.1016/j.bbagen.2016.06.027>
- Wang, H., Ren, B., Li, Z., Wu, H., Zhang, G., Yan, P., 2014. Expression of vascular endothelial growth factor and microvessel density in different brain regions in aged rats. *J. Cent. South Univ. (Medical Sci.)* 39, 681–686. <https://doi.org/10.11817/j.issn.1672-7347.2014.07.005>
- Wang, J.K.T., Portbury, S., Thomas, M.B., Barney, S., Ricca, D.J., Morris, D.L., Warner, D.S., Lo, D.C., 2006. Cardiac glycosides provide neuroprotection against ischemic stroke: Discovery by a brain slice-based compound screening platform. *Proc. Natl. Acad. Sci. U. S. A.* 103, 10461–10466. <https://doi.org/10.1073/pnas.0600930103>
- Wang, P., Shao, B.-Z., Deng, Z., Chen, S., Yue, Z., Miao, C.-Y., 2018. Autophagy in ischemic stroke. *Prog. Neurobiol.* 163–164, 98–117. <https://doi.org/10.1016/j.pneurobio.2018.01.001>
- Wang, Q., Lv, H., Lu, L., Ren, P., Li, L., 2019. Neonatal hypoxic-ischemic encephalopathy: emerging therapeutic strategies based on pathophysiological phases

of the injury. *J. Matern. Fetal. Neonatal Med.* 32, 3685–3692.
<https://doi.org/10.1080/14767058.2018.1468881>

Wang, S., Zhang, X.Q., Song, C.G., Xiao, T., Zhao, M., Zhu, G., Zhao, C.S., S., W., X.Q., Z., C.G., S., T., X., M., Z., G., Z., C.S., Z., Wang, S., Zhang, X.Q., Song, C.G., Xiao, T., Zhao, M., Zhu, G., Zhao, C.S., 2015. In vivo effects of bumetanide at brain concentrations incompatible with NKCC1 inhibition on newborn DGC structure and spontaneous EEG seizures following hypoxia-induced neonatal seizures. *Neuroscience* 286, 203–215.
<https://doi.org/10.1016/j.neuroscience.2014.11.031>

Wang, T., Duan, S., Wang, H., Sun, S., Han, B., Fu, F., 2016. Neurological function following cerebral ischemia/reperfusion is improved by the Ruyi Zhenbao pill in a rats. *Biomed. Reports* 4, 161–166. <https://doi.org/10.3892/br.2016.568>

Wang, X.Y., Zhu, C.L., Wang, X.H., Hagberg, H., Korhonen, L., Sandberg, M., Lindholm, D., Blomgren, K., 2004. X-linked inhibitor of apoptosis (XIAP) protein protects against caspase activation and tissue loss after neonatal hypoxia-ischemia. *Neurobiol. Dis.* 16, 179–189. <https://doi.org/10.1016/j.nbd.2004.01.014>

Wang, X., Wang, Y., 2012. Gait analysis of children with spastic hemiplegic cerebral palsy. *Neural Regen. Res.* 7, 1578–1584. <https://doi.org/10.3969/j.issn.1673-5374.2012.20.008>

Wang, Y., Li, X.-W., Liu, J., Fu, W., 2018. Antenatal taurine supplementation in fetal rats with growth restriction improves neural stem cell proliferation by inhibiting the activities of Rho family factors. *J. Matern. Neonatal Med.* 31, 1454–1461.
<https://doi.org/10.1080/14767058.2017.1319353>

Wang, Y., Veremeyko, T., Wong, A.H.-K., El Fatimy, R., Wei, Z., Cai, W., Krichevsky, A.M., 2017. Downregulation of miR-132/212 impairs S-nitrosylation balance and induces tau phosphorylation in Alzheimer's disease. *Neurobiol. Aging* 51, 156–166. <https://doi.org/10.1016/j.neurobiolaging.2016.12.015>

Wang, Z., Liu, D.X., Zhan, J.M., Xie, K., Wang, X.E., Xian, X.Y., Gu, J.H., Chen, W.Q., Hao, A.J., 2013. Melatonin improves short and long-term neurobehavioral deficits and attenuates hippocampal impairments after hypoxia in neonatal mice. *Pharmacol. Res.* 76, 84–97. <https://doi.org/10.1016/j.phrs.2013.07.008>

Wassink, G., Davidson, J.O., Lear, C.A., Juul, S.E., Northington, F., Bennet, L., Gunn, A.J., 2018. A working model for hypothermic neuroprotection. *J. Physiol.* 596, 5641–5654. <https://doi.org/10.1113/JP274928>

Waters, K.A., Machaalani, R., 2004. NMDA receptors in the developing brain and effects of noxious insults. *NeuroSignals* 13, 162–174.
<https://doi.org/10.1159/000077523>

Watzlawik, J.O., Kahoud, R.J., O'Toole, R.J., White, K.A.M., Ogden, A.R., Painter, M.M., Wootla, B., Papke, L.M., Denic, A., Weimer, J.M., Carey, W.A., Rodriguez, M., J.O., W., R.J., K., R.J., O., K.A.M., W., A.R., O., M.M., P., B., W., L.M., P.,

- A., D., J.M., W., W.A., C., M., R., 2015. Abbreviated Exposure to Hypoxia Is Sufficient to Induce CNS Dysmyelination, Modulate Spinal Motor Neuron Composition, and Impair Motor Development in Neonatal Mice. *PLoS One* 10. <https://doi.org/10.1371/journal.pone.0128007>
- Weber, F., Endesfelder, S., Buhrer, C., Berns, M., 2016. Effects of progesterone on hyperoxia-induced damage in mouse C8-D1A astrocytes. *Brain Behav.* 6. <https://doi.org/10.1002/brb3.435>
- Wei, D., Zhang, Y.W., Gong, X.H., 2014. The Enhanced Ability of Peripheral Mononuclear Cells Differentiating into Neural Cells in Term Infants with Good Improvement Suffering from Severe Hypoxic Ischemic Encephalopathy. *Iran. J. Pediatr.* 24, 435–440.
- Wei, P., Yang, F., Zheng, Q., Tang, W., Li, J., 2019. The potential role of the NLRP3 inflammasome activation as a link between mitochondria ROS generation and neuroinflammation in postoperative cognitive dysfunction. *Front. Cell. Neurosci.* 13. <https://doi.org/10.3389/fncel.2019.00073>
- Wen, T.C., Rogido, M., Peng, H., Genetta, T., Moore, J., Sola, A., 2006. Gender differences in long-term beneficial effects of erythropoietin given after neonatal stroke in postnatal day-7 rats. *Neuroscience* 139, 803–811. <https://doi.org/10.1016/j.neuroscience.2006.02.057>
- Wen, X.N., Huang, Y.G., Wang, J.C., 2006. Erythropoietin preconditioning on hippocampus neuronal apoptosis following status epilepticus induced by Li-pilocarpine in rats through anti-caspase-3 expression. *Neurol. India* 54, 58–63.
- Wen, Z., Zeng, W., Dai, J., Zhou, X., Yang, C., Duan, F., Liu, Y., Yang, H., Yuan, L., 2012. Paravertebral fascial massage promotes brain development of neonatal rats via the insulin-like growth factor 1 pathway. *Neural Regen. Res.* 7, 1185–1191.
- West, J.R., Parnell, S.E., Chen, W.J.A., Cudd, T.A., 2001. Alcohol-mediated purkinje cell loss in the absence of hypoxemia during the third trimester in an ovine model system. *Alcohol. Exp. Res.* 25, 1051–1057. <https://doi.org/10.1097/00000374-200107000-00016>
- Wickstrom, H.R., Mas, C., Simonneau, M., Holgert, H., Hokfelt, T., Lagercrantz, H., 2002. Perinatal nicotine attenuates the hypoxia-induced up-regulation of tyrosine hydroxylase and galanin mRNA in locus ceruleus of the newborn mouse. *Pediatr. Res.* 52, 763–769. <https://doi.org/10.1203/01.pdr.0000032154.09425.3c>
- Wickstrom, R., Hokfelt, T., Lagercrantz, H., 2002. Development of CO₂-response in the early newborn period in rat. *Respir. Physiol. Neurobiol.* 132, 145–158. [https://doi.org/10.1016/s1569-9048\(02\)00076-9](https://doi.org/10.1016/s1569-9048(02)00076-9)
- Widenfalk, J., Lipson, A., Jubran, M., Hofstetter, C., Ebendal, T., Cao, Y., Olson, L., 2003. Vascular endothelial growth factor improves functional outcome and decreases secondary degeneration in experimental spinal cord contusion injury. *Neuroscience* 120, 951–960. [https://doi.org/10.1016/s0306-4522\(03\)00399-3](https://doi.org/10.1016/s0306-4522(03)00399-3)

- Wilke, M., Staudt, M., 2009. Does damage to somatosensory circuits underlie motor impairment in cerebral palsy? *Dev. Med. Child Neurol.* 51, 686–687.
<https://doi.org/10.1111/j.1469-8749.2009.03332.x>
- Wilken, B., Ramirez, J.M., Hanefeld, F., Richter, D.W., 2000. Aminophylline modulation of the mouse respiratory network changes during postnatal maturation. *J. Appl. Physiol.* 89, 2015–2022.
- Wilken, B., Ramirez, J.M., Probst, I., Richter, D.W., Hanefeld, F., 1998. Creatine protects the central respiratory network of mammals under anoxic conditions. *Pediatr. Res.* 43, 8–14. <https://doi.org/10.1203/00006450-199801000-00002>
- Williams, M., Zhang, Z., Nance, E., Drewes, J.L., Lesniak, W.G., Singh, S., Chugani, D.C., Rangaramanujam, K., Graham, D.R., Kannan, S., 2017. Maternal Inflammation Results in Altered Tryptophan Metabolism in Rabbit Placenta and Fetal Brain. *Dev. Neurosci.* 39, 399–412. <https://doi.org/10.1159/000471509>
- Williams, P.A., Dou, P., Dudek, F.E., 2004. Epilepsy and synaptic reorganization in a perinatal rat model of hypoxia-ischemia. *Epilepsia* 45, 1210–1218.
<https://doi.org/10.1111/j.0013-9580.2004.60403.x>
- Williamson, E.C., Pearson, H.E., McAllister II, J.P., 1992. Gliosis and ganglion cell death in the developing cat retina during hydrocephalus and after decompression. *Dev. Brain Res.* 70, 47–52. [https://doi.org/10.1016/0165-3806\(92\)90102-3](https://doi.org/10.1016/0165-3806(92)90102-3)
- Wishart, T.M., Huang, J.P., Murray, L.M., Lamont, D.J., Mutsaers, C.A., Ross, J., Geldsetzer, P., Ansorge, O., Talbot, K., Parson, S.H., Gillingwater, T.H., 2010. SMN deficiency disrupts brain development in a mouse model of severe spinal muscular atrophy. *Hum. Mol. Genet.* 19, 4216–4228.
<https://doi.org/10.1093/hmg/ddq340>
- Wittenberg, G.F., 2009. Neural plasticity and treatment across the lifespan for motor deficits in cerebral palsy. *Dev. Med. Child Neurol.* 51, 130–133.
<https://doi.org/10.1111/j.1469-8749.2009.03425.x>
- Wittenberg, G.F., 2010. Experience, cortical remapping, and recovery in brain disease. *Neurobiol. Dis.* 37, 252–258. <https://doi.org/10.1016/j.nbd.2009.09.007>
- Wixey, J.A., Reinebrant, H.E., Buller, K.M., 2012. Evidence that the serotonin transporter does not shift into the cytosol of remaining neurons after neonatal brain injury. *Neurosci. Res.* 73, 252–256. <https://doi.org/10.1016/j.neures.2012.04.002>
- Wixey, J.A., Reinebrant, H.E., Spencer, S.J., Buller, K.M., 2011. EFFICACY OF POST-INSULT MINOCYCLINE ADMINISTRATION TO ALTER LONG-TERM HYPOXIA-ISCHEMIA-INDUCED DAMAGE TO THE SEROTONERGIC SYSTEM IN THE IMMATURE RAT BRAIN. *Neuroscience* 182, 184–192. <https://doi.org/10.1016/j.neuroscience.2011.03.033>

Wixey, J.A., Chand, K.K., Pham, L., Colditz, P.B., Bjorkman, S.T., 2018. Therapeutic potential to reduce brain injury in growth restricted newborns. *J. Physiol.* <https://doi.org/10.1113/JP275428>

Wojciak-Stothard, B., 2008. New drug targets for pulmonary hypertension: Rho GTPases in pulmonary vascular remodelling. *Postgrad. Med. J.* 84, 348–353. <https://doi.org/10.1136/pgmj.2007.066555>

Wolpaw, J.R., 2010. What can the spinal cord teach us about learning and memory? *Neuroscientist* 16, 532–549. <https://doi.org/10.1177/1073858410368314>

Wolpaw, J.R., 2007. Spinal cord plasticity in acquisition and maintenance of motor skills. *Acta Physiol. (Oxf)*. 189, 155–169. <https://doi.org/10.1111/j.1748-1716.2006.01656.x>

Wolpaw, J.R., 2006. The education and re-education of the spinal cord. *Prog. Brain Res.* 157, 261–280. [https://doi.org/10.1016/s0079-6123\(06\)57017-7](https://doi.org/10.1016/s0079-6123(06)57017-7)

Wood, T., Smit, E., Maes, E., Osredkar, D., Falck, M., Elstad, M., Thoresen, M., 2016. Monitoring of cerebral blood flow during hypoxia-ischemia and resuscitation in the neonatal rat using laser speckle imaging. *Physiol. Rep.* 4. <https://doi.org/10.14814/phy2.12749>

Wu, H., Lee, S.H., Gao, J., Liu, X., Iruela-Arispe, M.L., 1999. Inactivation of erythropoietin leads to defects in cardiac morphogenesis. *Development* 126, 3597–3605.

Wu, K.-W., Lv, L.-L., Lei, Y., Qian, C., Sun, F.-Y., 2019. Endothelial cells promote excitatory synaptogenesis and improve ischemia-induced motor deficits in neonatal mice. *Neurobiol. Dis.* 121, 230–239. <https://doi.org/10.1016/j.nbd.2018.10.006>

Wu, Q., Chen, W., Sinha, B., Tu, Y., Manning, S., Thomas, N., Zhou, S., Jiang, H., Ma, H., Kroessler, D.A., Yao, J., Li, Z., Inder, T.E., Wang, X., 2015. Neuroprotective agents for neonatal hypoxic-ischemic brain injury. *Drug Discov. Today* 20, 1372–1381. <https://doi.org/10.1016/j.drudis.2015.09.001>

Wu, Y.W., Bauer, L.A., Ballard, R.A., Ferriero, D.M., Glidden, D. V., Mayock, D.E., Chang, T., Durand, D.J., Song, D.L., Bonifacio, S.L., Gonzalez, F.F., Glass, H.C., Juul, S.E., 2012. Erythropoietin for Neuroprotection in Neonatal Encephalopathy: Safety and Pharmacokinetics. *Pediatrics* 130, 683–691. <https://doi.org/10.1542/peds.2012-0498>

Wu, Y.W., Gonzalez, F.F., Y.W., W., F.F., G., 2015. Erythropoietin: a novel therapy for hypoxic-ischaemic encephalopathy? *Dev. Med. Child Neurol.* 57, 34–39. <https://doi.org/10.1111/dmcn.12730>

Wu, Z., Li, X., Zhang, Y., Tong, D., Wang, L., Zhao, P., 2018. Effects of sevoflurane exposure during mid-pregnancy on learning and memory in offspring rats: Beneficial effects of maternal exercise. *Front. Cell. Neurosci.* 12. <https://doi.org/10.3389/fncel.2018.00122>

- Wulf, P., Suter, U., 1999. Embryonic expression of epithelial membrane protein 1 in early neurons. *Dev. Brain Res.* 116, 169–180. [https://doi.org/10.1016/S0165-3806\(99\)00092-9](https://doi.org/10.1016/S0165-3806(99)00092-9)
- X., C., H.X., L., L.H., Z., L.X., W., J.B., S., Y., H., E.L., L., Y.F., C., 2014. Neuroprotective effect of the traditional Chinese herbal formula Tongxinluo: A PET imaging study in rats. *Neural Regen. Res.* 9, 1267–1274. <https://doi.org/10.4103/1673-5374.137573>
- X., G., H., X., S., Z., B., Y., Y., X., Q., O., Y., J., X., Y., C., W., P., W., Y., T., Q., W., 2018. The combination of Human Urinary Kallidinogenase and mild hypothermia protects adult rats against hypoxic-ischemic encephalopathy-induced injury by promoting angiogenesis and regeneration. *Front. Aging Neurosci.* 10. <https://doi.org/10.3389/fnagi.2018.00196>
- X., G., Y., T., Y., Q., D., X., J., Y., D., M., Gou, X., Tang, Y., Qu, Y., Xiao, D., Ying, J., Mu, D., 2019. Could the inhibitor of DNA binding 2 and 4 play a role in white matter injury? *Rev. Neurosci.* 30, 625–638. <https://doi.org/10.1515/revneuro-2018-0090>
- X., H., Y., C., Z., Z., Q., X., X., L., 2019. Effect of rynchophylline on astrocytes in the hippocampus. *J. Biomater. Tissue Eng.* 9, 437–442. <https://doi.org/10.1166/jbt.2019.2000>
- X., J., J., Y., H., L., Y., Q., W., X., H., Y., Y., T., 2018. Huwe1 is a novel mediator of protection of neural progenitor L2.3 cells against oxygen-glucose deprivation injury. *Mol. Med. Rep.* 18, 4595–4602. <https://doi.org/10.3892/mmr.2018.9430>
- X., L., Z., L., Z., S., 2006. Effects of enriched environmental stimulation on brain development in cerebral palsy rats. *Chinese J. Rehabil. Med.* 21, 1061–1064.
- X., Q., D., Q., F., D., B., W., R., G., M., L., R., Y., Qu, X., Qi, D., Dong, F., Wang, B., Guo, R., Luo, M., Yao, R., 2014. Quercetin improves hypoxia-ischemia induced cognitive deficits via promoting remyelination in neonatal rat. *Brain Res.* 1553, 31–40. <https://doi.org/10.1016/j.brainres.2014.01.035>
- X., Q., R., G., Z., Z., L., M., X., W., M., L., F., D., R., Y., 2015. bFGF Protects Pre-oligodendrocytes from Oxygen/Glucose Deprivation Injury to Ameliorate Demyelination. *Cell. Mol. Neurobiol.* 35, 913–920. <https://doi.org/10.1007/s10571-015-0186-6>
- X., W., Y., W., L., W., S., S., C., Y., W., J., Z., L., L., L., R., Y., 2020. Oligogenesis in the “oligovascular unit” involves PI3K/AKT/mTOR signaling in hypoxic-ischemic neonatal mice. *Brain Res. Bull.* 155, 81–91. <https://doi.org/10.1016/j.brainresbull.2019.11.013>
- X., W., Y., W., F., Z., X., Z., L., L., X., S., J., S., 2014. In vivo monitoring of neural stem cells after transplantation in acute cerebral infarction with dual-modal MR imaging and optical imaging. *Biomaterials* 35, 4627–4635. <https://doi.org/10.1016/j.biomaterials.2014.02.042>

- X., Y., F., M., W., W., A., L., Y., W., Y., C., Z., F., 2013. Role of mouse nerve growth factor in neural recovery following hypoxic-ischemic brain damage. *Int. J. Clin. Exp. Med.* 6, 951–955.
- X., Y., L., D., W., W., Y., W., Y., C., Z., F., 2013. Effect of mouse nerve growth factor on the expression of glial fibrillary acidic protein in hippocampus of neonatal rats with hypoxic-ischemic brain damage. *Exp. Ther. Med.* 5, 419–422.
<https://doi.org/10.3892/etm.2012.827>
- X., Y., L., D., Y., W., W., Y., C., Z., F., Yin, X.J., Dong, L., Wang, Y., Wei, W., Chai, Y.N., Feng, Z.C., 2014. Changes of characteristics of neural stem cells in a neonatal rat model with hypoxic-ischemic encephalopathy. *Biomed. Res.* 25, 455–458.
- X., Z., E., R.-F., T., L., R., V., D., J., S., H., K., Z., A., N., A.-M., A., K., S., J., E., C., T., H., H., C., M., J.W., L., C., Z., X., W., 2017. $\gamma\delta$ T cells but not $\alpha\beta$ T cells contribute to sepsis-induced white matter injury and motor abnormalities in mice. *J. Neuroinflammation* 14. <https://doi.org/10.1186/s12974-017-1029-9>
- X., Z., J., Y., C., B., A., Z., T., G., J.P., K., R., G., S., W., 2019. RBM3 promotes neurogenesis in a niche-dependent manner via IMP2-IGF2 signaling pathway after hypoxic-ischemic brain injury. *Nat. Commun.* 10. <https://doi.org/10.1038/s41467-019-11870-x>
- X.C., L., W.S., H., X.Y., W., W., J., H.Y., C., N., X., P., Z., 2014. 660 nm red light-enhanced bone marrow mesenchymal stem cell transplantation for hypoxic-ischemic brain damage treatment. *Neural Regen. Res.* 9, 236–242.
<https://doi.org/10.4103/1673-5374.128214>
- X.-H., Y., Z., Y., W., L., X., X., Z.-Q., Z., L.-N., Z., 2012. Effects of intravenous transplantation of human umbilical blood mesenchymal stem cells on the improvement of brain function after hypoxic-ischemic brain damage in neonatal rats. *Chinese J. Tissue Eng. Res.* 16, 8445–8452.
<https://doi.org/10.3969/j.issn.2095-4344.2012.45.016>
- X.J., L., Y., Y., Z.M., J., L.M., G., J., G., 2006. Neuronal quantity and ultrastructure in extracorticospinal tract of newborn rabbits with cerebral palsy. *Neural Regen. Res.* 1, 685–688.
- X.J., Y., R., J., Z.C., F., 2005. Changes of neural stem cells in neonatal rat model of hypoxic-ischemic encephalopathy. *Zhonghua Er Ke Za Zhi.* 43, 572–575.
- X.-L., W., Y.-S., Z., M.-Y., H., Y.-Q., S., Y.-X., C., X.-H., B., 2013. Umbilical cord blood cells regulate endogenous neural stem cell proliferation via hedgehog signaling in hypoxic ischemic neonatal rats. *Brain Res.* 1518, 26–35.
<https://doi.org/10.1016/j.brainres.2013.04.038>
- X.-M., M., M., L., Y.-Y., L., L.-L., M., Y., J., X.-H., C., 2016. Ischemic preconditioning protects against ischemic brain injury. *Neural Regen. Res.* 11, 765–770.
<https://doi.org/10.4103/1673-5374.182703>

- X.-R., Z., S.-S., Z., F., Y., J.-L., T., Y.-J., Y., X., W., L., Z., Zheng, X.-R., Zhang, S.-S., Yin, F., Tang, J.-L., Yang, Y.-J., Wang, X., Zhong, L., 2012. Neuroprotection of VEGF-expression neural stem cells in neonatal cerebral palsy rats. *Behav. Brain Res.* 230, 108–115. <https://doi.org/10.1016/j.bbr.2012.01.026>
- X.-S., J., Y.-J., H., 2015. Combined therapy of acupuncture and neural stem cell transplantation in immature rats with cerebral palsy. *Chinese J. Tissue Eng. Res.* 19, 7309–7313. <https://doi.org/10.3969/j.issn.2095-4344.2015.45.017>
- Xia, W.J., Yang, M., Fok, T.F., Li, K., Chan, W.Y., Ng, P.C., Ng, H.K., Chik, K.W., Wang, C.C., Gu, G.J.S., Woo, K.S., Fung, K.P., 2005. Partial neuroprotective effect of pretreatment with tanshinone IIA on neonatal hypoxia-ischemia brain damage. *Pediatr. Res.* 58, 784–790. <https://doi.org/10.1203/01.pdr.0000180550.99162.bc>
- Xiang, X., Zhao, D., Gao, C., Wang, K., Zhou, Q., Kang, J., Duan, T., 2017. Maternal administration of magnesium sulfate promotes cell proliferation in hippocampus dentate gyrus in offspring mice after exposing to prenatal stress. *Int. J. Dev. Neurosci.* 56, 52–57. <https://doi.org/10.1016/j.ijdevneu.2016.12.002>
- Xiao, F., Lv, J., Liang, Y.B., Chen, Y.H., Tu, Y.B., Guan, R.C., Li, L., Xie, Y.B., 2020. The expression of glucose transporters and mitochondrial division and fusion proteins in rats exposed to hypoxic preconditioning to attenuate propofol neurotoxicity. *Int. J. Neurosci.* 130, 161–169. <https://doi.org/10.1080/00207454.2019.1667784>
- Xiao, J., Chen, L., Mao, G.S., Gao, W.Y., Lu, M., He, X.J., Huang, H.Y., Neurorestoratology, P., 2017. Neurorestorative clinical application standards for the culture and quality control of olfactory ensheathing cells. *J. Neurorestoratology* 5, 175–179. <https://doi.org/10.2147/jn.s148107>
- Xie, D., Shen, F.C., He, S.R., Chen, M.M., Han, Q.P., Fang, M., Zeng, H.K., Chen, C.B., Deng, Y.Y., 2016. IL-1 beta Induces Hypomyelination in the Periventricular White Matter Through Inhibition of Oligodendrocyte Progenitor Cell Maturation via FYN/MEK/ERK Signaling Pathway in Septic Neonatal Rats. *Glia* 64, 583–602. <https://doi.org/10.1002/glia.22950>
- Xiong, L.-L., Xue, L.-L., Jiang, Y., Ma, Z., Jin, Y., Wang, Y.-C., Wang, Y.-Y., Xia, Q.-J., Zhang, Y., Hu, Q., Liu, J., Wang, T.-H., 2019. Suppression of PDGF induces neuronal apoptosis after neonatal cerebral hypoxia and ischemia by inhibiting P-PI3K and P-AKT signaling pathways. *Brain Res.* 1719, 77–88. <https://doi.org/10.1016/j.brainres.2019.05.012>
- Xiong, M., Chen, L.-X., Ma, S.-M., Yang, Y., Zhou, W.-H., 2013. Short-term effects of hypothermia on axonal injury, preoligodendrocyte accumulation and oligodendrocyte myelination after hypoxia-ischemia in the hippocampus of immature rat brain. *Dev. Neurosci.* 35, 17–27. <https://doi.org/10.1159/000346324>
- Xiong, M., Cheng, G.Q., Ma, S.M., Yang, Y., Shao, X.M., Zhou, W.H., 2011. Post-ischemic hypothermia promotes generation of neural cells and reduces apoptosis

by Bcl-2 in the striatum of neonatal rat brain. *Neurochem. Int.* 58, 625–633.
<https://doi.org/10.1016/j.neuint.2011.01.026>

Xiong, M., Li, J., Ma, S.-M., Yang, Y., Zhou, W.-H., 2013. Effects of hypothermia on oligodendrocyte precursor cell proliferation, differentiation and maturation following hypoxia ischemia in vivo and in vitro. *Exp. Neurol.* 247, 720–729.
<https://doi.org/10.1016/j.expneurol.2013.03.015>

Xiong, M., Ma, S.-M., Shao, X.-M., Yang, Y., Zhou, W.-H., 2012. Hypoxic ischaemic hypothermia promotes neuronal differentiation and inhibits glial differentiation from newly generated cells in the SGZ of the neonatal rat brain. *Neurosci. Lett.* 523, 87–92. <https://doi.org/10.1016/j.neulet.2012.06.054>

Xiong, M., Yang, Y., Chen, G.Q., Zhou, W.H., 2009. Post-ischemic hypothermia for 24 h in P7 rats rescues hippocampal neuron: Association with decreased astrocyte activation and inflammatory cytokine expression. *Brain Res. Bull.* 79, 351–357.
<https://doi.org/10.1016/j.brainresbull.2009.03.011>

Xu, M., Sulkowski, Z.L., Parekh, P., Khan, A., Chen, T., Midha, S., Iwasaki, T., Shimokawa, N., Koibuchi, N., Zavacki, A.M., Sajdel-Sulkowska, E.M., 2013. Effects of perinatal lipopolysaccharide (LPS) exposure on the developing rat brain; Modeling the effect of maternal infection on the developing human CNS. *Cerebellum* 12, 572–586. <https://doi.org/10.1007/s12311-013-0465-z>

Xu, Y., Tian, N.-X., Bai, Q.-Y., Chen, Q., Sun, X.-H., Wang, Y., 2019. Gait Assessment of Pain and Analgesics: Comparison of the DigiGaitTM and CatWalkTM Gait Imaging Systems. *Neurosci. Bull.* 35, 401–418.
<https://doi.org/10.1007/s12264-018-00331-y>

Y., C., H., L., J., Z., Y., D., 2020. Circular RNA cZNF292 silence alleviates OGD/R-induced injury through up-regulation of miR-22 in rat neural stem cells (NSCs). *Artif. Cells, Nanomedicine Biotechnol.* 48, 594–601.
<https://doi.org/10.1080/21691401.2020.1725536>

Y., C., R., K., 2019. Ganoderic acid A alleviates hypoxia-induced apoptosis, autophagy, and inflammation in rat neural stem cells through the PI3K/AKT/mTOR pathways. *Phyther. Res.* 33, 1448–1456. <https://doi.org/10.1002/ptr.6336>

Y., C., S.-O., O., B., B., P., B., P., E., J., G., F., L., M., H.-M., K., A., 1995. Nicotine treatment counteracts perinatal asphyxia-induced changes in the mesostriatal/limbic dopamine systems and in motor behaviour in the four-week-old male rat. *Neuroscience* 68, 531–538. [https://doi.org/10.1016/0306-4522\(95\)00118-3](https://doi.org/10.1016/0306-4522(95)00118-3)

Y., C., M., D., A., D., J.A., D., J.M., G., A., S., Y., S., M.F., J., E.M., J.J., D.M., H., 1998. Caspase inhibitor affords neuroprotection with delayed administration in a rat model of neonatal hypoxic-ischemic brain injury. *J. Clin. Invest.* 101, 1992–1999. <https://doi.org/10.1172/JCI2169>

- Y., G., Z., L., R., L., B., S., S., H., J., Z., 2011. Hypothermic intervention for 3 hours inhibits apoptosis in neonatal rats with hypoxic-ischemic brain damage. *Neural Regen. Res.* 6, 1709–1714.
- Y., K.K., Y., M., N., N., S., M., N., T., H., M., K., W., Y., K.K., 2016. The therapeutic effect of CD133+ cells derived from human umbilical cord blood on neonatal mouse hypoxic-ischemic encephalopathy model. *Life Sci.* 157, 108–115.
<https://doi.org/10.1016/j.lfs.2016.06.004>
- Y., L., 2000. Neuronal type 1 apoptosis after unilateral focal ischemia with reperfusion in the P7 neonatal rat. *J. Stroke Cerebrovasc. Dis.* 9, i.
[https://doi.org/10.1016/S1052-3057\(00\)81016-2](https://doi.org/10.1016/S1052-3057(00)81016-2)
- Y., L., D., X., C., D., F., X., W., T., S., Y., L., Z., 2012. Perinatal nicotine exposure increases vulnerability of hypoxic-ischemic brain injury in neonatal rats: Role of angiotensin II receptors. *Stroke* 43, 2483–2490.
<https://doi.org/10.1161/STROKEAHA.112.664698>
- Y., L., L., T., D., C., R., J., Y., W., S., W., 2012. Study on functional recovery of hypoxic-ischemic brain injury by Rg 1-induced NSCs. *Zhongguo Zhongyao Zazhi* 37, 509–514. <https://doi.org/10.4268/cjcm20120420>
- Y., L., Q., M., S., H., K., C., R.E., H., A., O., D., X., L., Z., 2016. Fetal stress-mediated hypomethylation increases the brain susceptibility to hypoxic-ischemic injury in neonatal rats. *Exp. Neurol.* 275, 1–10.
<https://doi.org/10.1016/j.expneurol.2015.10.007>
- Y., L., X.-C., W., D., H., S.-R., H., Q.-S., L., Z., L., Y., Q., 2016. Heat shock protein 70 protects PC12 cells against ischemia-hypoxia/reoxygenation by maintaining intracellular Ca²⁺ homeostasis. *Neural Regen. Res.* 11, 1134–1140.
<https://doi.org/10.4103/1673-5374.187051>
- Y., M., P., C., L., L., D., H., Mao, Y., Chen, P., Li, L., Huang, D., 2014. Virtual reality training improves balance function. *Neural Regen. Res.* 9, 1628–1634.
<https://doi.org/10.4103/1673-5374.141795>
- Y., O., M., T., E., T., M., M., J., H., Ogawa, Y., Tsuji, M., Tanaka, E., Miyazato, M., Hino, J., 2018. Bone morphogenetic protein (BMP)-3b gene depletion causes high mortality in a mouse model of neonatal hypoxic-ischemic encephalopathy. *Front. Neurol.* 9, 397. <https://doi.org/10.3389/fneur.2018.00397>
- Y., S., T., L., C., X., Y., X., K., Z., J., R., W., H., X., W., G., K., N., M., K., B., C., Z., 2017. Haploinsufficiency in the mitochondrial protein CHCHD4 reduces brain injury in a mouse model of neonatal hypoxia-ischemia. *Cell Death Dis.* 8.
<https://doi.org/10.1038/cddis.2017.196>
- Y., S., X., F., Y., D., M., L., J., Y., L., W., Z., G., 2019. Phased treatment strategies for cerebral ischemia based on glutamate receptors. *Front. Cell. Neurosci.* 13.
<https://doi.org/10.3389/fncel.2019.00168>

- Y., S., Y., Z., X., W., K., B., C., Z., 2012. Apoptosis-inducing factor downregulation increased neuronal progenitor, but not stem cell, survival in the neonatal hippocampus after cerebral hypoxia-ischemia. *Mol. Neurodegener.* 7. <https://doi.org/10.1186/1750-1326-7-17>
- Y., W., B., L., Z., L., S., H., J., W., R., S., 2013. Improvement of hypoxia-ischemia-induced white matter injury in immature rat brain by ethyl pyruvate. *Neurochem. Res.* 38, 742–752. <https://doi.org/10.1007/s11064-013-0972-9>
- Y., W., J., G., X., F., H., W., Y., T., J., W., 2013. Effects of Nogo-A receptor antagonist on the regulation of the Wnt signaling pathway and neural cell proliferation in newborn rats with hypoxic ischemic. *Mol. Med. Rep.* 8, 883–886. <https://doi.org/10.3892/mmr.2013.1579>
- Y., Y.Y.Y.Y., Y., Y.Y.Y.Y., Z., L., P., L., N., X., X., S., L., C., Yu, Y., Yan, Y., Luo, Z., Luo, P., Xiao, N., Sun, X., Cheng, L., 2019. Effects of human umbilical cord blood CD34 + cell transplantation in neonatal hypoxic-ischemia rat model. *Brain Dev.* 41, 173–181. <https://doi.org/10.1016/j.braindev.2018.08.007>
- Y., Y., X.-R., Z., S.-S., Z., X., W., X.-H., Y., J.-L., T., Y.-J., Y., Yao, Y., Zheng, X.-R., Zhang, S.-S., Wang, X., Yu, X.-H., Tan, J.-L., Yang, Y.-J., 2016. Transplantation of vascular endothelial growth factor-modified neural stem/progenitor cells promotes the recovery of neurological function following hypoxic-ischemic brain damage. *Neural Regen. Res.* 11, 1456–1463. <https://doi.org/10.4103/1673-5374.191220>
- Y., Z., H.-J., Y., J.-H., G., Q.-H., L., X.-H., L., Zhang, Y., Yan, H.-J., Guo, J.-H., Luo, Q.-H., Li, X.-H., Y., Z., H.-J., Y., J.-H., G., Q.-H., L., X.-H., L., 2016. Neural stem cell transplantation for alzheimer's disease. *Chinese J. Tissue Eng. Res.* 20, 2838–2843. <https://doi.org/10.3969/j.issn.2095-4344.2016.19.015>
- Y.A., T., M.A., O., H., U., M., N., H., A., T., P., Y., O., M., O., M., K., 2014. Erythropoietin improves brain development in short-term hypoxia in rat embryo cultures. *Brain Dev.* 36, 864–869. <https://doi.org/10.1016/j.braindev.2014.01.005>
- Y.-B., L., Y., W., J.-P., T., D., C., S.-L., W., Li, Y.-B., Wang, Y., Tang, J.-P., Chen, D., Wang, S.-L., 2015. Neuroprotective effects of ginsenoside Rg1-induced neural stem cell transplantation on hypoxic-ischemic encephalopathy. *Neural Regen. Res.* 10, 753–759. <https://doi.org/10.4103/1673-5374.156971>
- Y.D., Y., L., L., X.Z., S., F.T., T., Q.L., S., Yu, Y.D., Li, L., Shao, X.Z., Tian, F.T., Sun, Q.L., Y.D., Y., L., L., X.Z., S., F.T., T., Q.L., S., 2013. Establishing a rat model of spastic cerebral palsy by targeted ethanol injection. *Neural Regen. Res.* 8, 3255–3262. <https://doi.org/10.3969/j.issn.1673-5374.2013.34.010>
- Y.-J., L., Y., L., H.-J., S., C.-H., C., X.-S., J., 2016. Effect of acupuncture of “Xingnao Kaiqiao” on the behavior of an immature rat model of cerebral palsy and the underlying mechanism. *Chinese J. Tissue Eng. Res.* 20, 7314–7319. <https://doi.org/10.3969/j.issn.2095-4344.2016.49.003>

Y.-M., T., M.-J., L., 2015. Neuroprotective properties of kavalactones. *Neural Regen. Res.* 10, 875–877. <https://doi.org/10.4103/1673-5374.158335>

Yamada, K., Itoh, M., Fueki, N., Hirasawa, K., Suzuki, N., Kurata, K., Sato, J., Morimatsu, Y., Yagishita, A., 1993. [The cranial MRI in severe cerebral palsy: a comparative study with clinical data]. *No to hattatsu = Brain Dev.* 25, 435–441.

Yan, J., Huang, Y., Lu, Y., Chen, J., Jiang, H., 2014. Repeated Administration of Ketamine can Induce Hippocampal Neurodegeneration and Long-Term Cognitive Impairment via the ROS/HIF-1 alpha Pathway in Developing Rats. *Cell. Physiol. Biochem.* 33, 1715–1732. <https://doi.org/10.1159/000362953>

Yang, L., Hei, M.Y., Dai, J.J., Hu, N., Xiang, X.Y., 2016. Effect of hyperbaric oxygenation on mitochondrial function of neuronal cells in the cortex of neonatal rats after hypoxic-ischemic brain damage. *Brazilian J. Med. Biol. Res.* 49. <https://doi.org/10.1590/1414-431x20165187>

Yang, M.-H., Chen, S.-C., Lin, Y.-F., Lee, Y.-C., Huang, M.-Y., Chen, K.-C., Wu, H.-Y., Lin, P.-C., Gozes, I., Tyan, Y.-C., 2019. Reduction of aluminum ion neurotoxicity through a small peptide application – NAP treatment of Alzheimer's disease. *J. Food Drug Anal.* 27, 551–564. <https://doi.org/10.1016/j.jfda.2018.11.009>

Yang, X.X., Cheng, J.H., Gao, Y.B., Ding, J., Ni, X.L., X., Y., J., C., Y., G., J., D., X., N., 2017. DOWNREGULATION OF IDUNA IS ASSOCIATED WITH AIF NUCLEAR TRANSLOCATION IN NEONATAL BRAIN AFTER HYPOXIA-ISCHEMIA. *Neuroscience* 346, 74–80. <https://doi.org/10.1016/j.neuroscience.2017.01.010>

Yang, X.-L., Wang, X., Shao, L., Jiang, G.-T., Min, J.-W., Mei, X.-Y., He, X.-H., Liu, W.-H., Huang, W.-X., Peng, B.-W., 2019. TRPV1 mediates astrocyte activation and interleukin-1 β release induced by hypoxic ischemia (HI). *J. Neuroinflammation* 16. <https://doi.org/10.1186/s12974-019-1487-3>

Yang, X.-L., Zeng, M.-L., Shao, L., Jiang, G.-T., Cheng, J.-J., Chen, T.-X., Han, S., Yin, J., Liu, W.-H., He, X.-H., Peng, B.-W., 2019. NFAT5 and HIF-1 α Coordinate to Regulate NKCC1 Expression in Hippocampal Neurons After Hypoxia-Ischemia. *Front. Cell Dev. Biol.* 7. <https://doi.org/10.3389/fcell.2019.00339>

Yang, Z.J., Carter, E.L., Torbey, M.T., Martin, L.J., Koehler, R.C., 2010. Sigma receptor ligand 4-phenyl-1-(4-phenylbutyl)-piperidine modulates neuronal nitric oxide synthase/postsynaptic density-95 coupling mechanisms and protects against neonatal ischemic degeneration of striatal neurons. *Exp. Neurol.* 221, 166–174. <https://doi.org/10.1016/j.expneurol.2009.10.019>

Yang, Z.J., Wang, B., Kwansa, H., Heitmiller, K.D., Hong, G., Carter, E.L., Jamrogowicz, J.L., Larson, A.C., Martin, L.J., Koehler, R.C., 2013. Adenosine A(2A) receptor contributes to ischemic brain damage in newborn piglet. *J. Cereb. Blood Flow Metab.* 33, 1612–1620. <https://doi.org/10.1038/jcbfm.2013.117>

- Yang, Z.-J., Guo, J.-L., Lu, S.-G., Gao, C.-L., Li, H.-M., Feng, Y., 2016. Human umbilical blood cord mesenchymal stem cell transplantation combined with injection of ganglioside for cerebral palsy. *Chinese J. Tissue Eng. Res.* 20, 2803–2809. <https://doi.org/10.3969/j.issn.2095-4344.2016.19.010>
- Yasuhara, T., Hara, K., Maki, M., Xu, L., Yu, G., Ali, M.M., Masuda, T., Yu, S.J., Bae, E.K., Hayashi, T., Matsukawa, N., Kaneko, Y., Kuzmin-Nichols, N., Ellovitch, S., Cruz, E.L., Klasko, S.K., Sanberg, C.D., Sanberg, P.R., Borlongan, C. V, 2010. Mannitol facilitates neurotrophic factor up-regulation and behavioural recovery in neonatal hypoxic-ischaemic rats with human umbilical cord blood grafts. *J. Cell. Mol. Med.* 14, 914–921. <https://doi.org/10.1111/j.1582-4934.2008.00671.x>
- Yata, K., Matchett, G.A., Tsubokawa, T., Tang, J., Kanamaru, K., Zhang, J.H., 2007. Granulocyte-colony stimulating factor inhibits apoptotic neuron loss after neonatal hypoxia-ischemia in rats. *Brain Res.* 1145, 227–238. <https://doi.org/10.1016/j.brainres.2007.01.144>
- Yates, N.J., Robertson, D., Rodger, J., Martin-Iverson, M.T., 2016. Effects of neonatal dexamethasone exposure on adult neuropsychiatric traits in rats. *PLoS One* 11. <https://doi.org/10.1371/journal.pone.0167220>
- Yawno, T., Sutherland, A.E., Pham, Y., Castillo-Melendez, M., Jenkin, G., Miller, S.L., 2019. Fetal Growth Restriction Alters Cerebellar Development in Fetal and Neonatal Sheep. *Front. Physiol.* 10. <https://doi.org/10.3389/fphys.2019.00560>
- Ye, H., Mandal, R., Catherman, A., Thomas, P.M., Kelleher, N.L., Ikonomidou, C., Li, L., 2014. Top-down proteomics with mass spectrometry imaging: A pilot study towards discovery of biomarkers for neurodevelopmental disorders. *PLoS One* 9. <https://doi.org/10.1371/journal.pone.0092831>
- Ye, X., Shen, Y.-D., Feng, J.-T., Wang, F., Gao, Z.-R., Lei, G.-W., Yu, A.-P., Wang, C.-P., Liang, C.-M., Xu, W.-D., 2019. A novel mouse model of contralateral C7 transfer via the pretracheal route: A feasibility study. *J. Neurosci. Methods* 328. <https://doi.org/10.1016/j.jneumeth.2019.108445>
- Yeatman, J.D., Feldman, H.M., 2013. Neural plasticity after pre-linguistic injury to the arcuate and superior longitudinal fasciculi. *Cortex*. 49, 301–311. <https://doi.org/10.1016/j.cortex.2011.08.006>
- Yin, P., Zhang, X.-T., Li, J., Yu, L., Wang, J.-W., Lei, G.-F., Sun, R.-P., Li, B.-M., 2015. Maternal immune activation increases seizure susceptibility in juvenile rat offspring. *Epilepsy Behav.* 47, 93–97. <https://doi.org/10.1016/j.yebeh.2015.04.018>
- Yiş, U., Kurul, S.H., Kumral, A., Tuğyan, K., Cilaker, S., Yilmaz, O., Genç, S., Genç, K., 2008. Effect of erythropoietin on oxygen-induced brain injury in the newborn rat. *Neurosci. Lett.* 448, 245–249. <https://doi.org/10.1016/j.neulet.2008.10.060>
- Yoo, J.Y.J., Mak, G.K., Goldowitz, D., 2014. The effect of hemorrhage on the development of the postnatal mouse cerebellum. *Exp. Neurol.* 252, 85–94. <https://doi.org/10.1016/j.expneurol.2013.11.010>

- You, S.H., Jang, S.H., Kim, Y.-H., Kwon, Y.-H., Barrow, I., Hallett, M., 2005. Cortical reorganization induced by virtual reality therapy in a child with hemiparetic cerebral palsy. *Dev. Med. Child Neurol.* 47, 628–635.
- Youssef, S.A., Capucchio, M.T., Rofina, J.E., Chambers, J.K., Uchida, K., Nakayama, H., Head, E., 2016. Pathology of the Aging Brain in Domestic and Laboratory Animals, and Animal Models of Human Neurodegenerative Diseases. *Vet. Pathol.* 53, 327–348. <https://doi.org/10.1177/0300985815623997>
- Ystgaard, M.B., Scheffler, K., Suganthan, R., Bjørås, M., Ranheim, T., Sagen, E.L., Halvorsen, B., Saugstad, O.D., Yndestad, A., 2019. Neuromodulatory Effect of NLRP3 and ASC in Neonatal Hypoxic Ischemic Encephalopathy. *Neonatology* 115, 355–362. <https://doi.org/10.1159/000497200>
- Yu, J.H., Seo, J.H., Lee, J.Y., Lee, M.Y., Cho, S.R., 2016. Induction of Neurorestoration From Endogenous Stem Cells. *Cell Transplant.* 25, 863–882. <https://doi.org/10.3727/096368916x690511>
- Yuan, B.L., Deng, S.J., Zhang, Z.Y., Li, R.L., 2010. Transmission electron microscopy of synaptic ultrastructural white matter damage in neonatal rats. *Neural Regen. Res.* 5, 368–371. <https://doi.org/10.3969/j.issn.1673-5374.2010.05.009>
- Yuan, L., Arikath, J., 2017. Functional roles of p120ctn family of proteins in central neurons. *Semin. Cell Dev. Biol.* 69, 70–82. <https://doi.org/10.1016/j.semcd.2017.05.027>
- Yuan, T.-M., Yu, H.-M., 2010. Notch signaling: Key role in intrauterine infection/inflammation, embryonic development, and white matter damage? *J. Neurosci. Res.* 88, 461–468. <https://doi.org/10.1002/jnr.22229>
- Yuan, Y., 2012. Methylmercury: A potential environmental risk factor contributing to epileptogenesis. *Neurotoxicology* 33, 119–126. <https://doi.org/10.1016/j.neuro.2011.12.014>
- Yue, Y., Zhang, L., Qu, Y., Mu, D.-Z., 2018. [Neuroprotective effects of oligodendrocyte precursor cells on white matter damage in preterm infants]. *Zhongguo Dang Dai Er Ke Za Zhi* 20, 326–331.
- Yuen, T.J., Silbereis, J.C., Griveau, A., Chang, S.M., Daneman, R., Fancy, S.P.J., Zahed, H., Maltepe, E., Rowitch, D.H., 2014. Oligodendrocyte-encoded HIF function couples postnatal myelination and white matter angiogenesis. *Cell* 158, 383–396. <https://doi.org/10.1016/j.cell.2014.04.052>
- Yung, Y.C., Mutoh, T., Lin, M.-E., Noguchi, K., Rivera, R.R., Choi, J.W., Kingsbury, M.A., Chun, J., 2011. Lysophosphatidic acid signaling may initiate fetal hydrocephalus. *Sci. Transl. Med.* 3. <https://doi.org/10.1126/scitranslmed.3002095>
- Yung, Y.C., Stoddard, N.C., Chun, J., 2014. LPA receptor signaling: Pharmacology, physiology, and pathophysiology. *J. Lipid Res.* 55, 1192–1214. <https://doi.org/10.1194/jlr.R046458>

- Z., C., J.D., F., P.G., R., 1997. Prenatal ischemia reduces neuronal injury caused by neonatal hypoxia-ischemia in rats. *Neuroreport* 8, 1393–1398.
- Z., R., R., P., L., C., W.A., L., Rong, Z., Pan, R., Chang, L., Lee, W., 2015. Combination treatment with ethyl pyruvate and IGF-I exerts neuroprotective effects against brain injury in a rat model of neonatal hypoxic-ischemic encephalopathy. *Int. J. Mol. Med.* 36, 195–203.
<https://doi.org/10.3892/ijmm.2015.2219>
- Z.C., F., J., L., R., J., 2012. Changes in neural stem cells in neonatal rats with hypoxic-ischaemic encephalopathy. *Hong Kong J. Paediatr.* 17, 31–37.
- Z.-Q., Z., Y.-L., L., Z.-B., A., Z.-L., W., Q.-W., C., Z.-G., H., B., X., X.-H., Y., Zhou, Z.-Q., Li, Y.-L., Ao, Z.-B., Wen, Z.-L., Chen, Q.-W., Huang, Z.-G., Xiao, B., Yan, X.-H., 2017. Baicalin protects neonatal rat brains against hypoxicischemic injury by upregulating glutamate transporter 1 via the phosphoinositide 3-kinase/protein kinase B. *Neural Regen. Res.* 12, 1625–1631. <https://doi.org/10.4103/1673-5374.217335>
- Zacharias, R., Schmidt, M., Kny, J., Siffringer, M., Bercker, S., Bittigau, P., Buhrer, C., Felderhoff-Muser, U., Kerner, T., 2010. Dose-dependent effects of erythropoietin in propofol anesthetized neonatal rats. *Brain Res.* 1343, 14–19.
<https://doi.org/10.1016/j.brainres.2010.04.081>
- Zager, A., Mennecier, G., Palermo-Neto, J., 2012. Maternal immune activation in late gestation enhances locomotor response to acute but not chronic amphetamine treatment in male mice offspring: Role of the D1 receptor. *Behav. Brain Res.* 232, 30–36. <https://doi.org/10.1016/j.bbr.2012.03.036>
- Zaghoul, N., Ahmed, M., 2017. Pathophysiology of periventricular leukomalacia: what we learned from animal models. *Neural Regen. Res.* 12, 1795–1796.
<https://doi.org/10.4103/1673-5374.219034>
- Zaghoul, N., Patel, H., Codipilly, C., Marambaud, P., Dewey, S., Frattini, S., Huerta, P.T., Nasim, M., Miller, E.J., Ahmed, M., 2014. Overexpression of Extracellular Superoxide Dismutase Protects against Brain Injury Induced by Chronic Hypoxia. *PLoS One* 9. <https://doi.org/10.1371/journal.pone.0108168>
- Zanno, A.E., Romer, M.A., Fox, L., Golden, T., Jaeckle-Santos, L., Simmons, R.A., Grinspan, J.B., 2019. Reducing Th2 inflammation through neutralizing IL-4 antibody rescues myelination in IUGR rat brain. *J. Neurodev. Disord.* 11.
<https://doi.org/10.1186/s11689-019-9297-6>
- Zappa Villar, M.F., López Hanotte, J., Pardo, J., Morel, G.R., Mazzolini, G., García, M.G., Reggiani, P.C., 2020. Mesenchymal Stem Cells Therapy Improved the Streptozotocin-Induced Behavioral and Hippocampal Impairment in Rats. *Mol. Neurobiol.* 57, 600–615. <https://doi.org/10.1007/s12035-019-01729-z>

- Zec, N., Kinney, H.C., 2003. Anatomic relationships of the human nucleus of the solitary tract in the medulla oblongata: a DiI labeling study. *Auton. Neurosci. Clin.* 105, 131–144. [https://doi.org/10.1016/s1566-0702\(03\)00027-4](https://doi.org/10.1016/s1566-0702(03)00027-4)
- Zewdie, E., Damji, O., Ciechanski, P., Seeger, T., Kirton, A., 2017. Contralesional Corticomotor Neurophysiology in Hemiparetic Children With Perinatal Stroke. *Neurorehabil. Neural Repair* 31, 261–271. <https://doi.org/10.1177/1545968316680485>
- Zhai, Z.-Y., Feng, J., 2019. Constraint-induced movement therapy enhances angiogenesis and neurogenesis after cerebral ischemia/reperfusion. *Neural Regen. Res.* 14, 1743–1754. <https://doi.org/10.4103/1673-5374.257528>
- Zhan, L.X., Wang, T., Li, W., Xu, Z.C., Sun, W.W., Xu, E., 2010. Activation of Akt/FoxO signaling pathway contributes to induction of neuroprotection against transient global cerebral ischemia by hypoxic pre-conditioning in adult rats. *J. Neurochem.* 114, 897–908. <https://doi.org/10.1111/j.1471-4159.2010.06816.x>
- Zhang, H.Y., Gu, J., Ding, W.L., Zhu, P., 2008. Effects of dizocipine maleate on mitochondrial ultramicrostructure in neurons following traumatic brain injury in neonatal rats - A quantitative time-course analysis. *Neural Regen. Res.* 3, 208–211.
- Zhang, H., Gao, J., Wang, M., Yu, X., Lv, X., Deng, H., Fan, X., Chen, K., 2018. Effects of scalp electroacupuncture on the PI3K/Akt signalling pathway and apoptosis of hippocampal neurons in a rat model of cerebral palsy. *Acupunct. Med.* 36, 96–102. <https://doi.org/10.1136/acupmed-2016-011335>
- Zhang, J.-J., Shi, H.-C., Yang, W.-S., Wang, D., 2015. Variations on nerve regeneration microenvironment and motor function of rat models of spinal cord injury under mild hypothermia. *Chinese J. Tissue Eng. Res.* 19, 4316–4321. <https://doi.org/10.3969/j.issn.2095-4344.2015.27.010>
- Zhang, J., Chen, S., Shi, W., Li, M., Zhan, Y., Yang, L., Zou, H., Lei, J., Chai, X., Gao, K., Liu, J., Wang, W., Wang, Y., Zhao, H., 2019. Effects of Xiaoshuan Enteric-Coated Capsule on White and Gray Matter Injury Evaluated by Diffusion Tensor Imaging in Ischemic Stroke. *Cell Transplant.* 28, 671–683. <https://doi.org/10.1177/0963689718802755>
- Zhang, J., Weinrich, J.A.P., Russ, J.B., Comer, J.D., Bommareddy, P.K., DiCasoli, R.J., Wright, C.V.E., Li, Y., van Roessel, P.J., Kaltschmidt, J.A., 2017. A Role for Dystonia-Associated Genes in Spinal GABAergic Interneuron Circuitry. *Cell Rep.* 21, 666–678. <https://doi.org/10.1016/j.celrep.2017.09.079>
- Zhang, J., Yang, C., Chen, J., Luo, M., Qu, Y., Mu, D., Chen, Q., 2019. Umbilical cord mesenchymal stem cells and umbilical cord blood mononuclear cells improve neonatal rat memory after hypoxia-ischemia. *Behav. Brain Res.* 362, 56–63. <https://doi.org/10.1016/j.bbr.2019.01.012>

- Zhang, L.P., Zou, L.P., 2008. Altered protein markers related to neural plasticity and motor function following electro-acupuncture treatment in a rat model of ischemic-hypoxic brain injury. *Neural Regen. Res.* 3, 945–949.
- Zhang, R.L., Bo, T., Shen, L., Luo, S.L., Li, J., 2014. Effect of dexamethasone on intelligence and hearing in preterm infants: a meta-analysis. *Neural Regen. Res.* 9, 637–645. <https://doi.org/10.4103/1673-5374.130085>
- Zhang, S.-S., Zheng, X.-R., Yang, Y.-J., Zhong, L., Wang, X., Xie, M., Yu, X.-H., 2008. Adenovirus-mediated VEGF165 gene transfer has neuroprotective effects in neonatal rats following hypoxic-ischemic brain damage. *Chinese J. Contemp. Pediatr.* 10, 737–742.
- Zhang, W., Yang, B., Weng, H., Liu, T., Shi, L., Yu, P., So, K.-F., Qu, Y., Zhou, L., 2019. Wheel running improves motor function and spinal cord plasticity in mice with genetic absence of the corticospinal tract. *Front. Cell. Neurosci.* 13. <https://doi.org/10.3389/fncel.2019.00106>
- Zhang, X., Huang, W.-J., Chen, W.-W., 2016. TGF- β 1 factor in the cerebrovascular diseases of Alzheimer's disease. *Eur. Rev. Med. Pharmacol. Sci.* 20, 5178–5185.
- Zhang, Y., Gao, C., Chen, D., Wang, C., Chen, L., Zhang, Y., Li, B., Y., Z., C., G., D., C., C., W., L., C., Y., Z., B., L., Zhang, Y., Gao, C., Chen, D., Wang, C., Chen, L., Zhang, Y., Li, B., 2019. Tuina Massage Improves Cognitive Functions of Hypoxic-Ischemic Neonatal Rats by Regulating Genome-Wide DNA Hydroxymethylation Levels. *Evidence-based Complement. Altern. Med.* 2019. <https://doi.org/10.1155/2019/1282085>
- Zhang, Y., Zhang, Y., Chen, D., Wang, C., Chen, L., Gao, C., Fan, W., Shi, J., Zhang, J., Li, B., 2019. Genome-Wide Alteration of 5-Hydroxymethylcytosine in Hypoxic-Ischemic Neonatal Rat Model of Cerebral Palsy. *Front. Mol. Neurosci.* 12. <https://doi.org/10.3389/fnmol.2019.00214>
- Zhang, Z.-Y., Li, C., Zug, C., Schluesener, H.J., 2014. Icariin ameliorates neuropathological changes, TGF- β 1 accumulation and behavioral deficits in a mouse model of cerebral amyloidosis. *PLoS One* 9. <https://doi.org/10.1371/journal.pone.0104616>
- Zhang, Z., Rasmussen, L., Saraswati, M., Koehler, R.C., Robertson, C., Kannan, S., 2019. Traumatic Injury Leads to Inflammation and Altered Tryptophan Metabolism in the Juvenile Rabbit Brain. *J. Neurotrauma* 36, 74–86. <https://doi.org/10.1089/neu.2017.5450>
- Zhang, Z., Yang, J., Liu, C., Xie, J., Qiu, S., Yang, X., Wu, C., 2019. Pseudoginsenoside-F11 alleviates cognitive deficits and Alzheimer's disease-type pathologies in SAMP8 mice. *Pharmacol. Res.* 139, 512–523. <https://doi.org/10.1016/j.phrs.2018.10.024>
- Zhao, C.-S., Puurunen, K., Schallert, T., Sivenius, J., Jolkkonen, J., 2005. Effect of cholinergic medication, before and after focal photothrombotic ischemic cortical

injury, on histological and functional outcome in aged and young adult rats. *Behav. Brain Res.* 156, 85–94. <https://doi.org/10.1016/j.bbr.2004.05.011>

Zhao, D.A., Bi, L.Y., Huang, Q., Zhang, F.M., Han, Z.M., 2016. Isoflurane provides neuroprotection in neonatal hypoxic ischemic brain injury by suppressing apoptosis. *Rev. Bras. Anestesiol.* 66, 613–621.
<https://doi.org/10.1016/j.bjan.2016.08.003>

Zhao, H., Alam, A., San, C.-Y., Eguchi, S., Chen, Q., Lian, Q., Ma, D., 2017. Molecular mechanisms of brain-derived neurotrophic factor in neuro-protection: Recent developments. *Brain Res.* 1665, 1–21.
<https://doi.org/10.1016/j.brainres.2017.03.029>

Zhao, J., Sun, X., Yu, Z., Pan, X., Gu, F., Chen, J., Dong, W., Zhao, L., Zhong, C., 2011. Exposure to pyridostigmine increases β-amyloid accumulation, tau hyperphosphorylation, and glycogen synthase kinase-3 activity in the brain. *Neurotox. Res.* 19, 575–583. <https://doi.org/10.1007/s12640-010-9204-0>

Zhao, W., Xu, W., 2014. Migration and differentiation of neural progenitor cells after recurrent laryngeal nerve avulsion in rats. *PLoS One* 9.
<https://doi.org/10.1371/journal.pone.0107288>

Zhao, W., Xu, W., Yang, W.W., 2014. Neuroregeneration in the nucleus ambiguus after recurrent laryngeal nerve avulsion in rats. *Ann. Otol. Rhinol. Laryngol.* 123, 490–499. <https://doi.org/10.1177/0003489414524170>

Zhao, Y., Xiao, J., Ueda, M., Wang, Y., Hines, M., Nowak Jr., T.S., LeDoux, M.S., 2008. Glial elements contribute to stress-induced torsinA expression in the CNS and peripheral nervous system. *Neuroscience* 155, 439–453.
<https://doi.org/10.1016/j.neuroscience.2008.04.053>

Zheng, T., Weiss, M.D., T., Z., M.D., W., 2013. Neonatal transplant in hypoxic injury. *Methods Mol. Biol.* 1059, 147–156. https://doi.org/10.1007/978-1-62703-574-3_13

Zheng, X.R., Zhang, S.S., Yang, Y.J., Yin, F., Wang, X., Zhong, L., Yu, X.H., 2010. Adenoviral vector-mediated transduction of VEGF improves neural functional recovery after hypoxia-ischemic brain damage in neonatal rats. *Brain Res. Bull.* 81, 372–377. <https://doi.org/10.1016/j.brainresbull.2009.11.012>

Zhou, C.-L., Zhao, L., Shi, H.-Y., Liu, J.-W., Shi, J.-W., Kan, B.-H., Li, Z., Yu, J.-C., Han, J.-X., 2018. Combined acupuncture and HuangDiSan treatment affects behavior and synaptophysin levels in the hippocampus of senescence-accelerated mouse prone 8 after neural stem cell transplantation. *Neural Regen. Res.* 13, 541–548. <https://doi.org/10.4103/1673-5374.228760>

Zhou, K., Boström, M., Joakim Ek, C., Li, T., Xie, C., Xu, Y., Sun, Y., Blomgren, K., Zhu, C., 2017. Radiation induces progenitor cell death, microglia activation, and blood-brain barrier damage in the juvenile rat cerebellum. *Sci. Rep.* 7.
<https://doi.org/10.1038/srep46181>

- Zhou, W., Rong, X., Tao, L., Lu, W.N., 2011. Recombinant human erythropoietin for repair of white matter damage. *Neural Regen. Res.* 6, 635–640.
<https://doi.org/10.3969/j.issn.1673-5374.2011.08.009>
- Zhu, C.L., Gao, J.F., Li, Q.A., Huang, Z.H., Zhang, Y., Li, H.F., Kuhn, H.G., Blomgren, K., 2011. Repeated exposure of the developing rat brain to magnetic resonance imaging did not affect neurogenesis, cell death or memory function. *Biochem. Biophys. Res. Commun.* 404, 291–296.
<https://doi.org/10.1016/j.bbrc.2010.11.109>
- Zhu, H., Han, X., Ji, D., Lv, G., Xu, M., 2012. Estrogen inhibits lipid peroxidation after hypoxic-ischemic brain damage in neonatal rats. *Neural Regen. Res.* 7, 2424–2431.
<https://doi.org/10.3969/j.issn.1673-5374.2012.31.003>
- Zhu, M., Hua, Y., Tang, J., Zhao, X., Zhang, L., Zhang, Y., 2019. Lentiviral-mediated ephrin B2 gene modification of rat bone marrow mesenchymal stem cells. *J. Int. Med. Res.* 47, 3282–3298. <https://doi.org/10.1177/0300060519843023>
- Zhu, N., Zhang, C., Li, Z., Meng, Y., Feng, B., Wang, X., Yang, M., Wan, L., Ning, B., Li, S., 2013. Oculomotor nerve injury induces neurogenesis in the oculomotor and edinger-westphal nucleus of adult dog. *J. Mol. Neurosci.* 51, 724–733.
<https://doi.org/10.1007/s12031-013-0056-y>
- Zhuravin, I.A., Tumanova, N.L., Ozirskaya, E. V., Vasil'ev, D.S., Dubrovskaia, N.M., 2005. [Formation of striatum structural and ultrastructural organization in the early postnatal ontogenesis of rats subjected to altered conditions of their embryonic development]. *Morfologiiia* 127, 31–36.
- Zhuravin, I.A., Tumanova, N.L., Ozirskaya, E. V., Vasil'ev, D.S., Dubrovskaya, N.M., 2006. Formation of the structural and ultrastructural organization of the striatum in early postnatal ontogenesis of rats in altered conditions of embryonic development. *Neurosci. Behav. Physiol.* 36, 473–478. <https://doi.org/10.1007/s11055-006-0042-8>
- Zia, M.T.K., Vinukonda, G., Vose, L.R., Bhimavarapu, B.B.R., Iacobas, S., Pandey, N.K., Beall, A.M., Dohare, P., LaGamma, E.F., Iacobas, D.A., Ballabh, P., 2015. Postnatal glucocorticoid-induced hypomyelination, gliosis, and neurologic deficits are dose-dependent, preparation-specific, and reversible. *Exp. Neurol.* 263, 200–213. <https://doi.org/10.1016/j.expneurol.2014.09.013>
- Ziemka-Nalecz, M., Jaworska, J., Zalewska, T., 2017. Insights into the neuroinflammatory responses after neonatal hypoxia-ischemia. *J. Neuropathol. Exp. Neurol.* 76, 644–654. <https://doi.org/10.1093/jnen/nlx046>
- Zitta, K., Peeters-Scholte, C., Sommer, L., Parczany, K., Steinfath, M., Albrecht, M., 2016. Insights into the neuroprotective mechanisms of 2-iminobiotin employing an in-vitro model of hypoxic-ischemic cell injury. *Eur. J. Pharmacol.* 792, 63–69.
<https://doi.org/10.1016/j.ejphar.2016.10.026>

Zsombok, A., Jacobs, K.M., 2007. Postsynaptic currents prior to onset of epileptiform activity in rat microgyria. *J. Neurophysiol.* 98, 178–186.
<https://doi.org/10.1152/jn.00106.2007>

Zvietcovich, F., Ge, G.R., Mestre, H., Giannetto, M., Nedergaard, M., Rolland, J.P., Parker, K.J., 2019. Longitudinal shear waves for elastic characterization of tissues in optical coherence elastography. *Biomed. Opt. Express* 10, 3699–3718.
<https://doi.org/10.1364/BOE.10.003699>