

**SUPPLEMENTAL TABLE 1.** *Hannula-Jouppi et al. Nagashima-type palmoplantar keratosis in Finland caused by a SERPINB7 founder mutation*

*SERPINB7* mutations in NPPK. Founder mutations are highlighted in bold.

	<b>Nucleotide change</b>	<b>Aminoacid change</b>	<b>Ethnicity</b>	<b>Founder effect</b>	<b>Reference</b>
1	c.122_127delTGGTCC	p.41_42del	Chinese		Zhang et al. 2016
2	c.218_219del2ins12	p.Gln73Lfs*17	Japanese		Kubo et al. 2013
3	c.271delC	p.His91Tfs*9	Chinese		Hua et al. 2018
4	c.336+2T>G	Predicted splicing	Japanese		Mizuno et al. 2014
5	c.382C>T	p.Arg128*	Japanese		Katsuno et al. 2017
6	c.455-1G>A	p.Gly152Afs*6	Japanese		Kubo et al. 2013
7	c.455G>T	p.Gly152Vfs*21	Chinese Japanese	Chinese Possibly Japanese Possibly	Yin et al. 2014
8	c.522dupT	p.Val175Cfs*46	Chinese Japanese	Chinese Possibly Japanese Possibly	Yin et al. 2014
9	c.522insT	p.Val175Cfs*46	Korean		On et al. 2016
9	c.636delG	p.Lys213Sfs*12	Japanese		Nakajima et al. 2016
10	c.650_653delCTGT	p.Ser217Lfs*7	Chinese		Yin et al. 2014
11	<b>c.796C&gt;T</b>	<b>p.Arg266*</b>	<b>Chinese Japanese Korean</b>	<b>Chinese Japanese Korean</b>	Kubo et al. 2013 On et al. 2016
13	c.830C>T	p.Pro277Leu	Japanese		Shiohama et al. 2015
14	<b>c.1136G&gt;A</b>	<b>p.Cys379Tyr</b>	<b>Finnish</b>	<b>Finnish</b>	This report

Hua S, Miao X, Mao W, Hua L, Chen J, Li B. A novel frameshift SERPINB7 mutation in a Chinese case with Nagashima-type palmoplantar keratosis: case report and review of the literature. *Clin Exp Dermatol.* 2018 December 01;43(8):953-5.

Katsuno M, Shiohama A, Aoki S, Kitamura H, Sasaki T, Amagai M, et al. Novel nonsense mutation in SERPINB7 and the treatment of foot odor in a patient with Nagashima-type palmoplantar keratosis. *J Dermatol.* 2017 July 01;44(7):e147.

Kubo A, Shiohama A, Sasaki T, Nakabayashi K, Kawasaki H, Atsugi T, et al. Mutations in SERPINB7, encoding a member of the serine protease inhibitor superfamily, cause Nagashima-type palmoplantar keratosis. *Am J Hum Genet.* 2013 November 07;93(5):945-56.

Mizuno O, Nomura T, Suzuki S, Takeda M, Ohguchi Y, Fujita Y, et al. Highly prevalent SERPINB7 founder mutation causes pseudodominant inheritance pattern in Nagashima-type palmoplantar keratosis. *Br J Dermatol.* 2014 October 01;171(4):847-53.

Nakajima K, Ishiguro M, Shiohama A, Kubo A, Sano S. Novel frame-shift mutation in SERPINB7 in a Japanese patient with Nagashima-type palmoplantar keratosis. *J Dermatol.* 2017 July 01;44(7):841-3.

On HR, Lee SE, Nomura T, Miyauchi T, Suzuki S, Shimizu H, et al. Identification of SERPINB7 mutations in Korean patients with Nagashima-type palmoplantar keratosis. *J Dermatol.* 2017 July 01;44(7):840-1.

Shiohama A, Sasaki T, Sato S, Sakabe J, Ito T, Isoda H, et al. Identification and Characterization of a Recessive Missense Mutation p.P277L in SERPINB7 in Nagashima-Type Palmoplantar Keratosis. *J Invest Dermatol*. 2016 January 01;136(1):325-8.

Yin J, Xu G, Wang H, Zhao J, Duo L, Cao X, et al. New and recurrent SERPINB7 mutations in seven Chinese patients with Nagashima-type palmoplantar keratosis. *J Invest Dermatol*. 2014 August 01;134(8):2269-72.

Zhang J, Zhang G, Ni C, Cheng R, Liang J, Li M, et al. Nagashima-type palmoplantar keratosis in a Chinese Han population. *Mol Med Rep*. 2016 November 01;14(5):4049-54.